INCENTIVES AND SUPPORT FOR YOUR BUSINESS NEEDS.



THE DEALER NETWORK FOR YOUR BUSINESS.

Your BusinessLink dealer is committed to providing you, the small business owner, with the vehicle support you need for your business; from servicing all makes and models of your existing vehicles to selling you the right

vehicles needed to perform the work that you do. Your BusinessLink dealer provides available next-bay-up service because we know downtime costs you money. Your BusinessLink dealer has sales professionals trained to properly "job-rate" the right vehicle for your work application along with providing commercial finance options. New vehicle sales to qualified small business owners also include a free alternate transportation contract in the event your vehicle is in for service.

Membership in the BusinessLink program is complimentary. Membership helps us to identify you as a small business owner so we can provide you with both the service you deserve, and update you with offers that can help reduce the cost of doing business. For your free registration, see your BusinessLink dealer today.

BusinessLink has you covered.

- Next-Bay-Up Service
- (all makes and models)
- A Dedicated BusinessLink Staff
- Commercial Vehicles in Stock

• Free Loaners* for Selected Vehicles • Extended Service Hours Convenient Shuttle Services

to fcaworkvehiclesus.com or call us toll-free at 877-2THELINK (877-284-3546).

*Some restrictions apply. See dealer for details.

For more information, log on

JOB INCENTIVES FOR SMALL BUSINESSES. Running a business presents plenty of challenges. Like cutting costs, not corners. Like ON

THE saving time and money and eliminating hassles. The ON THE JOB22 commercial incentive program provides assistance in customizing and servicing your business vehicles.

Our most popular ON THE JOB²² incentives are:

- COMMERCIAL EQUIPMENT/UPGRADES. \$500/\$1,000 Allowances for Upfits, \$1,000 Box-Off Allowance, \$500 RamBox® Cargo Management System Allowance.
- COMMERCIAL GRAPHICS ALLOWANCES. \$250/\$500/\$1,000 Commercial Graphics Allowances.
- BOSCH[®] TOOL OFFER. Select 1 of 5 current Bosch Power Tool Packages.
- 2-YEAR LUBE/OIL/FILTER. For all Chrysler, Jeep., Dodge and Ram vehicles (includes gas and diesel engines).
- MOPAR® SERVICE CONTRACTS. \$500/\$1,000 and Oil Change options available.

See your dealer for specific program rules and details or call us toll-free at 877-0NTHEJOB (877-668-4356).

CHRYSLER A commercial line of credit from Chrysler Capital is ideal for qualified business customers looking for a flexible, easy way to manage growing CAPITAL vehicle needs. Chrysler Capital streamlines the process-and with prequalification, you're ready to buy a vehicle when you need it. Ask your BusinessLink dealer for details.





RAM IS A REGISTERED TRADEMARK OF FCA US LLC.





2017 RAM POCKET GUIDE





MEET THE 2017 RAM WORKFORCE

THIS WORKFORCE AIMS TO TRANSFORM THE WORKPLACE. WITH TOUGH, EFFICIENT POWERTRAINS. ROBUST PTO CAPABILITY. UPFIT-READY DESIGN AND ENGINEERING. AND ALL DESIGNED FOR LOW COST OF OWNERSHIP.

You need what we've got: phenomenal PTO capability found on our Chassis Cabs. Remarkable suspension technologies on our pickups and vans. And commercial-grade strength everywhere you look. The Ram portfolio ranges from big Chassis Cabs to the very city-friendly Ram ProMaster City[®] Tradesman[®] models. In every way that counts, the Ram Commercial workforce stands out—and frequently stands above.

Here's where quality, capability and fuel-efficient performance are at the top of the game. Where occupant comfort rivals the luxury found in the private sector. Where engineering, communications technology and telematics rank among the best in the field.

Look at Ram, and it's clear: this is how genius and sheer strength work together. Apply it to your industrial/commercial needs—or for those challenging personal and recreational demands. The 2017 Ram Commercial team stands ready for all of it. For more, visit us anytime at **RAMTRUCKS.COM/COMMERCIAL**

RAM QUALITY: EXCEPTIONAL WARRANTIES.

The business behind the Ram name is simple: carry it all with ironclad reliability. Whether you're moving people or steel, your Ram of choice delivers like no other.

All diesel powertrains feature a 5-Year/100,000-Mile Powertrain Limited Warranty? Gas-driven powertrains offer a 5-Year/60,000-Mile Powertrain Limited Warranty?

Furthermore, every vehicle in this expanding portfolio backs you with our comprehensive 3-Year/36,000-Mile Bumper-to-Bumper Warranty⁴

INTRODUCTION	2 - 3
RAM: AN OVERVIEW	4 - 7
POWERTRAINS	8 - 11
AM I500 LIGHT-DUTY PICKUPS	
WHEELS	12 - 13
BUYER'S GUIDE	14 - 19
TRAILER WEIGHTS AND PAYLOADS	20 - 21
AM 2500/3500 HEAVY DUTY PICKUPS	
WHEELS	24 - 25
BUYER'S GUIDE	26 - 33
TRAILER WEIGHTS AND PAYLOADS	34 - 35
AM 3500/4500/5500 CHASSIS CABS	
WHEELS	36 - 37
BUYER'S GUIDE	38 - 43
TRAILER WEIGHTS AND PAYLOADS	44 - 45
AM PROMASTER® VANS/CUTAWAYS/CHASSIS CABS	
DIMENSIONS AND WHEELS	46
BUYER'S GUIDE	47 - 49
TRAILER WEIGHTS AND PAYLOADS	49
AM PROMASTER CITY®	
WHEELS	50
BUYER'S GUIDE	51 - 52
TRAILER WEIGHTS AND PAYLOADS	53
AM COMMERCIAL PORTFOLIO	
CONFIGURATIONS	54 - 55
EXTERIOR PAINT COLORS	56 - 57
INTERIOR SEAT FABRICS	58
UPPORT FOR YOUR BUSINESS	
UPFITS/BODY BUILDERS/RESOURCES	59
BUSINESSLINK/ON THE JOB/CHRYSLER CAPITAL	60

*A note about this brochure: all disclaimers and disclosures can be found on the inside back cover.

POWERTRAINS

3500

1500

3500 CC

LIGHT-DUTY PICKUPS

A Ram pickup knows where the work is. It's on deep-country farms and sprawling ranches. It's in gritty urban industrial parks, on manicured landscaping sites—and literally everywhere in between.

One full-size pickup steps up where others step back. Ram 1500, with its no-nonsense attitude and serious can-do muscle, delivers what counts. Like the available 3.0L EcoDiesel V6⁺ delivering the best highway fuel efficiency of any half-ton pickup⁵ Add the class-exclusive⁶ available Active-Level[™] Four-Corner Air Suspension System and the best-in-class⁶ available RamBox[®] Cargo Management System, and you've got the light-duty worker ready for the toughest tasks.

HEAVY-DUTY PICKUPS

PAINT

Heavy-duty jobs demand heavy-duty support. Ram Heavy Duty has it, with impressive class-exclusive advantages that deliver tough, neversay-no capability and engineering focused on getting the job done.

Start with best-in-class⁸ gas horsepower from the available 6.4L HEMI[®] V8; factor in best-in-class⁹ gas towing* with the same 6.4L HEMI V8 on Ram 2500, with outstanding available diesel torque for Ram 3500 ready for work; close it with the class-exclusive⁸ available Auto-Level Rear Air Suspension System for both models—the ideal comfort and control advantage for towing and payload capability. Fact: few pickups measure up to the standards set by a 2017 Ram 2500/3500 Heavy Duty.



SELECT RAM 1500 HIGHLIGHTS

- THE 3.0L ECODIESEL V6* Count on Ram 1500 technology to set the stage for performance—and play a starring role. The available EcoDiesel V6* for Ram 1500 offers 420 lb-ft of torque backed with the best highway fuel efficiency of any full-size pickup⁵.
- THE TORQUEFLITE® 8-SPEED AUTOMATIC TRANSMISSION. Ram 1500 makes it happen in ways most others don't. We pioneered the TorqueFlite 8-speed automatic with its innovative dashboard-mounted Rotary Shifter and invaluable Thermal Management System.
- 4x4 CAPABILITY WITH POWER AND EFFICIENCY. With the Pentastar[®] V6, EcoDiesel V6^{*} or HEMI[®] V8
 mated to the TorqueFlite 8-speed automatic, you're looking at impressive and efficient
 power backed with available 4x4 capability for tough jobs and tough terrains.
- THE CLASS-EXCLUSIVE⁶ ACTIVE-LEVEL FOUR-CORNER AIR SUSPENSION SYSTEM can replace the resilient and comfortable coil spring suspension. Operator-controlled, this available technology provides five operating levels, including automatic load-leveling and lower entry/exit heights.
- INTERIORS THAT EMPLOY BRILLIANT ELECTRICAL ARCHITECTURE give you technology that dazzles. The available full-color Driver Information Display relays tons of real-time vehicle/mechanical data about engine and vehicle condition, towing and much more.
- A DASHBOARD-MOUNTED SWITCH BANK puts functionality right at hand, with fingertip control of the standard ESC⁷ System, the Tow/Haul Mode and the available Active-Level Four-Corner Air Suspension System (if equipped). Additional switches handle more optional equipment. *Late availability.

SELECT RAM 2500/3500 HEAVY DUTY HIGHLIGHTS

- EXCEPTIONAL CAPABILITY, MEASURED BY MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs). Robust strength for the job is part of the Ram Heavy Duty package. The max GCWRs of the 2017 Ram Heavy Duty models equipped with the available 6.7-liter Cummins[®] Turbo Diesel ensure both confidence and capability. Ratings this exceptional give you remarkable capability: up to 25,300 lb* GCWR for Ram 2500, and up to 39,100 lb* for Ram 3500.
- UNCOMPROMISING TOWING FOR GAS AND DIESEL ENGINES. For beyond-confident pulling and hauling, know this: Ram Heavy Duty pickups don't back down. Towing capability in a Ram 3500 powered by the available 6.4L HEMI V8-up to 16,520 lb*; and with the available 6.7L Cummins High Output in Ram 3500, max towing vaults to a jaw-dropping 31,210 lb*
- IMPRESSIVE MAXIMUM GROSS VEHICLE WEIGHT RATINGS (GVWRs). Ram 2500 and 3500 pickups deliver serious GVWRs: up to 10,000 lb* for Ram 2500 and up to 14,000 lb* for Ram 3500.
- The available Cummins Turbo Diesel comes in THREE SEPARATE POWER RATINGS, maxing out with the HIGH OUTPUT CALIBRATION CHURNING OUT 385 HP and an incredible 900 LB-FT OF AVAILABLE TORQUE when mated to the AISIN® Heavy-Duty 6-speed automatic on Ram 3500. Every Cummins iteration features a CLASS-EXCLUSIVE® "SMART" DIESEL EXHAUST BRAKE.
- EFFICIENT GAS POWER. When gas is preferred, the available 6.4L HEMI V8 generates 410 hp and 429 lb-ft of torque—and features the gas-sipping MDS/Fuel Saver Technology.

*When properly equipped.

OVERVIEW

3500 CC

5500 CC

PAINT

RESOURCES

CHASSIS CABS

1500

The wide variety of Ram Chassis Cabs reflects a deep commitment to the trade. Count on exceptional upfit versatility and, on pickup-based Chassis Cabs, outstanding available Power Take-Off (PTO) capability.

The standard 6.4L HEMI® V8 on pickup-based models delivers up to 410 hp* on 3500 SRW, and 366 hp on 4500/5500 models; 429 lb-ft of torgue is standard for all. Advantages: a max GVWR up to 14,000 lb⁺ on Ram 3500 DRW; an available heavy-duty front suspension for 4500/5500; best-in-class^{10,11} available dual fuel tank capacity; and leftor right-side PTO availability. Rounding out the portfolio are the versatile Ram ProMaster[®] Cutaways/Chassis Cabs, with their ultra-low frame height.

CARGO VANS AND WAGONS

CONFIGURATIONS

Our family of commercial-grade vehicles grew exponentially when we added the Ram ProMaster® models; it was further beefed up with the urban-friendly Ram ProMaster City® Cargo Van and Wagon models.

Each plays a distinctive role. Between Ram ProMaster Windowed Van and Cargo Van you'll find three wheelbases, multiple floor lengths, two roof heights and numerous best-in-class features; Cargo Van is designed for your upfit of choice. Ram ProMaster City Tradesman® Cargo Van and Passenger Wagon-right-sized for cities and suburbsrank as best-in-class¹² for payload, cargo capacity and GVWR (on Cargo Van), and all ride on a class-exclusive¹² bi-link rear suspension.



SELECT RAM AND PROMASTER CHASSIS CAB HIGHLIGHTS

- Ram 4500/5500 Chassis Cab models come to work with top-notch capability. SERIOUSLY IMPRESSIVE MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs) give you ample room for upfits.
- BEST-IN-CLASS¹¹ AVAILABLE 6.7L DIESEL ENGINE FRONT GROSS AXLE WEIGHT RATINGS (GAWRs) for Ram 4500/5500 Chassis Cabs make these workers ideal for heavy-duty front-mounted attachments-and the go-to choice for snow plows.
- When equipped with the available Cummins® High Output Turbo Diesel, Ram Chassis Cab models deliver ALL THE DIESEL TORQUE YOU NEED. Cummins advantages include available B20 capability and a state-of-the-art Diesel Exhaust Fluid (DEF) System.
- Standard on every 2017 Chassis Cab, the ELECTRONIC STABILITY CONTROL (ESC)⁷ SYSTEM is an invaluable advantage for exceptional maneuvering, road manners and trailering control.
- ULTRA-CAPABLE AVAILABLE MAX DUAL ALTERNATOR OUTPUT. Put a total of 440 amps at your service, from a Ram Chassis Cab equipped with the Cummins Turbo Diesel.
- The RAM PROMASTER CHASSIS CAB MODELS substantially broaden the overall versatility of the Ram portfolio, with two cab-to-axle lengths, two wheelbases and three frame lengths, topped off by an impressive Gross Vehicle Weight Rating. Frame height makes these models ideal for applications that require frequent stops and loading. As low as 24.4 inches from the ground, it's custom-made for landscaping services or the transport of items like ATVs.

*Only when the available 10K GVWR model is ordered on 3500 SRW with 66RFE automatic transmission, [†]When properly equipped,

SELECT RAM PROMASTER AND RAM PROMASTER CITY HIGHLIGHTS

- Ram ProMaster Cargo Van models lead the competition, with BEST-IN-CLASS13 FEATURES where they count the most; among them: width between wheel wells, turning diameter (short wheelbase) and lowest load floor height. CLASS-EXCLUSIVE¹³ FRONT-WHEEL DRIVE excels in adverse weather conditions.
- Ram ProMaster Cargo Van and Windowed Van offer a world-class engine: the standard 3.6L PENTASTAR® V6 MATED TO THE 6-SPEED AUTOMATIC CHURNS OUT BEST-IN-CLASS¹³ STANDARD V6 280 HORSEPOWER backed with 260 lb-ft of torque.
- OUTSTANDING RETAINED VALUE. Ram ProMaster City retains its value better than Ford, Chevy and Nissan in its segment.



- THE RAM PROMASTER CITY MODELS come to work with a CLASS-EXCLUSIVE12 NINE-SPEED AUTOMATIC TRANSMISSION. Factor in the 2.4L TIGERSHARK® MULTIAIR®2 INLINE FOUR-CYLINDER, and you're looking at BEST-IN-CLASS¹² HORSEPOWER AND TORQUE. The zero-to-30 mph time is an astonishing 3.7 secondsperfect for merging into city traffic.
- THE 2017 RAM PROMASTER CITY MODELS encapsulate efficient capability-and then add welcome capacity. Cargo Van models feature the interior volume (and rear door opening widths) to accommodate a standard pallet. Towing on Cargo Van models reaches 2,000 lbt

*Based on ALG's residual value forecast for the 2017 Ram ProMaster City. [†]When properly equipped.

GAS POWERTRAIN



RAM PROMASTER CITY®

THE 2.4L TIGERSHARK[®] MULTIAIR[®]2 I-4: 178 HP / 174 LB-FT Powerful and lightweight, the four-cylinder 2.4L MultiAir2 features a host of smart components and enhancements for combustion control, maximum fuel efficiency and reduced exhaust emissions. With its 10:1 compression ratio, individual piston oil squirters, preciousmetal spark plugs and refined oil life monitoring system providing recommended oil change data, the 2.4L MultiAir2 ably steps up to the commercial rigors demanded of Ram ProMaster City models.



RAM 1500

THE 3.6L PENTASTAR[®] V6: 305 HP / 269 LB-FT

As standard powerplant on select Ram 1500 pickups, the awardwinning Pentastar V6 delivers up to 25 mpg highway' working with its standard partner, the innovative TorqueFlite® 8-speed automatic transmission. Count on built-in V6 efficiencies, V8-equivalent performance and tough available 4x4 capability.



RAM PROMASTER® VAN/CHASSIS CAB/CUTAWAY

THE 3.6L PENTASTAR V6: 280 HP / 260 LB-FT

The impressive and award-winning Pentastar V6 is the standard engine for the 2017 Ram ProMaster Vans. Light and efficient, with outstanding horsepower and torque, Electronic Throttle Control and a serious compression ratio of 10.2:1.

RAM 1500

THE 5.7L HEMI[®] V8 WITH MDS/FUEL SAVER TECHNOLOGY: 395 HP / 410 LB-FT



The resilient HEMI V8 for Ram 1500 reflects its legendary heritage—but it's really the engineering that makes this the frequent engine of choice. Smart refinements that focus on getting the most from every drop of fuel include dual spark plug technology and Variable Valve Timing (VVT); both contribute to outstanding engine efficiency and torque levels. The Multi-Displacement System (MDS)/Fuel Saver Technology transforms this tough V8 into a fuel-efficient 4-cylinder under many driving conditions. Available on Ram 1500 pickups.







RAM 2500/3500

THE 5.7L HEMI® V8 WITH VVT: 383 HP / 400 LB-FT

This iteration of the 5.7L HEMI V8 utilizes Variable Valve Timing (VVT), technology that optimizes engine breathing. Since a major function of VVT is

to increase torque, output with VVT is measurably better than that of comparable engines without it. VVT also gives these tough Ram models notable gas-powered towing strength. Standard on select Ram 2500/3500 SRW pickups.

RAM 2500/3500

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 4I0 HP / 429 LB-FT

Performance here combines the best: VVT, MDS/ Fuel Saver Technology, Individual Cylinder Fuel Control and interactive Deceleration Fuel Shut-

Off (iDFSO). The assets that come with this available engine for Ram Heavy Duty pickups translate into bottom-line strength and proven efficiency, with the confidence to take on tough jobs.

RAM 3500/4500/5500 CHASSIS CAB

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 370 HP (410 HP*) / 429 LB-FT (3500); 366 HP / 429 LB-FT (4500/5500)

The standard engine for all Ram Chassis Cab models provides outstanding gas-powered V8 performance-and using 87-octane unleaded gas.

Mate the 6.4L HEMI V8 with the available AISIN* transmission, and you've got stellar available PTO capability that efficiently uses only four of its cylinders (static). Configurations: 3500 models mate the 6.4L HEMI V8 with the 66RFE 6-speed automatic, with the AISIN AS66RC available for increased payload and towing capability; Ram 4500/5500 models mate it solely to the AISIN transmission.

MDS/FUEL SAVER TECHNOLOGY

It's exactly what business needs. Engineered for the 5.7L HEMI V8 on Ram 1500 and the 6.4L HEMI V8 on Heavy Duty and 3500 Chassis Cab with the 66RFE automatic, the Multi-Displacement System supplies a tough 8-cylinder for the job—and then seamlessly transforms the engine into a smooth 4-cylinder for the highway. The 6.4L HEMI V8/AISIN powertrain on 3500/4500/5500 Chassis Cabs even utilizes the MDS while in stationary PTO mode.



A TRANSMISSION FOR EVERY NEED: The Gas-Driven Portfolio.

THE 948TE 9-SPEED AUTOMATIC. It's the ideal engineering to propel the efficient Ram ProMaster City models. The wide 9.79 ratio spread and 4.70:1 first-gear launch ratio ensure quick takeoffs, while the 7th – 9th gear transitions help enhance fuel efficiency. Standard on 2017 Ram ProMaster City Tradesman[®] Cargo Van and Passenger Wagon.

THE 8HP45 TORQUEFLITE 8-SPEED AUTOMATIC. Compact, durable and efficient: the 8HP45 transmission comes to work with adaptive shifting, fill-for-life fluid, a sophisticated Thermal Management System and dashboard-mounted Rotary Shifter. Standard with the 3.6L Pentastar V6 on Ram 1500 only.

THE 8HP70 TORQUEFLITE 8-SPEED AUTOMATIC. This larger, more robust version of the 8HP45 8-speed offers all of the features described above, but with the resilience that can handle 5.7L HEMI V8 power. It's a very real contributor to the impressive Ram 1500 fuel efficiency. This transmission also features the dashboard-mounted Rotary Shifter. Available for Ram 1500 with the 5.7L HEMI V8.

THE 66RFE 6-SPEED AUTOMATIC. Electronic Range Select (ERS) facilitates heavy towing and payload assignments, with an added sixth gear that contributes a crisp and efficient 0.63:1 gear ratio; the muscular Reverse gear ratio of 4.44:1 is ideal when moving larger trailers. Standard with the HEMI V8-powered Ram 2500 and 3500 pickups and Ram 3500 Chassis Cab.

THE 62TE 6-SPEED AUTOMATIC. Mated to the 3.6L Pentastar® V6 and refined for commercial demands, this long-proven component ensures effortless and economical shifting. Engine speeds change less with each shift, contributing to fuel efficiency. Standard on Ram ProMaster.®

THE AISIN AS66RC HEAVY-DUTY 6-SPEED AUTOMATIC. Developed with our colleagues at AISIN, it was specifically sized, packaged and calibrated to accommodate the output and relating axle ratios of its partner—the 6.4-liter HEMI V8 engine for Ram 3500 Chassis Cab (as available transmission) and 4500/5500 Chassis Cab models (as standard transmission). On Ram Chassis Cabs, the AS66RC provides prodigious available PTO capability. Among them: available dual-sided configurability, with the left side capable of hydraulic or higher-output functions; output measured at 60 hp and 250 lb-tt of torque; and efficient operation when paired with the 6.4L HEMI V8 by operating static PTO functions using only four of the engine's eight cylinders.

1500

2500

3500 CC 4500 CC

DIESEL POWERTRAIN





3500

RAM 2500/3500

6.7L CUMMINS® TURBO DIESEL: 350 HP / 660 LB-FT OF TORQUE The Cummins Turbo Diesel for Ram Heavy Duty pickups is available in three separate calibrations. All feature the class-exclusive⁸ "smart" diesel exhaust brake for improved braking and control, especially on downhill grades. The 350 / 660 version of the Cummins Turbo Diesel churns out stunning torque and ample horsepower; the powertrain configuration mates it only to the class-exclusive⁸ 6-speed manual transmission. Available for Ram 2500/3500 pickups.

RAM 2500/3500

6.7L CUMMINS TURBO DIESEL: 370 HP / 800 LB-FT

This calibration translates into radically high torque output, giving Ram Heavy Duty models extra clout for the job. Like all Cummins engines, it features the "smart" diesel exhaust brake and offers **superb unaided cold-start capability in temperatures as low as -20° F.** The 370 / 800 calibration is partnered with the dependable and trusted 68RFE 6-speed automatic transmission. It's available only on Ram 2500/3500 Heavy Duty pickups.

RAM 3500

6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 385 HP / 900 LB-FT The available High Output calibration is mated only to the AISIN® 6-speed automatic. With its **stellar available torque of 900 lb-ft**, the Cummins HO gives Ram 3500 pickup models indisputable capability for the toughest towing and hauling assignments. All Cummins Turbo Diesels meet stringent Federal emissions standards with an ingenious Diesel Exhaust Fluid (DEF) System. Available only on Ram 3500 pickups.



RAM 1500

3.0L ECODIESEL V6*: 240 HP / 420 LB-FT

This award-winning component is part of an arsenal of groundbreaking powerplants. The available 3.0-liter EcoDiesel V6° engine provides exceptional performance; it features breakthrough technology like a standard oil cooler that helps achieve time- and money-saving **best-in-class**⁶ **10,000-mile oil change intervals.** Available for Ram 1500 pickups.





RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS® TURBO DIESEL: 320 HP / 650 LB-FT

Two formidable Cummins Turbo Diesel calibrations serve the Ram Chassis Cab portfolio, with the 320 hp / 650 lb-ft iteration mated to the class-exclusive^{10,11} G56 6-speed manual transmission. Assets are extensive and include the "smart" diesel exhaust brake and a state-of-the-art (and fully compliant) DEF System. **Unaided cold-start capability measures as low as an Antarctic -20° F.** Available for all Ram Chassis Cabs.

RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 325 HP / 750 LB-FT Significant advantages come with the available Cummins High Output Turbo Diesel—starting with **available torque of 750 lb-ft**. The 325 hp / 750 lb-ft Cummins is partnered solely to the single transmission meant to handle this level of output over the long term: the AISIN® AS69RC 6-speed automatic, with its Chassis Cab-friendly PTO capability. This Cummins is available for all Ram Chassis Cabs.

A TRANSMISSION FOR EVERY NEED: The diesel-driven family.

THE G56 6-SPEED MANUAL. This class-exclusive^{8,10,11} component features engineering that's totally up-to-spec; after all, it has to handle the incredible output of the Cummins Turbo Diesel engine on a daily basis. The G56 features an ultra-low first-gear ratio to facilitate heavy hauling/payload/towing requirements; it's also designed for convenient Power Take-Off (PTO) access, simplifying upfits on Ram Chassis Cab models. Available on Cummins equipped Ram pickups and Chassis Cab models.

THE 68RFE 6-SPEED AUTOMATIC. This component employs Electronic Range Select (ERS), which translates into phenomenal towing control. Designed to capably handle the 800 lb-ft of torque generated by the Cummins, the 68RFE features a beyond-tough torque converter to manage that output. Available with the 6.7L Cummins on Ram 2500/3500 pickups.

THE ZF 8HP70 8-SPEED AUTOMATIC: RAM I500. Opting for the available 3.0L EcoDiesel V6* in Ram 1500 also gives you a unique standard powertrain partner: the innovative and pioneering TorqueFlite[®] 8-speed automatic transmission, providing an outstanding combination of power and fuel efficiency.

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM 3500 PICKUP. The engineering behind the world-class AISIN is all about teamwork with the Cummins High Output and its remarkable 900 lb-ft of available torque. AISIN AS69RC business-specific advantages include a Shift Control System with its seamless shifting algorithm, an industrial-grade case, wide overall gear ratios and a geartrain with three efficient clutches and two brakes; braking response rivals a manual. Available only on Ram 3500 pickups with the available 6.7L Cummins High Output Turbo Diesel (385 hp / 900 lb-ft of max torque).

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM CHASSIS CABS. This design is all about enhancing PTO capability, and the engineering enables impressive levels of on-the-job versatility. The AISIN 6-speed automatic, featuring all of the assets described above, but paired with the 325 hp / 750 lb-ft Cummins, gives Ram Chassis Cab left- or right-side PTO capability, ease-of-installation and convenient access. PTO advantages include impressive numbers (60 horsepower and 250 lb-ft of torque, both static and mobile), while split-shaft capability enables multiple PTO use. Left-side capability can handle hydraulic and high-output applications; there's even packaging space for aftermarket units.

AMERICA'S Longest-lasting Pickups1

2500

3500

1500

444.000 **DEPEND**

3500 CC

4500 CC

PROMASTER

PAINT

13

RAM 1500

Properly secure all cargo.

RAM 1500



17-inch Argent Steel Wheel Standard on Tradesman® (WFP)



17-inch Painted Aluminum Wheel Standard on Express Optional on Tradesman (WFE)



17-inch Aluminum Wheel with Matte Black Pockets Standard on Rebel® (WFK)



20-inch Painted Aluminum Wheel Standard on EcoDiesel HFE (WHE)



20-inch Chrome-Clad **Aluminum Wheel Optional on Express** (WR2)



20-inch Chrome-Clad Aluminum Wheel Standard on Big Horn®/ Lone Star (WRK)

20-inch Black Painted Aluminum Wheel Packaged with



Black Express Group (WHN)





20-inch Polished Aluminum Wheel Standard on Sport (WRF)



20-inch Semi-Gloss Painted **Aluminum Wheel** Standard on Night Packaged with Black Sport Group (WRL)



20-inch Chrome-Clad Aluminum Wheel Standard on Laramie® (WRG)



20-inch Aluminum Wheel with Polished Face and Accent-Color Inserts Standard on Two-Tone Laramie Longhorn® (WRH)



20-inch Aluminum Wheel with Polished Face and Silver Inserts Standard on Laramie Longhorn with available Monotone Paint (WRJ)



20-inch Polished Aluminum Wheel with Gray Inserts Standard on Limited (WRA)



22-inch Polished Forged Aluminum Wheel Standard on Regular Cab R/T Optional on Crew Cab Sport (WPZ)

	OVERVIEW	POWERTRAINS	1500	2500		35	00			35	00 CC			L	45
BU	17 RAM 15 YER'S GUI PACKAGE	ioo Pickup De	1		SALES CODE	TRAD REG/	- ECODIESEL HFE 0UAD CAB®	EX R				-		-	UTLA UNU
_		ANSMISSION	S			B	E	J	S/R	L	Q	W	H	K	
		24V with VVT: 8HP45 eiah			ERB/	22B		22J	22S/R	22L	220	22W	22H		1
J.UL	CIILASLAI VU FICA FUCI	24V WILLI VVI; ONF4J BIYII	L-Sheen anroundrie		DFL c7u/	220		~~~	220/11	221	22Ų	2211	2211		-
5.7L ł	IEMI® V8 with VVT and Fu	el Saver Technology; 8HP70	eight-speed automatic (R	egular Cab and Crew Cab)	EZH/ DFK	26B	-	26J	26S/R	26L	26Q	26W	26H	26K	
5.7L I	IEMI V8 with VVT and Fu	el Saver Technology; 8HP7	'O eight-speed automati	c (Quad Cab only)	EZH/ DFD	27B	-	27J	27S/R	27L	27Q	-	27H	-	
3.0L	EcoDiesel V6‡; 8HP70 ei	oht-soeed automatic			EXF/	28B	28E	-	28S/R	-	_	-	28H	28K	-
	ECHANICAL I	• •			DFD										,
		Inded with eight-speed aut	omatic transmission)		MDX	Р	•	Р	Р	Р	Р	-	Р	Р	
	NATOR — 160-amp	ladoa witi orgin opooa aat			BAB	•	_	•	•	•	•	•	•	•	-
- 2	30-amp (included with E	coDiesel V6 [‡])			BAM	Р	•	-	Р	-	-	-	Р	P	
AXLE	– 3.21 ratio (not availat	ble with EcoDiesel V6‡)			DMC	•	-	•	•	•	•	0/•	•	•	
- 3	.55 ratio (included with I	EcoDiesel V6‡; not availab	le with HEMI V8 with ei	pht-speed transmission)	DMD	O/P	•	0	O/P	-	-	-	O/P	O/P	
- 3	.92 ratio (included with I	R/T 4x2)			DMH	0	-	0	0	O/P	0	•	0	0	
	ntispin rear differential ((included with R/T 4x2)			DSA	0	-	0	0	O/P	0	•	0	0	_
	:RY — 730-amp				BCN	•	-	•	•	•	•	•	•	•	_
	00-amp (included with E	,			BCF	P	•	-	Р	-	-	-	P	P	_
		ed with Cold Weather Grou	p if equipped with EcoD	iesel V6‡)	NHK	O/P	Р	0	O/P	0	0	0	O/P	O/P	-
		y (included with HEMI V8)			NMC	P P	-	P _	P	P _	P	P _	P P	P	_
	laximum-duty (packaged TANK — 26-gallon (inclu	,			NMX	r •	P •	-	P •	-	-	-	•	P P	-
- 3	2-gallon (included with 8	,	e with EcoDiesel V6‡ of	r on Regular Cab short-box	NFX	0/P	-	0	0	0	0	0	0	•	_
SHOC	K ABSORBERS — Front, h	eavy-duty			SFB	•	•	•	•	•	•	-	•	•	-
— R	ear, heavy-duty				SGB	•	•	•	•	•	•	-	•	•	
- F	ront, Bilstein® Performar	nce			SFC	-	-	-	-	-	-	•	-	-	
	ear, Bilstein Performance	8			SGC	-	-	-	-	-	-	•	-	-	_
_	LIZER BAR - Front				SHA	•	•	•	•	•	•	•	•	•	-
- R 6	ear (not available on Reg ' 4'' box; included with F	gular Cab 4x2 8'-box mode Regular Cab R/T 4x2 6' 4'	els; included with 3.6L ' box)	/6 on Regular Cab 4x2	SHF	•	•	•	•	•/P	•	•	•	•	
STEEF	ING – Electronic rack ar	nd pinion			SBA	•	•	•	•	•	•	•	•	•	
		nd lower A-arms, coil sprin	igs, twin-tube shocks		NA	•	•	•	•	٠	•	-	•	•	
– A tv	vin-tube shocks; rear five-	s, twin-tube shocks Air Suspension System: inclu -link, air springs, twin-tube Id Cab and Crew Cab only;	shocks; air compressor	and dual closed-loop	NA SER	•	•	•	•	•	•	-	•	•	_
	' 4'' box) ER HITCH – Class IV hite	ch receiver (included with	Trailer-Tow Mirrors and	l Brake Group)	XFH/ XF9	•	_	0/P	•	O/P	0/P	•	•	•	_
TRAN	SFER CASE – Electronic r	part-time (4x4 models only	/)		DH9	•	_	•	-	-	-	•	-	-	-
	ectronic on-demand (4x4				DH8	-	-	-	•	•	•	-	•	•	
WINC	H — Tire carrier				TBM	•	•	•	•	•	•	•	•	•	
EX	TERIOR FEA	TURES													
BED L	IGHTING — LED, included	with RamBox $^{\scriptscriptstyle (\!$	d Luxury Group		LPL	O/P	-	O/P	•	Р	Р	Р	O/P	•	
BED R cover	AILS — Chrome, tubular, fi or with 22-inch wheels)	or 5' 7''- and 6' 4''-bed sid	ies (not available with Ra	mBox System, tonneau	MEB	-	-	-	0	0	0	0	0	0	
BEDLI	NER — Spray-in				XMF	0	-	•	0	0	0	0	0	•	
	MOLDINGS – Chrome				MME	-	-	-	-	-	-	-	-	•	
	MODEL – Regular Cab 6	3' 4'' box			61	0	-	0	0	0	0	-	-	-	
	egular Cab 8' box				62	0	-	-	0	-	-	-	-	-	-
- 0	uad Cab 6' 4'' box				41	0	•	0	0	0	0	-	0	- 0	-
_	row Oah E! 7!!														
— C	rew Cab 5' 7'' box rew Cab 6' 4'' box				98 91	0	-	0	0	0	0	•	0	0	-

• = Standard O = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability. *Lone Star model available only in Texas. *Late availability.

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	i			FABR	CS			RESO	JRCES			15
					SALES CODE	TRADESMAN® Reg/ouad/crev	ECODIESEL HFE OUAD CAB®	ÉXPRESS Reg/Quad/Crew	BIG HORN®/LONE STAR [†] reg/quad/crew	SPORT Reg/ouad/crew	NIGHT Reg/ouad/crew	REBEL® CREW CAB	LARAMIE® Quad/crew	LARAMIE LONGHORN® Crew Cab	UMITED Crew Cab	
CPOS PACKAGE						B	E	J	S/R	L	Q	W	H	K	V	
EXTERI		ES (continued)													
BUMPERS — Fro	ont and rear Black				MB1/ MBN	•	•	-	-	-	-	-	-	-	-	
– Front and r	ear Black powder-coated				MCS/ MB5	-	-	-	-	-	-	•	-	-	-	
– Front and r	ear painted lower accent	color			MBU/ MBV	-	-	-	-	-	-	-	_		-	
	ear Chrome (included wit th Chrome Bumper Packa	ch Chrome Appearance Gro Ige)	up; included with Monoto	ne paint;	MCT/ MBF	P	-	-	•	-	-	-	•	P	Р	
— Rear body-o	color				MBQ	-	-	•	-	•	•	-	-	-	•	
DOOR HANDLES	– Black (included with l	ow-volume paint colors)			MNA	•	•	•	P	-	-	-	-	-	-	
– Body-color					MNK	-	-	-	-	•	•	•	-	-	-	
	h body-color bezel	01.110			MNE	-	-	-	•	-	-	-	•	•	•	
	gle rear (included with 3.	,			NA	P	•	P	P	P	P	P	P	-	-	
	included with HEMI® V8 (NER MCL	•	•	P	P P	P	P _	P	P _	•	•	
	upper, Black (included w	th Chrome Bumper Packag	(n)		MCM	•	•	-	•	-	-	-	-	-	- Р	
– Front tull, b		τη σπομικ σαμήθαι ταργαί	le <i>)</i>		MBP	-	-	-	-	•	•	_	-	-	г •	
FOG LAMPS					LNJ/ LNV	-	-	•	•	•	•	•	•	•	•	
GRILLE – Black	surround, Black hex-link	(included with low-volum	e paint)		MFF	•	•	-	-	-	-	-	-	-	-	
		uded with Black Express (MFS	-	-	Р	-	-	•	-	-	-	-	
– Black Ram	logo grille		.,		MFM	-	-	-	-	-	-	•	-	-	-	
– Chrome sur	rround, Black hex-link (in	cluded with Chrome Appea	irance Group)		MFD	P	-	-	-	-	-	-	-	-	-	
– Body-color	surround, Black hex-link	(included with R/T model)			MFT	-	-	•	-	Р	-	-	-	-	-	
– Body-color	surround, chrome billet-p	ierf			MFN	-	-	-	-	•	-	-	-	-	-	
– Chrome sur	rround, chrome billet-perf				MFH	-	-	-	•	-	-	-	-	-	-	
– Chrome sur	rround, chrome wave-perf				MF1	-	-	-	-	-	-	-	•	-	-	
– Chrome Rai					MFJ	-	-	-	-	-	-	-	-	•	•	
HEADLAMPS/TAI	ILLAMPS — Automatic				LMG	•	•	•	•	•	•	•	٠	•	•	
— Quad-lens l	halogen with incandescen	t taillamps			LME/ LAG	•	•	•	•	-	-	-	-	-	-	
		ith incandescent taillamps			MFA/ LAG LMM/	-	-	P	-	-	-	-	-	-	-	
– Sport black	out look bifunctional halo	igen projector with LED tur	n/running lights and LED	taillamps	LIMINI/ LAE LMC/	-	-	-	-	•	•	•	-	-	-	
	• • •	tor with LED turn/running	•		LING	-	-	-	-	- Р	- Р	-	• P	•	•	
	inual, Black, 6 x 9-inch (1		roup)		GPU	•	-	•	-	-	-	-	-	-	-	
– Power, heat		inch (included with Power	and Remote Entry Group	on	GTG	P/•	•	P/•	-	-	-	•	-	-	-	
— Manual, fol Regular Cal		x 11-inch (included with	Trailer-Tow Mirrors and E	Irake Group;	GPD	P	-	P	-	-	-	-	-	-	-	
	ted, auto-dimming, power tal turn signals (included	-folding, Black, 6 x 9-inch with Luxury Group)	; includes exterior courte	sy lamps and	GUK	-	-	-	•	-	-	P	-	-	-	
	ted, power-folding, auto-d mental turn signals	limming, body-color 6 x 9-	inch; includes exterior co	ourtesy lamps	GT5	-	-	-	-	•	•	-	-	-	-	
	uded with Trailer-Tow Mirro	7 x 11-inch; includes exterio ors and Brake Group; not av			GPG	P	-	P	P	P	P	P	-	-	-	
		mming, power-folding, chr d supplemental turn signa		position	GU4	-	-	-	-	-	-	-	•	•	•	
exterior cour	tesy lamps and supplementa	uto-dimming, manual folding al turn signals (included with			GPC	-	-	-	-	-	-	-	P	P	P	
	DS – Accent-color	and the shade to the second		and as the t	MRM	-	-	-	-	-	-	-	-	•	-	
on Limited mod	els)	me (included with Monoton	• *	esel engine‡	MRT	-	-	-	-	-	-	-	-	O/P	P	
		with Black Express Group cluded with V8 on Limited			MRU	0 0	-	0	- 0	0	0	0	- 0	- 0	- Р	
Tubuldi, Wi	ioor to writer, unrund (m	olanca Alal 40 Ali Fillinga)		mna	U		U	U	U	U		U	U	ľ	1

[†]Lone Star model available only in Texas. [‡]Late availability.

.6	OVERVIEW	POWERTRAINS	1500	2500		35	00			35	00 CC	1		4	500 CC
BL	IYER'S GUI	ioo pickuf De (conti			SALES CODE	TRADES MAN® Reg/Ouad/Crew	ECODIESEL HFE OUAD CAB®	EXPR REG/	BIG HORN®/LONE STAR ⁺ Reg/QUAD/CREW	SPORT Reg/ouad/crew	NIGHT Reg/ouad/crew		LARAMIE® QUAD/CREW	-	CREW CAB
	PACKAGE					B	E	J	S/R	L	Q	W	H	K	V
		TURES (cont													
		in, 4x4 only (included with	.,		XEU	P	-	-	P	-	-	P	P	P	-
		ncluded with Protection G	.,	and block subtable serve	XEF	P	-	-	P	-	-	Р	P	P	-
weath	erproof. lockable and drai	lanagement System: includ inable, bed rails with four a (5' 7''- and 6' 4''-box mo	idiustable cleats. dual-puri	ose bed divider/	XB9	0	-	0	0	0	0	0	0	0	0
TIRES	6 - P265/70R17 BSW All	-Season			TTM	•	-	•	-	-	-	-	-	-	-
- L	.T265/70R17E OWL On-/0)ff-road			TXN	0	-	-	-	-	-	-	-	-	-
- L	.T285/70R17E BSW All-Te	errain			TWG	-	-	-	-	-	-	•	-	-	-
	275/60R20 BSW All-Sea ncluded with optional 20-	son (included with Black I inch wheels)	express Group or Black Sp	oort Group;	TTN	-	•	P	•	P	•	-	•	•	•
— F	275/60R20 OWL All-Seas	son (included with WR2	and WHE 20-inch whee	ls)	TUB	-	0	P	0	•	-	-	0	0	0
— F	285/45R22 BSW All-Sea	son (Regular Cab R/T 4x2	model; included with opt	tional 22-inch wheels)	TY4	-	-	-	-	P	-	-	-	-	-
- 8	pare, full-size				TBB/ TBS	•	•	•	•	•	•	•	•	•	•
TONN	IEAU COVER — Soft, tri-fol	ld (available with or witho	ut RamBox System)		CS7/ CSU	0	•	0	0	0	0	0	0	0	0
TOW	HOOKS — Included with P	Protection Group (requires	chrome bumpers for Lim	ited)	XEA/ XHW	Р	-	-	P	-	-	•	O/P	•	0
WHEE	iLS — Spare: 17-inch stee	el; 17-inch aluminum; 20-	inch steel		W1A/ W1B/ W1D	•	•	•	•	•	•		•	•	•
- 1	7 x 7-inch styled steel, p	painted Argent			WFP	•	-	-	-	-	-	-	-	-	-
- 1	7 x 7-inch painted cast-a	aluminum (included with C	hrome Appearance Group)	WFE	Р	-	•	-	-	-	-	-	-	-
- 1	7 x 8-inch aluminum with	h Matte Black pockets			WFK	-	-	-	-	-	-	•	-	-	-
- 2	0 x 8-inch painted Silver	, aluminum			WHE	-	•	-	-	-	-	-	-	-	-
- 2	20 x 8-inch semi-gloss Bl	ack painted, aluminum (ir	cluded with Black Expres	s Group)	WHN	-	-	P	-	-	-	-	-	-	-
- 2	20 x 8-inch chrome-clad a	aluminum			WHK	-	-	-	•	-	-	-	-	-	-
- 2	20 x 9-inch chrome-clad a	aluminum			WR2	-	-	0	-	-	-	-	-	-	-
- 2	20 x 9-inch aluminum, pol	lished			WRF	-	-	-	-	•	-	-	-	-	-
- 2	20 x 9-inch aluminum, ser	mi-gloss Black painted (ir	cluded with Black Sport @	lroup)	WRL	-	-	-	-	Р	•	-	-	-	-
- 2	20 x 9-inch chrome-clad a	aluminum			WRG	-	-	-	-	-	-	-	٠	-	-
- 2	20 x 9-inch polished alum	iinum, with accent-color ii	iserts		WRH	-	-	-	-	-	-	-	-	•	-
- 2	20 x 9-inch polished alum	iinum, with Silver-clad ins	erts (included with Monot	cone paint)	WRJ	-	-	-	-	-	-	-	-	P	-
- 2	20 x 9-inch aluminum, pol	lished with Gray inserts			WRA	-	-	-	-	-	-	-	-	-	•
	2 x 9-inch polished forge Grew Cab 4x2)	ed aluminum (included wi	h Regular Cab R/T 4x2 m	iodel; optional on	WPZ	-	-	-	-	P/0	-	-	-	-	-
IN	TERIOR FEA	TURES													
AIR C	ONDITIONING — Manual				HAA	•	•	•	•	•	•	-	-	-	-
- [lual-Zone Automatic Temp	perature Control (Quad Ca	b and Crew Cab only)		HAF	-	-	-	•	•	•	•	•	•	•
CLUS	TER – Instrument, with 3	.5-inch display screen for	Driver Information Displa	ıy (DID)	JAT	•	•	•	-	-	-	-	-	-	-
— F	Premium instrument, with	7-inch DID			JA6	-	-	-	•	•	•	-	•	-	-
— F	Premium Rebel instrument	t, with 7-inch DID			JAJ	-	-	-	-	-	-	•	-	-	-
— F	Premium Laramie Longhor	n instrument, with 7-inch	DID		JAX	-	-	-	-	-	-	-	-	•	-
— F	Premium Limited instrume	nt, with 7-inch DID			JAV	-	-	-	-	-	-	-	-	-	•
CONS	OLE – Full-size floor (ind	cluded with front bucket s	eats)		CUP	-	-	-	P	Р	Р	•	Р	-	-
- F	Premium full-size floor wit	th leather-wrapped accent	S		CVT	-	-	-	-	-	-	-	-	•	•
- (Overhead (included with U	lconnect® 5.0 radio)			CUN	P	-	P	-	-	-	•	-	-	-
		Garage Door Opener (inclu	,		CV2	-	-	-	٠	•	•	Р	٠	•	•
FLOO	R MATS – Front, carpeter	d (Regular Cab; included	with Popular Equipment G	roup)	CLA	Р	-	•	•	•	•	-	-	-	-
- F	ront, rubber (Regular Cat	b)			CLY	0	-	0	-	0	0	-	-	-	-
		uad Cab and Crew Cab; inc	luded with Popular Equipmo	ent Group)	CLE	P	-	•	•	•	•	-	•	-	-
— F	ront and rear, rubber (Qu	iad Cab and Crew Cab)			CLF/ CL3	0	-	0	0	0	0	•	0	-	-
- F	ront and rear, luxury				CLZ/ CLL	-	-	-	-	-	-	-	-	•	•

5500 CC PROMASTER **PROMASTER CITY** CONFIGURATIONS PAINT FABRICS RESOURCES 17 STAR[†] QUAD/CREW UAD/CREW SALES CODE SMAN^o IUAD/C IESEL F CAB //CREW CAB CAB CPOS PACKAGE R Ε J S/R L Q W H **INTERIOR FEATURES (continued)** LOAD FLOOR – Rear fold-flat (Quad Cab and Crew Cab only; included with premium cloth and GVN Р Р р р Р leather seats) MEMORY SYSTEM - Seats, mirrors, pedals, radio presets LEV _ • . XA8 _ PEDALS - Non-adjustable • . . _ _ . _ XAP _ . • _ Power-adjustable _ _ - Power-adjustable with memory XAM ٠ _ _ _ _ _ . . _ JP8 . . SEATS - Manual-adjusting driver and front-passenger . _ _ _ _ _ _ CGD/ • - Seat belt, front, shoulder height-adjustable ٠ • ٠ ٠ . LAX JRT Р Р Р _ - Power 10-way driver (included with premium cloth seats) _ _ _ _ _ JRM Р Р -_ _ _ - Power 10-way driver and power six-way passenger (included with *CJ leather seats) _ . - Power 10-way driver with memory and power six-way passenger (included with leather-trimmed seats) JRF _ _ _ _ Р Р р _ _ _ - Power two-way lumbar adjuster (driver's seat only; included with premium cloth or Р Р • IPW Р . . leather-trimmed seats) - Heated, driver and front-passenger, includes heated steering wheel (included with Heated Seats and CMA _ р Р Р . Р Р р Wheel Group; included with leather-trimmed seats) NHS CAJ - Ventilated front (included with leather-trimmed seats) _ _ _ Р р _ Р p _ - Heated, second-row, Crew Cab only (included with leather-trimmed bucket seats) JPZ _ Р р — Vinyl 40/20/40 split-bench front seat with folding front armrest/cup holder, floor-mounted storage *TX • tray on Crew Cab (Quad Cab and Crew Cab models include folding rear bench seat trimmed in vinyl) — Cloth 40/20/40 split-bench front seat, front armrest with cup holder (Quad Cab and Crew Cab models) *V9 Р _ Р _ include cloth folding rear bench seat; included with Popular Equipment Group) Premium cloth-trimmed 40/20/40 split-bench front seat. front armrest with cup holder, power 10-way driver's seat, power lumbar adjuster, front center-seat cushion storage, 115-volt auxiliary *M9 _ power outlet (Ouad Cab and Crew Cab models include 60/40 split-folding rear bench seat with underseat storage and fold-flat load-floor storage) - Premium cloth-trimmed low-back bucket seats, power 10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab *MI 0 _ models include 60/40 split-folding rear bench seat trimmed in cloth with underseat storage and fold-flat load-floor storage) Premium cloth/vinvl-trimmed high-back heated bucket seats with embossed tread pattern, power 10-way driver and six-way passenger, power lumbar adjuster, full-length floor console, 115-volt *N7 _ auxiliary power outlet (includes 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load-floor storage) - Premium cloth/vinyl-trimmed high-back heated bucket seats, power 10-way driver's seat, power lumbar adjuster, full-length floor console, Heated Seats and Wheel Group, 115-volt auxiliary power *A I outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load-floor storage) - Leather-trimmed high-back, heated and ventilated bucket seats, includes power 10-way driver and power six-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power *CJ ۵ 0 _ _ outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load-floor storage; not available on Regular Cab) Leather-trimmed 40/20/40 solit-bench heated and ventilated front with power 10-wav/memory for driver and power six-way passenger, power lumbar adjuster, front center-seat cushion storage and folding center armrest with cup holder. 115-volt auxiliary power outlet (Ouad Cab and Crew Cab *VL • _ models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load-floor storage) - Leather-trimmed high-back, heated and ventilated bucket seats, includes power 10-way driver and power six-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power *GT Λ _ _ _ outlet and heated second row on Crew Cab models (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load-floor storage) - Premium leather with laser-etched design, high-back heated and ventilated bucket seats, includes power 10-way driver and power six-way passenger, power lumbar adjuster, premium full-length *XJ _ floor console, 115-volt auxiliary power outlet, heated second-row seats; includes 60/40 split-folding . premium leather with laser-etched-design rear bench seat with underseat storage (available only in Canvon Brown) - Premium leather high-back, heated and ventilated bucket seats, includes power 10-way driver and power six-way passenger, power lumbar adjuster, premium full-length floor console, 115-volt auxiliary _ _ Λ power outlet, heated second-row seats; includes 60/40 split-folding premium leather rear bench seat with underseat storage and fold-flat load-floor storage (available in Canvon Brown or Cattle Tan) - Premium leather high-back, heated and ventilated bucket seats, includes power 10-way driver and power six-way passenger, power lumbar adjuster, premium full-length floor console, 115-volt auxiliary _ power outlet, heated second-row seats; includes 60/40 split-folding premium leather rear bench seat with underseat storage and fold-flat load-floor storage (available only in Black)

3	OVERVIEW	POWERTRAINS	1500	2500		35	00			35	00 CC			4	500
		ioo pickuf de (contii			SALES CODE	TRADESMAN® Reg/ouad/crew	ECODIESEL HFE OUAD CAB®	EX PRESS Reg/QUAD/CREW	BIG HORN®/LONE STAR [†] Reg/Quad/Crew	SPORT Reg/Quad/Crew	NIGHT Reg/ouad/crew	REBEL® Crew Cab	LARAMIE® DUAD/GREW	LARAMIE LONGHORN® Crew Cab	UMITED
CPOS	PACKAGE					B	E	J	S/R	L	Q	W	H	K	V
IN	TERIOR FEA	TURES (conti	nued)												
STEEF	RING WHEEL – Urethane				SCF	•	•	•	-	-	-	-	-	-	-
– L	eather-wrapped with audi	o control buttons			SCV/ SCB	-	_	-		•	•		•	-	_
- 1	osthor-wrannod nonuina	wood, heated, with audio	control huttons		SC3	_	_	_	_	_	_	_	_		
_		ted Seats and Wheel Grou			NHS	-	_	_	Р	Р	Р	•	•		
		cushion (included with op	.,	1 with	-					1		-		-	-
*M9	and *VL seats)	casinon (nonacca with op	tionar ob player, merader	, with	CVH	P	P	P	P	-	-	-	P	-	-
— F	ront, behind the seats (R	egular Cab only)			CU3	•	-	•	•	•	•	-	-	-	-
— R	ear, in-floor bins, two wi	th removable liners (Crew	Cab only)		CB9	•	-	•	•	•	•	•	•	•	•
— R	ear, underseat compartm	ent (Quad Cab and Crew	Cab models only)		CUE	•	•	•	•	•	•	٠	•	•	•
— D	ual glove boxes with clos	ing doors			NA	-	-	-	•	•	•	•	•	•	•
SUNR	00F – Power (Quad Cab	and Crew Cab models onl	y)		GWA	-	-	-	0	0	0	0	0	0	0
WIND	OWS — Manual (Regular	Cab only)			JF8	•	-	•	-	-	-	-	-	-	-
	ower, front with driver's emote Entry Group)	one-touch down (Regular	Cab only; included with P	ower and	JPY	P	-	P	•	•	•	-	-	-	-
— P	ower, front and rear with	driver's one-touch down	and up (Quad Cab and Cr	ew Cab models only)	JP3	•	•	•	•	•	•	•	•	•	•
— R	ear backlight, fixed (star	idard on Regular Cab mod	els)		GJD	•	•	•	•	•	•	-	-	-	-
— R	ear backlight, sliding (Re	egular Cab only)			GFD	0	-	0	0	0	0	-	-	-	-
— R	ear backlight, power slid	ing (Quad Cab and Crew (Cab models only)		GFE	-	-	-	•	•	•	٠	•	•	•
— R	ear defroster (with powe	r sliding rear backlight on	ly)		GFA	-	-	-	0	0	0	0	0	0	•
UC	CONNECT® /	MULTIMEDIA	1												
CONN	ECTIVITY – Auxiliary inp	ut jack for mobile devices			RSU	•	•	•	•	•	•	•	•	•	•
— U	SB 1.5-amp fully function	ning port			RSX	•	•	•	•	•	•	•	•	•	•
— U	SB 2.5-amp charging-only	port (included with *V9, *	M9, *MJ seats and Uconn	ect 5.0 radio)	RS3	Р	-	Р	Р	•	•	•	•	•	•
RADIO	IS – Radio 3.0 AM/FM			,	RA1	•	•	•	-	-	-	-	-	-	_
- U	connect 3.0 AM/FM/Blue	tooth [®] Voice Command ¹⁴			UA1	0	-	0	-	-	-	-	-	-	_
— U	connect 5.0 AM/FM/Blue	tooth (included with Black	Express Group)		RA2	0	-	O/P	-	-	-	-	-	-	_
	connect 8.4 AM/FM/Blue	· · · · · · · · · · · · · · · · · · ·	1		RA3	-	-	-	•	•	•	•	•	-	_
	connect 8.4 NAV AM/FM/				RA4	-	-	-	0	0	0	0	0	•	•
RADIO		vheel-mounted audio cont	rols (included with leathe	er-wrapped	RDZ	-	-	-	P	Р	Р	•	Р	Р	P
SINGL	E-DISC CD PLAYER				RH1	0	0	0	0	0	0	0	0	0	0
SIRIU	SXM® SATELLITE RADIO ¹⁶	- Included with Popular	Equipment Group		RSD	Р	-	Р	•	•	•	•	•	•	•
SIRIU	SXM TRAFFIC ¹⁶ — Include	d with Uconnect 8.4 NAV			RSS	-	-	-	Р	Р	Р	Р	P	Р	P
SIRIU	SXM TRAVEL LINK ¹⁶ - Inc	cluded with Uconnect 8.4	NAV		RSM	-	-	-	Р	Р	Р	Р	Р	Р	P
	(ER SYSTEM – Six, stand				RCG	•	•	•	•	•	•	•	-	-	-
		s and eight-channel ampli	fier (Regular Cab only)		RCK	-	-	-	-	•	•	-	-	-	-
— P	remium II; 10 speakers i	ncluding a subwoofer and rt Group; Quad Cab and C	12-channel amplifier (in	cluded with Premium	RC3	-	-	-	0	P	P	0	•	•	•
	NECT ACCESS ¹⁵ — Requir				RS7	-	-	-	P	Р	Р	Р	Р	Р	P
UCON		CTIVITY – Includes hand:	s-free phone, ¹⁴ Streaming	Audio, Voice Command ¹⁴	XRB	Р	_	Р	P	P	P	P	P	P	P

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT				FABR	ICS			RESO	JRCES		
					SALES CODE	TRADESMAN® Reg/ouad/crew	ECODIESEL HFE QUAD CAB®	EX PRES S Reg/QUAD/CREW	BIG HORN®/LONE STAR [†] Reg/Quad/Crew	SPORT Reg/quad/crew	NIGHT Reg/ouad/crew	REBEL® CREW CAB	LARAMIE® Quad/Grew	LARAMIE LONGHORN® Crew Cab	LIMITED CREW CAB
CPOS PACKAGE						B	E	J	S/R	L	Q	W	H	K	V
SAFETY	& SECURIT	Y													
AIR BAGS ¹⁸ — Ar	lvanced multistage front				CG3	•	•	•	•	•	•	•	•	•	٠
— Supplementa	al side-curtain				CGS	•	•	٠	•	•	•	•	٠	•	٠
– Supplement	al front-seat side-mounte	d			CJ1	٠	•	٠	•	•	•	•	•	•	۰
BRAKES – Powe	r-assisted 4-wheel antilo	ck disc			BRT	•	•	•	•	•	•	•	•	•	٠
Rain Brake Suppo	ort, Ready Alert Braking, El		ake Assist, All-Speed Traction Il Start Assist and Trailer S		BNB	•	•	•	•	•	•	•	•	•	•
	AR PARK ASSIST ¹⁹				XAA	-	-	-	-	-	-	•	-	-	-
		ST ¹⁹ — Not available on R	-		XAG	-	-	-	•	0	0	-	0	•	•
			grid lines not available w	,	XAC	0	-	0	•	•	٠	•	٠	•	•
System (when e	quipped), illuminated ent		door locks, tailgate and R icludes two transmitters ()		GXM	P	-	P	•	•	•	•	•	•	•
REMOTE START					XBM	-	-	-	•	•	•	•	0	•	•
SECURITY ALARI	W				LSA	-	-	-	•	•	•	•	•	•	•
TRAILER BRAKE Brake Group)	CONTROL — Fully integra	ted electronic (included v	with Trailer-Tow Mirrors a	Ind	XHC	O/P	-	O/P	O/P	O/P	O/P	O/P	O/P	O/P	O/P
PACKA	GES / EQUIP	MENT GROU	PS												
			and Remote Entry Group, B d 20-inch Black painted wl		AMQ	-	-	0	-	-	-	-	-	-	-
			omatic Temperature Control (oss Black aluminum 20-inch		AGC	-	-	-	-	0	-	-	-	-	-
	RANCE GROUP — Includes aluminum wheels	chrome front and rear bu	umpers, chrome grille sur	round and	AED	0	-	-	-	-	-	-	-	-	-
CHROME BUMPER	R PACKAGE – Includes body	<i>j</i> -color wheel flares and chi	rome front and rear bumper	2	AST	-	-	-	-	-	-	-	-	-	0
COLD WEATHER (GROUP — Includes engine	block heater and winter fr	ont grille cover (requires E	:coDiesel V6‡)	ADE	0	0	-	0	-	-	-	0	0	0
CONVENIENCE G High-Beam Head		Entry/Keyless Enter 'n Go	o [™] rain-sensitive wipers a	and Auto	ADC	-	-	-	-	0	0	-	0	•	٠
HEATED SEATS A	ND WHEEL GROUP - Incl	udes heated cloth seats a	nd heated steering wheel		AGF	-	-	-	0	•	•	-	-	-	-
lamp, underhood and puddle lamp	d lamp, illuminated vanity	mirror, auto day/night m Universal Garage Door O	amp, ashtray lamp, glove iirror, exterior mirrors wit Ipener, leather-wrapped st	h signal	ADA	-	-	-	-	•	•	0	-	-	-
		cloth 40/20/40 bench se Radio ¹⁶ (included with Bl	at, carpeted flooring, rem lack Express Group)	ote keyless	YLA	0	-	O/P	-	-	-	-	-	-	-
Black power hea		ows with front one-touch d	r trim, remote keyless ent down and power locks (Re		AJH	0	-	O/P	-	-	-	-	-	-	-
PREMIUM SOUN Crew Cab only)	D GROUP — Includes Prer	nium Surround Sound Spe	eaker System (Quad Cab a	IND	ANF	-	-	-	-	0	0	-	-	-	-
PROTECTION GRO	DUP – Includes tow hooks	, front suspension and tran	nsfer case skid plates (4x4	1 models only)	ADB	0	-	-	0	-	-	0	0	0	-
			and antispin differential, /heels (Regular Cab 4x2 6		NA	-	-	-	-	•	-	-	-	-	-
FRAILER-TOW M	IRRORS AND BRAKE GROU	JP – Includes electronic t	railer brake controller. Cl	ass IV hitch	AHC	0	_	0	0	0	0	0	0	0	0

2 D OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESC	URCES 21
--	----------

RAM 1500 TOWING AND PAYLOAD

MAXIMUM LOADED TRA	AILER WEIGHT	S (when properly eq	juipped)				SAE	J2807 COMF	PLIANT			
				REGUL	AR CAB		QUAD	CAB [®]		CREV	V CAB	
			6′4′	' BOX	8' I	BOX	6′4″	BOX	5′7″	BOX	6'4"	BOX
POWERTRAIN	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	3.21	9,850	4,970	4,750	4,770	4,580	4,610	4,430	4,510	4,210		
3.6L PENTASTAR® V6 /	3.55	12,200	7,260	7,050								
8-SPEED AUTO	3.55	12,400			7,270	7,080						
	3.55	12,900					7,600	7,420	7,510	7,210		
	3.55	13,750			8,240	8,030	7,960	7,750	7,870	7,580		7,540
3.0L ECODIESEL V6*/	3.92	13,750			8,240	8,030	7,960	7,750	7,870	7,580		7,540
8-SPEED AUTO	3.92	14,550										8,340
	3.92	14,750			9,210	9,030	8,960	8,750	8,870	8,580		
	3.92	10,250	5,030									
	3.21	13,800	8,610	8,380	8,470	8,260	8,190	8,000	8,070	7,990	8,050	7,780
5.7L HEMI® V8 / 8-SPEED AUTO	3.92	14,350	9,160	8,930								
	3.92	15,950			10,620	10,410	10,340	10,150	10,220	10,140	10,200	9,830

MAXIMUM PAYLOAD CA	PACITIES (when	properly equipped)									
			REGUI	AR CAB		QUAI	D CAB		CREV	4x2	
		6′4"	BOX	8' 1	BOX	6'4"	BOX	5′7″	BOX	6'4"	BOX
POWERTRAIN	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	6,025	1,500									
3.6L PENTASTAR V6 /	6,300		1,560								
8-SPEED AUTO	6,600			1,880	1,690						
	6,700					1,880	1,700	1,820	1,630		
	6,600			1,510	1,290						
3.0L ECODIESEL V6*/ 8-SPEED AUTO	6,945					1,500					
0 01 LED ADTO	6,950					1,590	1,380	1,530	1,320		1,250
	6,200	1,350									
	6,350	1,590	1,390								
5.7L HEMI V8 / 8-SPEED AUTO	6,600			1,690	1,480						
	6,900					1,760	1,570	1,680	1,510	1,640	1,450

Numbers in a **black box** reflect max ratings. 1. Payload and Max Trailer Weights are estimated values. 2. All weights are shown in lb unless otherwise stated. 3. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. 4. Payload = GVWR minus Base Weight. 5. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807. 6. Payload and Trailer Weight Ratings are mutually exclusive. 7. GAWRs, GVWRs and GCWRs should never be exceeded. 8. The recommended tongue weight for a conventional hitch is 10 percent of the gross trailer weight. The maximum tongue weight for Class IV hitch receiver is limited to 1,100 lb. 9. A weight-distributing hitch is recommended for trailers over 5,000 lb.

*Late availability.



PUT HEAVY-DUTY MUSCLE TO WORK.



17-inch Polished

Aluminum Wheel

Included with Tradesmar

Power Wagon[®] Package (WFV)

18-inch Polished

Aluminum Wheel

2500

3500

17-inch Aluminum Wheel

with Matte Black Pockets

Standard on Power Wagon (WFZ)

18-inch Polished

Aluminum Wheel

Standard on Laramie® (WBL)

3500 CC 4500 CC 5500 CC

25

RAM 2500



POWERTRAINS

17-inch Painted Steel Wheel Standard on Tradesman® (WDA)



18-inch Chrome-Clad Steel Wheel Standard on SLT Optional on Tradesman (WBH)



18-inch Polished Aluminum Wheel with Silver Pockets Standard on Laramie Longhor with Monotone Paint (WBA)



20-inch Painted Satin Carbon Aluminum Wheel with Chrome Inserts Optional on SLT, Big Horn/ Lone Star* and Laramie (WRJ)



20-inch Polished Aluminum Wheel with Silver Pockets Optional on Laramie Longhorn with available Monotone Paint (WRA)

Included with

20-inch Painted Aluminum Wheel with Chrome Inserts Standard on Limited (WH3)

RAM 3500 DUAL REAR WHEEL (DRW) MODELS

Chrome Finish



17-inch Steel Wheel with Argent Painted Finish Standard on Tradesman (WFU)



17-inch Steel Wheel with 17-inch Polished Aluminum Wheel Standard on SLT and Standard on Laramie and Limited Big Horn/Lone Star* Optional on SLT and Optional on Tradesman (WD4) Big Horn/Lone Star* (WF7)



17-inch Polished Aluminum Wheel with Unique Laramie Longhorn Center Cap Standard on Laramie Longhorn (WF9)



with Argent Painted Finish

Optional on Tradesman (WBN)

18-inch Polished Alum Wheel with Accent-Color Pockets Standard on Laramie Longhorn with Two-Tone Paint (WBM)



20-inch Polished Aluminum Wheel with Accent-Color Pockets Optional on Laramie Longhorn with Two-Tone Paint (WRK)



RAM 3500 SINGLE REAR WHEEL (SRW) MODELS



Painted Finish

20-inch Polished Aluminum

Wheel with Accent-Color Pockets

Optional on Laramie Longhorn with

Two-Tone Paint (WRK)

18-inch Full-Face Steel 18-inch Chrome-Clad Wheel with Argent Steel Wheel Standard on SLT Standard on Tradesman® (WBN) Optional on Tradesman (WBH)



18-inch Polished

Standard on Laramie® (WBL)

m Wheel

Alum

18-inch Polished Aluminum Wheel Standard on Big Horn®/Lone Star* Optional on SLT (WBE)



20-inch Painted Satin Carbon Aluminum Wheel with Chrome Inserts Optional on SLT. Big Horn/Lone Star* and Laramie (WRJ)






Wheel with Chrome Inserts Standard on Limited (WH3)









18-inch Polished Aluminum Wheel with Standard on Laramie Longhorn

20-inch Polished Aluminum

Wheel with Silver Pockets

Optional on Laramie Longhorn with

available Monotone Paint (WRA)



20-inch Painted Aluminum





!6	OVERVIEW	POWERTRAINS	1500	2500		3500			350	O CC			4500 CC
	17 RAM 25 IYER'S GUI	500/3500 F DE	лскир			SALES CODE	T RADESMAN® REG/CREW	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® Crew Cab	LARAMIE** Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/Mega
CPOS	PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM
2500						DJ	X	Х	X	X	X	Х	X
3500	SRW/DRW (6'4'' box not a	available with Crew Cab DR	W)			D2	X/X	X/X	X/X	-	X/X	X/X	X/X
E١	IGINES / TR	ANSMISSION	IS										
5.7L I (2500	HEMI® Bi-fuel CNG / gas e) Regular and Crew Cab 8'	engine; 383 hp / 400 lb-ft (' box only)	of torque / GGRFE six-spee	d automatic		EZF/ DFP	27A	27G	-	-	-	-	-
5.7L I	HEMI V8 gas engine; 383 h	hp / 400 lb-ft of torque / s	ix-speed 66RFE automatic	(SRW only)		EZC/ DFP	26A	26G	26Z	-	26H	26K	26M
6.4L H	IEMI V8 gas engine with MD3	S; 410 hp / 429 lb-ft of torqu	ue (370 hp 3500 Mega Cab	®) / six-speed 66RFE automa		ESA/ DFP	22A	22G	22Z	22P	22H	22K	22M
6.7L (Cummins® Turbo Diesel er	ngine; 350 hp / 660 lb-ft o	f torque / six-speed G56 r	nanual		ETK/ DEG	2EA	2EG	2EZ	-	2EH	-	-
6.7L (Cummins Turbo Diesel eng	ine; 370 hp / 800 lb-ft of †	torque / six-speed 68RFE	automatic		ETK/ DG7	2FA	2FG	2FZ	-	2FH	2FK	2FM
6.7L (Cummins Turbo Diesel engir	ne; 385 hp / 900 lb-ft of tor	rque / six-speed AISIN® he	avy-duty automatic (3500 on		ETK/ DF2	28A	28G	28Z	-	28H	28K	28M
Diese	l Exhaust Fluid (DEF) Syste	em (standard with diesel en	gine)			NA	P	Р	Р	-	Р	Р	Р
М	ECHANICAL	FEATURES											
ALTER	RNATOR — 160-amp (stan	dard with gas engine)				BAB	•	٠	•	-	•	•	•
- 1 0	80-amp (standard on dies n 5.7L HEMI V8-equipped r	el; included with 6.4L HEMI models)	V8; included with Snowpl	ow Prep Group or Snow Chie	ef Group	BAD	O/P	O/P	O/P	•	O/P	O/P	O/P
— D	ual-rated at 380 amps (6.	4L gas V8 only; includes 1	60-amp and 220-amp alte	rnators)		XF5	0	0	0	0	0	0	0
— D	ual-rated at 440 amps (6.	7L diesel only; includes tw	o 220-amp alternators)			XF7	0	0	0	-	0	0	0
AXLES	3 — Antispin rear differenti	ial (standard on 3500; incl	uded with Snow Chief Grou	ıb)		DSA	0/P/•	0/P/•	0/P/•	-	0/P/•	0/P/•	0/P/•
— E	lectronically locking front a	and rear differentials (inclu	ided with Power Wagon Pa	ckage) Crew Cab only		DSE	Р	-	-	•	-	-	-
- 3	.42 ratio (standard for die	isel)				DMR	0	0	0	-	0	0	0
- 3	.73 ratio (standard for gas	s; available for 3500 DRW	diesel)			DME	•/0	•/0	•/0	-	•/0	•/0	•/0
- 4	.10 ratio (optional for gas	; available for 3500 DRW d	iesel; included with Power	Wagon Package)		DMF	O/P	0	0	S	0	0	0
- 1	1.5-inch rear axle – SRW					DRQ	•	٠	•	•	•	•	•
		DRW only (included with 6 N transmission with 3.42 a		6 manual transmission,		DRX	Р	P	Р	-	Р	P	P
	1.8-inch rear axle – 3500 ptional with DG7 transmiss		iesel/DF2 transmission wi	th 3.73 and 4.10 axle ratios	S;	DRS	0/P	O/P	0/P	-	O/P	O/P	0/P
BATT	ERY — 730-amp, maintena	ince-free (two required for	diesel)			BCN	•	۰	•	•	•	•	•
DIESE	L EXHAUST BRAKE - With	n "smart" function (include	d with diesel engine)			NEN	Р	Р	Р	-	Р	Р	Р
DOT-O	CERTIFIED SAFETY KIT — I	Includes fire extinguisher, 1	three reflecting triangles, t	two Red flags and spare fus	es	ACL	0	0	0	0	0	0	0
ELEC1	FRONIC UPFITTER MODUL	E — Not available with prer	nium speakers			XXS	0	0	0	0	-	-	-
ENGIN	IE BLOCK HEATER – Inclu	ded with Cold Weather Gro	up on diesel-equipped mod	lels		NHK	O/P	O/P	O/P	0	O/P	0/P	0/P
FUEL	TANKS – 18.2-G.G.E. (gas	soline gallon equivalent) du	al CNG tanks (included wi	th CNG engine)		XXV	Р	Р	-	-	-	-	-
- 2	8-gallon tank (included wi	th Regular Cab models equ	ipped with diesel)			NGC	P	Р	-	-	-	-	-
- 3	1-gallon tank (included wi	th 6'4'' box)				NFT	•	•	•	•	•	•	•
- 3	2-gallon tank (included wi	th 8' box; standard with CN	lG engine)			NFX/ NG9	•	•	•	-	•	•	•
SHOC	KS — Front, heavy-duty					SFB	•	٠	•	-	•	•	•
— R	ear, heavy-duty					SGB	•	۰	•	-	•	•	•
— F	ront, performance-tuned (i	ncluded with Off-Road Pack	age; 2500 only)			SFC	Р	P	Р	-	Р	Р	Р
— R	ear, performance-tuned (ir	ncluded with Off-Road Pack	age; 2500 only)			SGC	Р	P	Р	-	Р	Р	Р
— F	ront and rear Bilstein® ga	s-charged monotube (inclu	ded with Power Wagon Pac	kage)		NA	P	-	-	•	-	•	•

CPR05 PACKAGE TI TI <tht< th=""> TI TI</tht<>	DO CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FAB	RICS		R	ESOURC	ES	
CPDS PAIDALAE TA ZIA ZIA <thzia< th=""> <thzia< th=""> <thz< th=""><th></th><th></th><th></th><th></th><th></th><th>SALES CODE</th><th>F RA DE SMAN® Reg/Crev</th><th>SLT Reg/Crew/Mega</th><th>BIG HORN®/LONE STAR⁺ Crew/mega</th><th>POWER WAGON® Crew Cab</th><th>LARAMIE® Crew/Mega</th><th>LARAMIE LONGHORN® Crew/Mega</th><th>CREW/MEGA</th></thz<></thzia<></thzia<>						SALES CODE	F RA DE SMAN® Reg/Crev	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR⁺ Crew/mega	POWER WAGON® Crew Cab	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	CREW/MEGA
MECHANICAL FEATURES (continued) XF P <	POS PACKAGE					~			-			3	2 2TM
XID PARTES (4x1) — Transfer case (included in Protocolor Prog Group, Show Chief Group, Area (1999) XEF P <td></td> <th>NICAL FEAT</th> <td>URES (contin</td> <td>ued)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		NICAL FEAT	URES (contin	ued)									
International and prease matrix strategy in pre	KID PLATES (4x4	4) – Transfer case (incli	uded in Protection Group, S		Chief Group,	XEF	Р	Р	р	•	Р	Р	Р
STEERING – Power redictuating hall SBE •		•	• ,										
SUBPENSIONS - Front, three-link cell spring assgession SDB • <td></td> <th>•</th> <td>rackaye; 2000 ulily)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td> <td>-</td>		•	rackaye; 2000 ulily)						-			-	-
- Frant, Ram Articalink* asspession (included with Power Wagon Package; 2500 only) SDI P - - - - Frant electronic disconnecting stabilizer bar SBA • • - - - - Frant electronic disconnecting stabilizer bar SBA • • - - - - - Raer, fine-link cell spring asspension (SG00 only) NA • • -		-	inn susnension					•	-	_		•	•
- Front electronic disconnecting stabilizer bar (included with Power Wagon Package; Z500 only) SNB P - <td< td=""><td></td><th></th><td></td><td>Packane: 2500 only)</td><td></td><td></td><td>Р</td><td>_</td><td>-</td><td>•</td><td>-</td><td>_</td><td>_</td></td<>				Packane: 2500 only)			Р	_	-	•	-	_	_
- Front stabilizer bar SNA • • - • - - Rear, Ive-link coll spring asspension (2500 only) NA •					lv)			-	-	•	-	-	-
- Bar, five-fink coll spring suspension (3500 only) NA •					.1/			•		-	•	•	•
Bar, Hitchkiss leaf spring suspension (3500 only) IAA • • - • - • - • - • - • - • - • - • - • - • - • - • - • - • - • · <			(2500 onlv)				•	•		•	•	•	•
- Bear, Atte-Level dual-mode air spring suspension system SEB 0 0 0 - 0 1 TOW HOOKS - 3500 models XEA • • - • - • - 0 </td <td></td> <th></th> <td>,</td> <td></td> <td></td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td>-</td> <td>•</td> <td>•</td> <td>•</td>			,				•	•	•	-	•	•	•
TOW HORS - 3500 mdels YEA ·						SEB	0	0	0	-	0	0	0
Off-Road Package: included with Power Wagon Package on 4x4 models) KAS UP UP <t< td=""><td></td><th></th><td></td><td></td><td></td><td>XEA</td><td>•</td><td>•</td><td>•</td><td>-</td><td>•</td><td>•</td><td>•</td></t<>						XEA	•	•	•	-	•	•	•
TRALER IOW - Iour's and severy in trainer barness plug (conditionation receptacies) XFR •	– 2500 models Off-Road Pacl	s (included with diesel en kage; included with Powe	gine; optional on 4x2; inclu r Wagon Package on 4x4 m	ided with Protection Group; iodels)	included with	XEA	O/P	O/P	O/P	•	O/P	•	•
RIANSFER CASES (4x4 models only) - Manual shift-on-the-fly DK1 • - - • - - •	RAILER TOW - 1	four- and seven-pin traile	er harness plug (combinatio	on receptacle)			•	•	•	•	•	•	•
- Electronic shift-on-the-fly DK3 0 • - • - • - • - • - • - • - • - • - • - • - • - · - · - · - · - · - · - · - · - · <t< td=""><td>– Class V hitch</td><th>n receiver</th><td></td><td></td><td></td><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	– Class V hitch	n receiver					•	•	•	•	•	•	•
WINCH - WARN,* front, electric, 12,000-lb capacity (included with Power Wagon Package) XE5 P -	RANSFER CASES	S (4x4 models only) – M	anual shift-on-the-fly			DK1	•	-	-	•	-	-	-
- Tire carrier TBM •	– Electronic shi	ift-on-the-fly				DK3	0	•	•	-	•	•	•
EXTERIOR FEATURES BEDLINER - Spray-in (not available with Ram 2500 CNG model) XMF 0	INCH – WARN,®	® front, electric, 12,000-l	b capacity (included with P	ower Wagon Package)		XE5	Р	-	-	•	-	-	-
BEDLINER - Spray-in (not available with Ram 2500 CMG model) XMF 0	– Tire carrier					TBM	•	•	•	•	•	•	•
BED LIGHTING - LEQ (included with RamBox* System or Luxury Group) LPL O/P P P P O/P P P P O/P O/P <td>EXTERI</td> <th>OR FEATURI</th> <td>ES</td> <td></td>	EXTERI	OR FEATURI	ES										
BODY MODEL AND BOX - Regular Cab 8' box 62 0 0 - <td>EDLINER — Spra</td> <th>ay-in (not available with R</th> <td>Ram 2500 CNG model)</td> <td></td> <td></td> <td>XMF</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>•</td> <td>•</td>	EDLINER — Spra	ay-in (not available with R	Ram 2500 CNG model)			XMF	0	0	0	0	0	•	•
- Crew Cab 6'4'' box (SRW only) 91 0	ED LIGHTING -	LED (included with RamB	lox® System or Luxury Grou	ıp)		LPL	O/P	Р	Р	Р	O/P	•	•
- Crew Gab & box 92 0 0 0 - 0 0 - Mega Gab * 6'4" box 81 - 0 0 0 - 0 0 - 0 0 - 0 0 - 0 0 <td>DDY MODEL ANI</td> <th>D BOX — Regular Cab 8'</th> <td>box</td> <td></td> <td></td> <td>62</td> <td>0</td> <td>0</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	DDY MODEL ANI	D BOX — Regular Cab 8'	box			62	0	0	-	-	-	-	-
- Mega Cab* 6'4" box 81 - 0 0 0	– Crew Cab 6'4	4'' box (SRW only)				91	0	0	0	•	0	0	0
BUMPERS - Black MB1/ MBW • - <td>– Crew Cab 8'</td> <th>box</th> <td></td> <td></td> <td></td> <td>92</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>0</td> <td>0</td> <td>0</td>	– Crew Cab 8'	box				92	0	0	0	-	0	0	0
DOWNERS MBN • -	— Mega Cab® 6	6'4'' box				81	-	0	0	-	0	0	0
Monotone paint) MBF F G <thg< th=""> <thg< th=""> <thg< th=""></thg<></thg<></thg<>	UMPERS – Blac	ck					•	-	-	-	-	-	-
- Painted budy-color MBC - - P P <td></td> <th></th> <td>rance Group, Chrome Bump</td> <td>er Package, Power Wagon I</td> <td>Package or with</td> <td></td> <td>P</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>P</td> <td>P</td>			rance Group, Chrome Bump	er Package, Power Wagon I	Package or with		P	•	•	•	•	P	P
Parameter lower lower MBV - 0 0 - 0 - - - 0 0 - - - - 0 -	— Painted body-	-color (included with Spo	rt Appearance Group)				-	-	P	-	P	-	•
Box and rear fender (included with DRW) LND P </td <td>– Painted lower</td> <th>r body-color</th> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>•</td> <td>-</td>	– Painted lower	r body-color					-	-	-	-	-	•	-
DOOR HANDLES - Black (included with low-volume paint) MNA ** P P - - - - - - P P - - P P - - P P P P P P P P - P <td>LEARANCE LAM</td> <th>PS – Cab (included with</th> <td>DRW)</td> <td></td> <td></td> <td>LNC</td> <td>O/P</td> <td>O/P</td> <td>O/P</td> <td>S</td> <td>O/P</td> <td>O/P</td> <td>O/P</td>	LEARANCE LAM	PS – Cab (included with	DRW)			LNC	O/P	O/P	O/P	S	O/P	O/P	O/P
- Body-color (included with Sport Appearance Group) MNK - - P • P - - Chrome with body-color bezel NME - •	– Box and rear	fender (included with DR	W)			LND	Р	P	Р	-	P	Р	P
- Chrome with body-color bazel NME - •	DOR HANDLES -	– Black (included with lov	w-volume paint)			MNA	•3	Р	Р	-	-	-	-
FOG LAMPS (included with SLT Popular Equipment Group or Power Wagon Package) LHJ P O/P • <t< td=""><td>– Body-color (ii</td><th>included with Sport Appea</th><td>rance Group)</td><td></td><td></td><td>MNK</td><td>-</td><td>-</td><td>Р</td><td>•</td><td>Р</td><td>-</td><td>-</td></t<>	– Body-color (ii	included with Sport Appea	rance Group)			MNK	-	-	Р	•	Р	-	-
GRILLE – Black surround with Black inserts MFF • – – – – – – –	– Chrome with	body-color bezel				NME	-	•	•	-	•	•	•
	DG LAMPS (inclu	luded with SLT Popular Eq	uipment Group or Power Wa	agon Package)		LNJ	Р	O/P	•	•	•	•	•
Ohenne annund mith Black han in start. (Instanted in Ohenne Annungen Onen)	RILLE – Black s	surround with Black insert	ts			MFF	•	-	-	-	-	-	-
- Chrome surround with Black hex inserts (included in Chrome Appearance Group) MFD P •	– Chrome surro	ound with Black hex inser	ts (included in Chrome App	learance Group)		MFD	Р	•	-	-	-	-	-

3	OVERVIEW	POWERTRAINS	1500	2500	3500			350	10 CC			4500 CC
		100/3500 De (conti			SALES CODE	T RADESMAN® Reg/Crew	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® Crew Cab	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMIT ED Grew/Mega
CPOS	PACKAGE	•	•			2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM
ЕX	TERIOR FEA	TURES (cont	tinued)									
— B(odv-color surround with Bl	ack inserts (included with	Sport Appearance Group)		MFC/	-	_	Р	_	Р	-	_
	ack with Ram looo				MFK	-	_	_	•		_	
	nrome surround with chron	ne wave-nerf inserts			MF1	-	_	-	_	-	_	_
	frome with Ram logo	ne wave peri moerto			MFJ	-	_	_	_	_	•	•
	•	motio boodlamna			LMG	-	-	-	-	-	•	
	AMPS/TAILLAMPS - Auto	nilatic iteaulanips					•	•	•	•	•	
— Qı	uad-lens halogen headlam	ps/incandescent taillamps			LME/ LAG	•	•	•	-	-	-	-
— BI	ack bezel quad-lens halog	en headlamps/incandesce	nt taillamps (included with	Sport Appearance Group)	MFA/ LAG	-	-	Р	-	-	-	-
— BI	ack Premium projector he	adlamps/premium Black Ll	ED taillamps (included with	Sport Appearance Group)	LMM	-	-	-	•	Р	-	-
– Pr	emium chrome projector h	headlamps/premium LED ta	illamps		LMC/	-	-	-	-		•	•
— Au	ıto High-Beam Headlamp (Control (included in Conve	nience Group)		LMS	-	-	-	-	Р	Р	•
	• •		lagon Package or low-volu	ne paint)	MCJ	Р	Р	Р	•	-	_	_
	odv-color			io puinty	MCM	•	•	•	_		•	•
		size, 6 x 9-inch, manual (B	lack: Renular Cab only)		GPU		_	_	_	-	_	_
— P(Group or Power and Remoti	e Entry Group on	GTG	P/•	•	•	•	_	_	_
_	· /	/turn/auto-dimminn (Rlac	k; included with Luxury Gro		GUK	-	Р	Р	Р	_	_	_
— P(ower folding/heated/puddle	- ,		eather and Luxury Group or	GPL	-	-	-	P	Р	_	_
	oort Appearance Group)					-						
		e/turn/auto-dimming/memi			GU4	-	-	-	-	•	•	•
	— Available size, 7 x 11-i ick on Regular Cab models		wo-position foldaway with (convex edge) manual	GPD	0	-	-	-	-	-	-
	ower/heated/puddle/turn (l radesman Regular Cab)	Black; requires Power Acc	essory Group or Power and	Remote Entry Group on	GPG	0	0	0	0	-	-	-
- P(ower/heated/puddle/turn/p	ower folding (Black; requi	res Luxury Group)		GP1	-	0	0	0	-	-	-
- P(ower/heated/puddle/turn/n	nemory/power folding (Bla	ck; optional with Sport App	earance Group)	GPH	-	-	-	-	0	-	-
- P(ower/heated/puddle/turn/n	nemory/power folding (chr	ome)		GP2	-	-	-	-	0	0	0
	— Standard size, 7 x 11-i ; Regular Cab only)	nch (trailer-tow mirrors, tv	vo-position foldaway with c	convex edge) manual	GPD	•	-	-	-	-	-	-
	ower/heated/puddle/turn (l radesman Regular Cab)	Black; included with Power	Accessory Group or Powe	r and Remote Entry Group o	n GPG	Р	•	•	-	-	-	-
- P(ower/heated/puddle/turn/p	ower folding (Black; inclu	ded with Luxury Group)		GP1	-	Р	Р	-	-	-	-
- P(ower/heated/puddle/turn/n	nemory/power folding (Bla	ck; included with Sport App	pearance Group)	GPH	-	-	-	-	Р	-	-
- P(ower/heated/puddle/turn/n	nemory/power folding (chr	ome)		GP2	-	-	-	-	•	•	•
bed di	vider/extender; LED Bed Li	ighting and Cargo Rail Sys		ins on both bed sides; stow (Short Box only; SRW only;		0	0	0	0	0	0	•
	ING BOARDS — Accent-col	• •	anie mini inm-aniniins hyilli	J	MDM	-	_	_	_	_	•	_
		ur 1; restricted by vehicle coli	nr on colort modolo		MRM	0	-	-	_	-	-	_
					MRU	-		-	-	-		-
	· • · ·	ed with Monotone Laramie	• ,		MRT	0	0	0		0	0/P	
		it available on Regular Cat	,		MRA	0	0	0	-	0	0	•
IUNN	LAU GUVEK (NOT available	with Ram 2500 CNG mode	1)		CS7	0	0	0	0	0	0	0

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FAB	RICS		RI	ESOURC	ES		29
					SALES CODE	TRADESMAN® Reg/Crev	SLT Reg/crew/mega	BIG HORN®/LONE STAR⁺ Crew/Mega	POWER WAGON® Crew Cab	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/Mega	
CPOS PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM	
EXTERI	OR FEATURE	ES (continued	I)										
WHEEL FLARES -	- Black (included with Off-	Road Package or Power Wa	igon Package)		MMZ	Р	-	-	•	-	-	-	
– Body-color (included with Off-Road Pac	ckage or Monotone paint on	2TK GPOS)		MML	-	Р	Р	-	•	Р	•	
– Lower body-	color (included with two-to	ne paint)			MMJ/ MRD	_	_	-	_	Р	•	_	
WINDSHIELD WI	PERS – Variable/intermitte	ent			JHA	•	•	•	•	•	•	•	
	ve (included with Convenie				JHC	-	_	-	_	Р	Р	•	
				5110					·	·			
AIR CONDITIONI				HAA	•	•	•	•	-	-	-		
		trol (included with 8.4-inch	toucheeroon radioe)		HAF	-	Р	Р	Р	•	•	•	
		S — Not available with heat	,) radios					1				
(included with S				144100	LHL	O/P	O/P	O/P	-	O/P	O/P	O/P	
CLUSTER - 3.5	inch, Driver Information Di	isplay (DID)			JAT	•	•	•	-	-	-	-	
– 3.5-inch, DII	l (included with CNG engin	le)			JAJ	Р	Р	-	-	-	-	-	
— 7-inch, DID	included with Luxury Grou	p)			JA6	-	Р	Р	-	•	-	-	
— 7-inch, DID	with Power Wagon Graphic	:)			JAY	-	-	-	Р	-	-	-	
– 7-inch DID (with Laramie Longhorn fili	gree)			JAX	-	-	-	-	-	•	-	
– 7-inch DID (with unique Limited detail)	1			JAV	-	-	-	-	-	-	•	
CONSOLE - Min	i floor console (included w	vith six-speed manual trans	mission or manual transfe	r case)	CUM	Р	Р	Р	•	Р	-	-	
— Full-size flo	or console (included with b	oucket seats)			CUP/ CVT	-	P	Р	-	P	•	•	
– Overhead co	nsole (included with 5.0 ra	adio)			CUN	Р	•	•	•	-	-	-	
– Overhead co	nsole with Universal Garage	Door Opener (included with	Luxury Group or Leather a	nd Luxury Group)	CV2	-	Р	Р	Р	•	•	•	
DOOR LOCKS –	Manual door locks (Regula	ar Cab only)			JE8	•	-	-	-	-	-	-	
– Power door	locks (included with Power	and Remote Entry Group o	n Tradesman Regular Cab)		JPB	P/•	•	•	•	•	•	•	
– Keyless Ente	r 'n Go™				GX4	-	-	-	-	0	0	•	
FLOOR COVERIN	G — Black vinyl (not availa	able on Mega Cab $^{\scriptscriptstyle (\! \mathbb{B}\!)}$			CKJ	•	0	0	0	-	-	-	
– Carpet (incl	uded with Tradesman Popu	lar Equipment Group)			CKE	Р	•	•	•	•	•	•	
FLOOR MATS – floor covering)	Front, carpeted (Regular C	Cab only; included with Trac	lesman Popular Equipment	Group; requires carpet	CLA	Р	•	-	-	-	-	-	
– Front and re	ar, carpeted (included with	ı Tradesman Popular Equipi	ment Group; requires carpo	et floor covering)	CLE	Р	•	•	-	•	-	-	
– Front, rubbe	r (Regular Cab only; requir	res carpet floor covering)			CLY	0	0	-	-	-	-	-	
– Front and re	ar, rubber				CLF	0	0	0	•	-	-	-	
– Front and re	ar, luxury			CLZ/ CLL	-	-	-	-	-	•	•		
MIRRORS – Rea	rview day/night				GNA	•	•	-	-	-	-	-	
	to-dimming with video disp vith 3.0 radio)	lay (included with Luxury G	roup or ParkView® Rear B	lack-Up Camera, ¹⁹	GN4	Р	-	-	-	-	-	-	
– Rearview au	to-dimming with microphor	ne (included with Luxury Gr	oup)		GNK	-	Р	Р	•	•	•	•	
PEDALS — Non-a	djustable				XA8	•	•	•	•	•	-	-	
— Power-adjus	table (requires automatic t	transmission)			XAP	-	0	0	0	-	-	_	
— Power-adjus	table with memory (require		XAM	-	-	-	-	0	•	•			
POWER SUNROO	F (not available with Regu	lar Cab)			GWA	-	0	0	0	0	0	0	

30	OVERVIEW	POWERTRAINS	1500	2500		3500			350	O CC			4500 CC
BL	IYER'S GUI	500/3500 De (Conti				SALES CODE	E TRADESMAN® REG/CREW	B SLT REG/CREW/MEGA	BIG HORN®/LONE STAR ⁺ Crew/Mega	POWER WAGON® CREW CAB	E LARAMIE** CREW/MEGA	E LONGHORN® CREW/MEGA	CREW/MEGA
	TEDIOD EEA	TURES (cont	inued)		_		2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM
		river and front-passenger s		(stees PH* hnc PV* Y		JP8	Р	Р	-	Р	-	_	_
		t and manual front-passen		. ,	-	JRT	-	P	Р	P	-	_	_
- T				at (included with *ZL,*VL,	*6J,	JRF	-	-	-	P	Р	Р	Р
- T	wo-way power lumbar supp	port (included with *M9, *		JPW	-	P	Р	Р	P	Р	Р		
— H	leated front seats (include	d with Heated Seats and W		CMA	-	-	Р	Р	S	S	S		
— H	leated second-row seats (C	Crew Cab and Mega Cab $^{\scriptscriptstyle(\!8\!)}$		JPZ	-	-	-	-	P	Р	Р		
- V	entilated front seats (inclu	uded with *ZL,*VL,*GJ,*XJ		CAJ	-	-	-	Р	P	Р	Р		
		front seat with folding from s include folding rear benc		*TX	•	-	-	-	-	-	-		
		20/40 split-bench front sea b models include folding re		t/cup holder, floor-mounted vinyl)	l storage	*\$Х	0	-	-	-	-	-	-
		front seat, front armrest v luded with Tradesman Pop		and Mega Cab models inclu	ude cloth	*V9	P	•	-	-	-	-	-
	loth/Vinyl 40/20/40 split- old-flat load floor	bench front seat, front arm	nrest with cup holder, rear	60/40 split-folding seat an	ıd	*H9	-	-	-	•	-	-	-
d (river's seat, power lumbar	20/40 split-bench front se adjuster, front center-seal nodels include 60/40 split- Equipment Group)	t-cushion storage, 115-volt	auxiliary power outlet		*M9	-	O/P	•	-	-	-	-
		D split-bench front seat, pow wer outlet (60/40 split-foldi		er lumbar adjuster, full-length ilat load floor)	1 floor	*\$9	-	-	-	0	-	-	-
C		power outlet (Crew Cab an		er lumbar adjuster, full-leng e 60/40 split-folding rear l		*MJ	-	0	0	-	-	-	-
s h	ix-way passenger, power li	umbar adjuster, front cente ower outlet, 60/40 split-fo	er-seat-cushion storage and	D-way/memory for driver ar 1 folding center armrest wit ned in vinyl and fold-flat lo	th cup	*ZL	-	-	-	P	-	-	-
s h	ix-way passenger, power li	umbar adjuster, front cente ower outlet (Crew Cab and	er-seat cushion storage and	D-way/memory for driver an I folding center armrest wit 60/40 split-folding rear be	th cup	*VL	-	-	-	-	•	-	-
p s	assenger, power lumbar a	djuster, full-length floor co (Crew Cab and Mega Cab	nsole, 115-volt auxiliary p	lO-way driver and power siz ower outlet and heated sec c-folding rear bench seat tri	ond-row	*6J	-	-	-	-	0	-	-
d p	river and power six-way pa ower outlet, heated second	assenger, power lumbar ad	juster, premium full-length O split-folding premium lea	et seats, includes power 10 floor console, 115-volt au ather with laser-etched desi	xiliary	*ХЈ	-	-	-	-	-	•	-
p s	assenger, power lumbar au	ventilated and heated buc djuster, premium full-lengtl 60/40 split-folding premiu Fan)	d	*[]	-	-	-	-	-	0	-		
s h	ix-way passenger, power li	h-back, ventilated and hea umbar adjuster, premium fu ncludes 60/40 split-folding	et,	*UL	-	-	-	-	-	-	•		
STEEL	RING WHEEL— Urethane					SCF	•	•	-	-	-	-	-
– L	eather-wrapped with audio	controls (included in Luxu	ıry Group)			SCV	-	P	P	-	-	-	-
— P	erforated leather-wrapped	with accent stitching and a	audio controls			SCB	-	-	-	٠	-	-	-

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FAB	RICS		RI	ESOURC	ES		31
					SALES CODE	T RA DE SMAN® Reg/Crew	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® Crew Cab	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	CREW/MEGA	
CPOS PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM	
INTERIO	OR FEATURE	S (continued)										
— Leather-wraj	pped, heated with audio co	ntrols (included with Heate	d Seats and Wheel Group)		SCV/ SCB/ NHS	-	-	P	P	•	-	-	
— Leather-wraj	pped, heated, with real woo	d and audio controls			SC3/ SCW	-	-	-	-	-	•	•	
STORAGE – Beh	ind-the-seat (Regular Cab	and Mega Cab $^{\scriptscriptstyle (\!$			CU3	٠	•	•	-	•	•	•	
– Front center	-seat-cushion storage (incl	uded with remote CD plays	er and with *M9,*S9,*ZL,*	VL seats)	CVH	Р	Р	P	Р	Р	-	-	
– Rear, under-	seat compartment (Crew C		CUE	•	•	•	•	•	•	•			
– Rear, in-floo	r storage boxes (Crew Cab	only)		CB9	•	•	•	•	•	•	•		
– Fold-flat Ioa	d floor (Crew Cab only; inc	luded with*M9,*H9,*S9,*	*UL seats)	CVN	-	Р	P	Р	Р	P	Р		
VISORS – Passe	enger-side, with vanity mirr	or			GNM	-	•	•	•	-	-	-	
– Driver and p Luxury Group	assenger-side, with illumin p)	ated vanity mirror (include	ather and	GNC	-	P	P	P	•	•	•		
WINDOWS - Ma	anual windows (Regular C	ab only)			JF8	٠	-	-	-	-	-	-	
— Power windo	ows, front one-touch down (Regular Cab; included with	n Power and Remote Entry (Group)	JPY	Р	•	-	-	-	-	-	
– Power windo	ows, front one-touch up/dov	vn (Crew Cab and Mega Ca	ıb)		JP3	٠	•	•	•	•	٠	٠	
– Rear fixed w	vindow				GJD	•	-	-	-	-	-	-	
– Rear sliding	window, manual (Regular)	Cab)			GFD	0	•	-	-	-	-	-	
— Rear sliding	window, power (Crew Cab	and Mega Cab)			GFE	-	•	•	•	•	•	•	
— Rear window	ı defroster				GFA	-	0	0	0	0	0	0	
UCONN	IECT [®] / MUL [·]	TIMEDIA											
CONNECTIVITY -	– 12-volt DC auxiliary]]]]	•	•	•	•	•	•	•	
- 115-volt AC	auxiliary (included with *1	N9,*S9,*MJ,*ZL,*VL,*GJ,*	*XJ,*DJ, *UL seats)		JKV	-	Р	P	Р	Р	P	Р	
— 2.5-amp cha	arging USB port (included w	vith Uconnect 5.0 and 8.4-i	inch radios)		RS3	Р	Р	P	Р	•	•	•	
MEDIA HUB (incl	uded with RA1, UA1, RA2 ra	dios) — 1.5-amp fully funct	ional USB port, auxiliary jac	k for mobile devices	RS6	Р	Р	P	Р	Р	P	Р	
RADIOS — 3.0 A	M/FM				RA1	•	-	-	-	-	-	-	
– Uconnect 3.0	O AM/FM/Bluetooth® Voice	Command ¹⁴			UA1	0	-	-	-	-	-	-	
– Uconnect 5.0	O AM/FM/SAT/Bluetooth (5	-inch touchscreen display)			RA2	0	•	•	•	-	-	-	
– Uconnect 8.4 and Luxury 6	4/FM/SAT/Bluetooth/NAV-r Group)	eady/Voice Command ¹⁴ (8.	4-inch touchscreen display	; included with Leather	RA3	-	0	0	O/P	•	-	-	
– Uconnect 8.4	4 NAV AM/FM/SAT/Bluetoo	th/NAV/Voice Command ¹⁴ (8.4-inch touchscreen displ	ay)	RA4	-	F	0	0	0	•	•	
RADIO CONTROL	.S — Steering wheel-mount	ering wheel)	RDZ	-	Р	P	Р	Р	P	Р			
SINGLE-DISC CD	PLAYER		RH1	0	0	0	0	0	0	0			
SIRIUSXM® SAT	TELLITE RADIO ¹⁶ (included	with Tradesman Popular Eq	uipment Group or 5.0 and	8.4 radios)	RSD	P	Р	Р	Р	Р	Р	Р	
SIRIUSXM TRAFI	FIC ¹⁶ AND SIRIUSXM TRAV	EL LINK ¹⁶ (included with U	connect 8.4 NAV radio)		RSS/ RSM	-	-	P	P	P	Р	P	
SPEAKER SYSTE	MS – 6 speakers				RCG	•	•	•	•	-	-	-	
– Premium I a	udio system (Regular Cab	only)			RCK	-	0	-	-	-	-	-	
– Premium II a included with	audio system with subwoofe h Leather and Luxury Group	er (Surround Sound require 1)	s ADA and *M9 or higher :	seat;	RC3	-	0	0	O/P	•	•	•	
UCONNECT VOID	CE COMMAND ¹⁴ WITH BLUI	ETOOTH (included with UA	1, RA2, RA3, RA4 radios)		XRB	P	P	P	P	P	P	Р	

2	OVERVIEW	POWERTRAINS	1500	2500	350	0		350	IO CC			4500 CC
		500/3500 F IDE (Contii			SALES CODE	TRADESMAN® Reg/Grev	SLT Reg/crew/mega	BIG HORN®/LONE STAR [†] Crew/Mega	POWER WAGON® Crew Cab	LARAMIE* Crew/mega	LARAMIE LONGHORN® Crew/Mega	LIMITED Crew/mega
CPOS	PACKAGE					2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM
SA	AFETY & SEC	CURITY								_		
AIR B	AGS18 — Multistage from	nt			CG3	•	•	•	•	•	•	•
- \$	upplemental side-curtain				CGS	•	•	•	•	•	•	•
- \$	upplemental front-seat sid	de-mounted	CJ1	•	•	•	•	•	•	•		
	ES – Four-wheel antilock		BRT	-	•	•	•	•	•	•		
		res Uconnect® 8.4 radios)			LPC	-	0	0	0	0	0	0
ELECT Rain I	TRONIC STABILITY CONTF Brake Support, Ready Aler	ROL (ESC) ⁷ – Includes Brał t Braking, All-Speed Tractio	te Assist, Electronic Roll N n Control and Trailer Sway	Aitigation, Hill Start Assist, y Damping ⁷	BNE	•	•	•	•	•	•	•
ELECT	TRONIC TRAILER BRAKE C	CONTROLLER			XHO	0	•	•	•	•	•	•
PARK	SENSE® REAR PARK ASSI	IST SYSTEM ¹⁹			XA	-	0	0	0	-	-	-
PARK	SENSE FRONT AND REAR	PARK ASSIST SYSTEM ¹⁹ (ir	ncluded with Leather and L	Luxury Group)	XAG	-	0	0	O/P	•	•	•
PARK Cargo	VIEW® REAR BACK-UP C/ D-View Camera ¹⁹ with other	AMERA ¹⁹ — Video displayed r radios (included with Spor	in rearview mirror with 3. t Appearance Group or Le	.O radio or on-screen with ather and Luxury Group)	XAC	0	0	O/P	O/P	•	•	•
				e, RamBox® System, illumination wer and Remote Entry Group)		I P	•	•	•	•	•	•
REMO	DTE START (requires auto	matic transmission)			XBN	-	0	•	0	0	•	•
SECU	RITY ALARM – Detects bi	reak-in (included with Leath	er and Luxury Group)		LSA	-	0	0	0/P	•	•	•
SENT	RY KEY® THEFT DETERRE	NT SYSTEM — Engine imm	obilizer		GXX	•	•	•	•	•	•	•
TIRE	PRESSURE MONITORING ((TPM) WITH DISPLAY AND	ALERT (2500 only)		XGN	•	•	•	•	•	•	•
TIRE	PRESSURE INFORMATION	SYSTEM WITHOUT ALERT	(3500 models only)		XBT	•	•	•	-	•	•	•
P/	ACKAGE / EC	QUIPMENT GI	ROUPS									
BOX I	DELETE — Regular Cab, Cr	rew Cab, not available with	diesel engine		XBO	0	0	0	-	-	-	-
	ME APPEARANCE GROUP) or steel wheels with chr		s, chrome grille surround	and steel chrome-clad wheel	s aed	0	-	-	-	-	-	-
CHRO	ME BUMPER PACKAGE –	AST	-	-	-	-	-	-	0			
COLD	WEATHER GROUP - Inclu	udes engine block heater an	ADE	0	0	0	-	0	0	0		
	/ENIENCE GROUP — Auto I p-View Camera ¹⁹)	High-Beam Headlamp Contro	ADO	-	-	-	-	0	0	-		
	REAR WHEEL GROUP – 3 nd fenders)	3500 only; not available with	h Crew Cab 6'4'' box (inc	ludes clearance lamps for th	e cab, WL	0	0	0	-	0	0	0
	I-WHEEL / GOOSENECK TO sions for 5th-wheel or goo		udes in-bed seven-pin har	ness connector and mounting	AHU	0	0	0	-	0	0	0

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FAB	RICS		R	ESOURC	ES		33
					SALES CODE	TRADESMAN® Reg/Crew	SLT Reg/Crew/Mega	BIG HORN®/LONE STAR⁺ Crew/mega	POWER WAGON® Crew CAB	LARAMIE® Crew/Mega	LARAMIE LONGHORN® Crew/Mega	LIMIT ED Crew/Mega	
CPOS PACKAGE						2TA	2TG	2TZ/Y	2TP	2TH	2TK	2TM	1
PACKA	GE / EQUIPN	IENT GROUP	PS (continued	1)									I
	ND WHEEL GROUP – Inclu MJ or *S9 seats)	udes heated cloth seats, he	9]	AGF	-	-	0	0	-	-	-		
panel, leather-tri sun visors with i on/off switch, LE	mmed 40/20/40 bench se lluminated vanity, power fo D interior lighting, front an	overhead console with Uni at, security alarm, memory Idaway mirrors, glove box d rear door accent lighting 1se® Front and Rear Park J	seat and mirrors, dome lamp with	ACX	-	-	-	0	-	-	-		
dimming rearview steering wheel fo	w mirror, exterior heated/p or Z CPOS, premium cluste	ole with Universal Garage I wwer folding mirrors with s r with 7-inch Driver Inform apped steering wheel with a	eated seats and able dome lamp,	ADA	-	0	0	0	-	-	-		
		nt Control, tow hooks, tran nd OWL On-/Off-Road tires	sfer case skid plate, wheel	flares, off-road decal,	ARC	0	0	0	-	0	0	0	
POPULAR EQUIP	MENT GROUP SLT - Prem	ium cloth 40/20/40 bench	seat, fog lamps, OWL tire	s (Regular Cab only)	ALW	-	0	-	-	-	-	-	
POPULAR EQUIP remote keyless e	MENT GROUP TRADESMAN entry and SiriusXM® Satell	l — Includes 40/20/40 clo ite Radio ¹⁶	th bench seat, carpeted flo	ooring, floor mats,	AJY	0	-	-	-	-	-	-	
POWER AND REN power windows a	10TE ENTRY GROUP – Inc nd power door locks (Regi	ludes premium vinyl door † Jlar Cab only)	trim, remote keyless entry,	power heated mirrors,	AJH	0	-	-	-	-	-	-	
4.10 axle ratio, 1 Black headlamp	tow hooks, fuel tank and tr filler panels, chrome front , 17-inch polished aluminu	Descent control, 180-amp a ansfer case skid plates, fro and rear bumpers, electroo m wheels with LT285/70RI	ont electric winch, Black w nic disconnecting front swa	heel flares, fog lamps, av bar, Ram Articulink®	ACE	0	-	-	-	-	-	-	
PROTECTION GR	OUP (4x4 only)– Include:	s tow hooks and transfer ca	ase skid plate		ADB	0	0	0	-	0	0	0	
Turbo Diesel), ar		alternator for 5.7L V8 (220 r case skid plate, auxiliary models only)			AD2	0	0	0	-	0	0	0	
SNOW PLOW PRI skid plate (4x4 r		ernator for 5.7L V8, 220-ar	np for 6.4L V8 and 6.7L di	esel, transfer case	AHD	0	0	0	-	0	0	0	
Ram tailgate bad	ge, Black 4x4 badge (4x4 with Black insert, 20-inch	onotone paint, body-color d only), Blacked-out headlan Black painted wheels with	nps, body-color painted fro	nt and rear bumpers,	ADV	-	-	0	-	0	-	-	

34	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	35
----	----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

RAM 2500/3500 PICKUP TOWING AND PAYLOAD

IMUM LOADED TRAILER WEIGHTS (when properly eq	quipped)														
2500 - SAE 12007 STANDARD COMP	IANT								CREV	V CAB						
							E								'4" BOX	
			4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
5.7L HEMI® V8 CNG / 66RFE 6-SPEED		15,000	12,52	0	9,980					9,190		6,820				
5.7L HEMI V8 / 66RFE 6-SPEED	3./3	18,300	11,89		11,510		11,520		11,200	11,390		11,030		11,040		10,780 12,780 12,240
		20,300	10,05		13,010		13,320		10,190	10,090	J	10,020		10,040		12,/00
6 /I HEMI V8 / 66REE 6-SPEED		17,500	10,02	.0	12,930		12,940		12,030	12,010	,	12,400		12,020		12,240
	4 10	22,800	16.32	'n	15,930		15 940		15,630	15.810	1	15 460		15 520		15 240
6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	3.42	25.300	17.98	0	17.540		17.510		17.200	17.370	5	17.020		17.170		15,240 15,440
6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42	24.300	16.89	0	16.450		16.450		16.130	16.300)	15.950		16.100		14.770
2500 - SAE 12907 STANDARD COMD	IANT															
				BOX				BOX				X DRW		BOX		OX DRW
POWERTRAIN				4x4	4x2	4x4		4x4			4x2	4x4		4x4	4x2	4x4
5.71 HEMI V8 / 66BEE 6-SPEED		18,400	11,910	11,560			11,520	11,200	11,410	11,020			11,210	10,880		
	4.10	20,400	13,910	13,560	10.000	10.040	13,520	13,200	13,410	13,020	10 450	10.100	13,210	12,880	10.000	11.970
		19,900	10,370	12,970	13,020	12,040	12,970	12,040	12,030	12,470	12,400	12,100	12,000	15,320	12,200	11,970
0.4L HEIWII VO / DONFE D-SFEED		22,900	10,370	10,970	16 520	16 1/10	10,970	10,040	10,000	10,470	15 050	15 600	10,000	10,320	15 700	15 / 70
	3.42	25,400	17,910	17 560	17,550	17 180	17 490	17 200	17,360	17 010	17,000	16 660	17 140	16 750	16 750	15,470 16,440 18,440
6.7L CUMMINS TURBO DIESEL I-6 / 68RFE 6-SPEED	3.73	27,300		11,000	19,550	19,180		11,200			19.000	18,660		10,100	18,750	18,440
	4.10	30,300			22,550	22,180					22,000	21,660			21,750	21,440
	3.42	25,300	17,770	17,420			17,350	17,050	17,210	16,860			16,990	16,660		
	3.42	29,300			21,410	21,030					20,860	20,520			20,600	20,300
AISIN® 6-SPEED	0.70	00.000			05.010	05 500					05.000	05.000			05 100	04.000
	3./3	20100			25,910	20,030					25,300	25,020			25,100	24,800 30,100
	3.42	2/ 300	16,870	16 520		16 130	16.450	16 160	16 320	15,060		15 620	16 100	15 710	15 710	15/00
6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.73	26,300	10,070	10,020	18,510	18,130	10,400	10,100	10,320	10,000	17,960	17.620	10,100	10,710	17.710	15,400 17,400
	2500 — SAE J2807 STANDARD COMPI POWERTRAIN 5.7L HEMI* V8 CNG / 6GRFE 6-SPEED 5.7L HEMI V8 / 6GRFE 6-SPEED 6.4L HEMI V8 / 6GRFE 6-SPEED 6.7L CUMMINS* TURBO DIESEL I-6 / 6000 F 6-SPEED 6.7L CUMMINS TURBO DIESEL I-6 / 6000 F 6-SPEED	2500 — SAE J2807 STANDARD COMPLIANT POWERTRAIN AXLE RATIO 5.7L HEMI® VB / GGRFE 6-SPEED 3.73 5.7L HEMI® VB / GGRFE 6-SPEED 3.73 6.4L HEMI VB / GGRFE 6-SPEED 4.10 6.7L CUMMINS® TURBO DIESEL I-6 / GBRFE 6-SPEED 3.42 6.7L CUMMINS® TURBO DIESEL I-6 / GBRFE 6-SPEED 3.42 6.7L CUMMINS® TURBO DIESEL I-6 / GBRFE 6-SPEED 3.42 6.7L CUMMINS TURBO DIESEL I-6 / GBRFE 6-SPEED 3.42 6.7L CUMMINS TURBO DIESEL I-6 / GBRFE 6-SPEED 3.73 6.4L HEMI VB / GGRFE 6-SPEED 3.10 6.4L HEMI VB / GGRFE 6-SPEED 3.10 6.4L HEMI VB / GGRFE 6-SPEED 4.10 6.7L CUMMINS TURBO DIESEL I-6 / GBRFE 6-SPEED 3.42 6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / A.10 3.42 6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / A.10 3.42 6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / A.10 3.42 6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / A.10 3.42 6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / A.10 3.42 6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / A.10 3.42	POWERTRAIN AXLE RATIO GCWR 5.7.L HEMI* V8 CNG / 66RFE 6-SPEED 3.73 15,000 5.7.L HEMI V8 / 66RFE 6-SPEED 4.10 20,300 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 12,800 6.7.L CUMMINS* TURBO DIESEL I-6 / 68RFE 6-SPEED 3.42 25,300 6.7.L CUMMINS* TURBO DIESEL I-6 / 68RFE 6-SPEED 3.42 25,300 6.7.L CUMMINS TURBO DIESEL I-6 / 68RFE 6-SPEED 3.42 24,300 3500 - SAE J2807 STANDARD COMPLIANT POWERTRAIN ALE RATIO GCWR 9.7.L HEMI V8 / 66RFE 6-SPEED 4.10 22,400 3.73 18,400 5.7.L HEMI V8 / 66RFE 6-SPEED 4.10 22,400 3.73 18,400 5.7.L HEMI V8 / 66RFE 6-SPEED 4.10 22,900 4.10 22,900 6.4.L HEMI V8 / 66RFE 6-SPEED 4.10 23,400 3.42 25,300 6.7.L CUMMINS TURBO DIESEL I-6 / 68RFE 6-SPEED 3.42 25,300 3.42 25,300 6.7.L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / 3.42 25,300 3.73 3.73 3.800 6.7.L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / <th>2500 SAE J2807 STANDARD COMPLIANT POWERTRAIN AXLE RATIO GCWR 4x2 5.7L HEMI® V8 (GGRFE 6-SPEED 3.73 15,000 12,52 5.7L HEMI® V8 (GGRFE 6-SPEED 3.73 18,300 11,88 5.7L HEMI V8 (GGRFE 6-SPEED 4.10 20,300 13,38 6.4L HEMI V8 (GGRFE 6-SPEED 4.10 12,200 16,33 6.7L CUMMINS* TURBO DIESEL I-6 (GBRFE 6-SPEED 3.42 24,300 16,88 3500 SAE 24,300 16,88 3500 13,89 3500 SAE J2807 STANDARD COMPLIANT 8' I 9' I 9' I POWERTRAIN AXLE RATIO GCWR 4x2 3,00 11,810 5.7L HEMI N8 / GGRFE 6-SPEED 4.10 22,300 16,81 31310 6.4L HEMI N8 / GGRFE 6-SPEED 4.10 24,300 13,310 13,310 6.4L HEMI N8 / GGRFE 6-SPEED 4.10 24,300 13,310 14,300 13</th> <th>2500 SAE J2807 STANDARD COMPLIANT REGULAR 8' BOX POWERTRAIN AXLE RATIO GCWR 4x2 5.7L HEMIN 8' BOX 5.7L HEMIN 8' CMG / 6GRFE 6-SPEED 3.73 15.000 12.520 12.520 5.7L HEMIN 8' GOS 3.73 18.300 11.890 13.320 5.7L HEMIN '8 / 6GRFE 6-SPEED 4.10 22.800 13.320 16.320 6.4L HEMIN'8 / 6GRFE 6-SPEED 4.10 17.500 16.320 16.320 6.7L CUMMINS* TURBO DIESEL I-6 / 688FE 6-SPEED 3.42 24.300 16.820 3500 STAL 22807 STANDARD COMPLIANT 8' BOX 15.800 16.820 3500 STA BUZENT STANDARD COMPLIANT 8' BOX 15.7L 16.820 16.820 90WERTRAIN ALE RATIO GCWR 4x2 4x4 14.10 13.910 13.360 5.7L HEMIN ALE RATIO GCWR 4x4 4x4 5.7L HEGUL</th> <th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15.000 11.250 9.980 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 18.300 11.890 11.510 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 20.300 13.890 13.510 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 17.500 13.320 12.930 6.7L CUMMINS* TURB0 DIESEL I-6 / 68RFE 6-SPEED 3.42 25.300 17.400 17.400 7.73 19.800 13.320 12.930 16.820 15.930 6.7L CUMMINS TURB0 DIESEL I-6 / 68RFE 6-SPEED 3.42 25.300 17.400 17.400 7.71 16.800 16.820 15.830 16.830 16.840 7.71 17.400 13.42 25.300 17.450 17.440 7.71 16.800 11.510 13.340 13.500 16.520 7.72 17.400 13.310 13.600 16.520 17.400 15.9</th> <th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 5.7.L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,520 9,380 5.7.L HEMI* V8 / 66RFE 6-SPEED 3.73 18,000 11,890 11,510 5.7.L HEMI V8 / 66RFE 6-SPEED 4,10 20,300 13,890 13,510 6.4.L HEMI V8 / 66RFE 6-SPEED 4,10 17,500 12,330 12,330 6.4.L HEMI V8 / 66RFE 6-SPEED 4,10 17,500 15,930 13,590 13,510 6.7.L CUMMINS* TURBO DIESEL I-6 / 68RFE 6-SPEED 3,42 22,300 17,540 16,520 17,540 16,540 7.7.540 15,630 13,310 13,300 13,300 12,330 16,450 REGULAR CAB 3700 - SAE J2807 STANDARD COMPLIANT POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 4x4 5.7L HEMI V8 / 66RFE 6-SPEED 3,73 18,400 13,310 13,260 11,910 11,560 16,140 13,310<th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15.000 12.520 9.380 - 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 115.000 12.520 9.380 - - 5.7L HEMI V8 / 66RFE 6-SPEED 3.73 118.900 11.510 11.520 -<</th><th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 15,000 12,520 9,980 6'4" BOX 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 18,800 11,510 11,520 5.7L HEMI V8 / 66RFE 6-SPEED 3.73 19,800 13,850 13,510 13,520 12,940 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 22,800 16,520 15,930 15,940 6.7L CUMMINS* TURB0 DIESEL 1-6 / 688 FE 6-SPEED 3.42 22,800 17,240 17,510 15,510 15,510 15,510 15,940 6.7L CUMMINS TURB0 DIESEL 1-6 / 688 FE 6-SPEED 3.42 24,300 16,820 16,450 16,450 16,450 16,450 15,510 15,20 16,320 16,320 15,340 12,370 12,940 17,510 17,510 17,510 17,510 17,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510</th><th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREV 90WERTRAIN AXLE RATIO 6CWR 4x4 4x2 4x4 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,220 9,980 </th><th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 90WERTRAIN AXLE RATIO 6CWR 4x2 4x4 4x2 6'4" BOX 9390 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,520 9,980 9390 9390 9390 5.7L HEMI V8 / 66RFE 6-SPEED 4.10 20,300 13,890 13,510 13,200 11,200 11,200 11,300 13,399 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 17,500 12,230 12,930 12,240 12,310 13,39 15,310 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,340 15,340 15,310 15,320 15,320 15,320 15,320 15,320 15,320 15,320 15,320 15,320<th>2500 – SAE J2807 STANDARD COMPLIANT REBULAR CAB CREW CAB POWERTRAIN AXLE RATIO 6CWR 4x2 4x4 4x2 4x4 4x2 6'4'' BOX 6'8' BOX 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,980 - - 9,190 9,190 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,880 - - 9,190 9,190 9,190 9,190 9,190 9,130 13,320 12,320 13,390 13,390 13,390 13,520 13,190 13,380 12,830 12,830 12,330 12,810 16,320 16,320 15,330 15,810 16,330 15,810 16,330 15,810 15,830 15,810 16,330 15,810 16,320 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,300 16,300 16,300</th><th>2500 – SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 90WERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X</th><th>RECULAR CAB CREW CAB POWENTRAIN ALL EATIO GCWR AZ 4/4 GCWR CAB POWENTRAIN ALL EATIO GCWR CAB 6/4" BOX 4/2 4/4 4/2 AVA 5/11 HEM* V8 CNG / GGRFE 6-SPEED ALL EATIO GCWR AZ 4/4 4/2 4/4 4/2 4/4 4/2 4/4 A/4 A/4</th><th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 8' BOX 6' 4'' 8' BOX 8' BOX</th><th>CREW CAB CREW CAB MEEGA CAB * MEEGA CAB</th></th></th>	2500 SAE J2807 STANDARD COMPLIANT POWERTRAIN AXLE RATIO GCWR 4x2 5.7L HEMI® V8 (GGRFE 6-SPEED 3.73 15,000 12,52 5.7L HEMI® V8 (GGRFE 6-SPEED 3.73 18,300 11,88 5.7L HEMI V8 (GGRFE 6-SPEED 4.10 20,300 13,38 6.4L HEMI V8 (GGRFE 6-SPEED 4.10 12,200 16,33 6.7L CUMMINS* TURBO DIESEL I-6 (GBRFE 6-SPEED 3.42 24,300 16,88 3500 SAE 24,300 16,88 3500 13,89 3500 SAE J2807 STANDARD COMPLIANT 8' I 9' I 9' I POWERTRAIN AXLE RATIO GCWR 4x2 3,00 11,810 5.7L HEMI N8 / GGRFE 6-SPEED 4.10 22,300 16,81 31310 6.4L HEMI N8 / GGRFE 6-SPEED 4.10 24,300 13,310 13,310 6.4L HEMI N8 / GGRFE 6-SPEED 4.10 24,300 13,310 14,300 13	2500 SAE J2807 STANDARD COMPLIANT REGULAR 8' BOX POWERTRAIN AXLE RATIO GCWR 4x2 5.7L HEMIN 8' BOX 5.7L HEMIN 8' CMG / 6GRFE 6-SPEED 3.73 15.000 12.520 12.520 5.7L HEMIN 8' GOS 3.73 18.300 11.890 13.320 5.7L HEMIN '8 / 6GRFE 6-SPEED 4.10 22.800 13.320 16.320 6.4L HEMIN'8 / 6GRFE 6-SPEED 4.10 17.500 16.320 16.320 6.7L CUMMINS* TURBO DIESEL I-6 / 688FE 6-SPEED 3.42 24.300 16.820 3500 STAL 22807 STANDARD COMPLIANT 8' BOX 15.800 16.820 3500 STA BUZENT STANDARD COMPLIANT 8' BOX 15.7L 16.820 16.820 90WERTRAIN ALE RATIO GCWR 4x2 4x4 14.10 13.910 13.360 5.7L HEMIN ALE RATIO GCWR 4x4 4x4 5.7L HEGUL	2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15.000 11.250 9.980 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 18.300 11.890 11.510 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 20.300 13.890 13.510 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 17.500 13.320 12.930 6.7L CUMMINS* TURB0 DIESEL I-6 / 68RFE 6-SPEED 3.42 25.300 17.400 17.400 7.73 19.800 13.320 12.930 16.820 15.930 6.7L CUMMINS TURB0 DIESEL I-6 / 68RFE 6-SPEED 3.42 25.300 17.400 17.400 7.71 16.800 16.820 15.830 16.830 16.840 7.71 17.400 13.42 25.300 17.450 17.440 7.71 16.800 11.510 13.340 13.500 16.520 7.72 17.400 13.310 13.600 16.520 17.400 15.9	2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 5.7.L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,520 9,380 5.7.L HEMI* V8 / 66RFE 6-SPEED 3.73 18,000 11,890 11,510 5.7.L HEMI V8 / 66RFE 6-SPEED 4,10 20,300 13,890 13,510 6.4.L HEMI V8 / 66RFE 6-SPEED 4,10 17,500 12,330 12,330 6.4.L HEMI V8 / 66RFE 6-SPEED 4,10 17,500 15,930 13,590 13,510 6.7.L CUMMINS* TURBO DIESEL I-6 / 68RFE 6-SPEED 3,42 22,300 17,540 16,520 17,540 16,540 7.7.540 15,630 13,310 13,300 13,300 12,330 16,450 REGULAR CAB 3700 - SAE J2807 STANDARD COMPLIANT POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 4x4 5.7L HEMI V8 / 66RFE 6-SPEED 3,73 18,400 13,310 13,260 11,910 11,560 16,140 13,310 <th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15.000 12.520 9.380 - 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 115.000 12.520 9.380 - - 5.7L HEMI V8 / 66RFE 6-SPEED 3.73 118.900 11.510 11.520 -<</th> <th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 15,000 12,520 9,980 6'4" BOX 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 18,800 11,510 11,520 5.7L HEMI V8 / 66RFE 6-SPEED 3.73 19,800 13,850 13,510 13,520 12,940 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 22,800 16,520 15,930 15,940 6.7L CUMMINS* TURB0 DIESEL 1-6 / 688 FE 6-SPEED 3.42 22,800 17,240 17,510 15,510 15,510 15,510 15,940 6.7L CUMMINS TURB0 DIESEL 1-6 / 688 FE 6-SPEED 3.42 24,300 16,820 16,450 16,450 16,450 16,450 15,510 15,20 16,320 16,320 15,340 12,370 12,940 17,510 17,510 17,510 17,510 17,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510</th> <th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREV 90WERTRAIN AXLE RATIO 6CWR 4x4 4x2 4x4 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,220 9,980 </th> <th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 90WERTRAIN AXLE RATIO 6CWR 4x2 4x4 4x2 6'4" BOX 9390 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,520 9,980 9390 9390 9390 5.7L HEMI V8 / 66RFE 6-SPEED 4.10 20,300 13,890 13,510 13,200 11,200 11,200 11,300 13,399 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 17,500 12,230 12,930 12,240 12,310 13,39 15,310 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,340 15,340 15,310 15,320 15,320 15,320 15,320 15,320 15,320 15,320 15,320 15,320<th>2500 – SAE J2807 STANDARD COMPLIANT REBULAR CAB CREW CAB POWERTRAIN AXLE RATIO 6CWR 4x2 4x4 4x2 4x4 4x2 6'4'' BOX 6'8' BOX 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,980 - - 9,190 9,190 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,880 - - 9,190 9,190 9,190 9,190 9,190 9,130 13,320 12,320 13,390 13,390 13,390 13,520 13,190 13,380 12,830 12,830 12,330 12,810 16,320 16,320 15,330 15,810 16,330 15,810 16,330 15,810 15,830 15,810 16,330 15,810 16,320 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,300 16,300 16,300</th><th>2500 – SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 90WERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X</th><th>RECULAR CAB CREW CAB POWENTRAIN ALL EATIO GCWR AZ 4/4 GCWR CAB POWENTRAIN ALL EATIO GCWR CAB 6/4" BOX 4/2 4/4 4/2 AVA 5/11 HEM* V8 CNG / GGRFE 6-SPEED ALL EATIO GCWR AZ 4/4 4/2 4/4 4/2 4/4 4/2 4/4 A/4 A/4</th><th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 8' BOX 6' 4'' 8' BOX 8' BOX</th><th>CREW CAB CREW CAB MEEGA CAB * MEEGA CAB</th></th>	2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15.000 12.520 9.380 - 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 115.000 12.520 9.380 - - 5.7L HEMI V8 / 66RFE 6-SPEED 3.73 118.900 11.510 11.520 -<	2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB POWERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 15,000 12,520 9,980 6'4" BOX 5.7L HEMI* V8 / 66RFE 6-SPEED 3.73 18,800 11,510 11,520 5.7L HEMI V8 / 66RFE 6-SPEED 3.73 19,800 13,850 13,510 13,520 12,940 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 22,800 16,520 15,930 15,940 6.7L CUMMINS* TURB0 DIESEL 1-6 / 688 FE 6-SPEED 3.42 22,800 17,240 17,510 15,510 15,510 15,510 15,940 6.7L CUMMINS TURB0 DIESEL 1-6 / 688 FE 6-SPEED 3.42 24,300 16,820 16,450 16,450 16,450 16,450 15,510 15,20 16,320 16,320 15,340 12,370 12,940 17,510 17,510 17,510 17,510 17,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510 15,510	2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREV 90WERTRAIN AXLE RATIO 6CWR 4x4 4x2 4x4 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,220 9,980	2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 90WERTRAIN AXLE RATIO 6CWR 4x2 4x4 4x2 6'4" BOX 9390 5.7L HEMI* V8 CMG / 66RFE 6-SPEED 3.73 15,000 12,520 9,980 9390 9390 9390 5.7L HEMI V8 / 66RFE 6-SPEED 4.10 20,300 13,890 13,510 13,200 11,200 11,200 11,300 13,399 6.4L HEMI V8 / 66RFE 6-SPEED 4.10 17,500 12,230 12,930 12,240 12,310 13,39 15,310 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,240 12,340 15,340 15,310 15,320 15,320 15,320 15,320 15,320 15,320 15,320 15,320 15,320 <th>2500 – SAE J2807 STANDARD COMPLIANT REBULAR CAB CREW CAB POWERTRAIN AXLE RATIO 6CWR 4x2 4x4 4x2 4x4 4x2 6'4'' BOX 6'8' BOX 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,980 - - 9,190 9,190 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,880 - - 9,190 9,190 9,190 9,190 9,190 9,130 13,320 12,320 13,390 13,390 13,390 13,520 13,190 13,380 12,830 12,830 12,330 12,810 16,320 16,320 15,330 15,810 16,330 15,810 16,330 15,810 15,830 15,810 16,330 15,810 16,320 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,300 16,300 16,300</th> <th>2500 – SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 90WERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X</th> <th>RECULAR CAB CREW CAB POWENTRAIN ALL EATIO GCWR AZ 4/4 GCWR CAB POWENTRAIN ALL EATIO GCWR CAB 6/4" BOX 4/2 4/4 4/2 AVA 5/11 HEM* V8 CNG / GGRFE 6-SPEED ALL EATIO GCWR AZ 4/4 4/2 4/4 4/2 4/4 4/2 4/4 A/4 A/4</th> <th>2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 8' BOX 6' 4'' 8' BOX 8' BOX</th> <th>CREW CAB CREW CAB MEEGA CAB * MEEGA CAB</th>	2500 – SAE J2807 STANDARD COMPLIANT REBULAR CAB CREW CAB POWERTRAIN AXLE RATIO 6CWR 4x2 4x4 4x2 4x4 4x2 6'4'' BOX 6'8' BOX 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,980 - - 9,190 9,190 5.7L HEMI 'V8 CN6 / 6GRFE 6-SPEED 3.73 15,000 12,520 9,880 - - 9,190 9,190 9,190 9,190 9,190 9,130 13,320 12,320 13,390 13,390 13,390 13,520 13,190 13,380 12,830 12,830 12,330 12,810 16,320 16,320 15,330 15,810 16,330 15,810 16,330 15,810 15,830 15,810 16,330 15,810 16,320 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,450 16,300 16,300 16,300	2500 – SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 90WERTRAIN AXLE RATIO GCWR 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 4x2 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X 4x4 90X 90X	RECULAR CAB CREW CAB POWENTRAIN ALL EATIO GCWR AZ 4/4 GCWR CAB POWENTRAIN ALL EATIO GCWR CAB 6/4" BOX 4/2 4/4 4/2 AVA 5/11 HEM* V8 CNG / GGRFE 6-SPEED ALL EATIO GCWR AZ 4/4 4/2 4/4 4/2 4/4 4/2 4/4 A/4 A/4	2500 - SAE J2807 STANDARD COMPLIANT REGULAR CAB CREW CAB 8' BOX 6' 4'' 8' BOX 8' BOX	CREW CAB CREW CAB MEEGA CAB * MEEGA CAB

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in lb. | Numbers in a Diack box reflect max ratings. 1. Payload and Max Trailer Weights are ESTIMATED values and rounded to the nearest 10 lb. 2. Payload = GWR minus Base Weight . 3. Payload and Trailer Weight Ratings are mutually exclusive. 4. GAWRs, GWWRs and GGWRs should never be exceeded . 5. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2607. Passenger Weight = 300 lb. Options Weight = 100 lb. Trailering Equipment Weight: 76 lb for conventional hitch, 70 lb for gooseneck and 250 lb for 5th-wheel. Tongue weight: 10 percent of the gross trailer weight for calculated to reaver the the conventional hitch, 16 lb for gooseneck weights, and GAWRs should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and togoue weight for CABS (PH BdV) for Class V (hitch reaver) is limited to 1,800 lb. 7. A 5th-wheel or gooseneck hitch is required for trailers over 18,000 lb. 8. 13,800-lb GWWR stated for Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio applies to Tradesman* and ST packages only. For all other price classes for this configuration (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), the GWWR is 13,700 lb.

MAXI	MUM PAYLOAD CAPACITIES (whe	n properly e	quipped)													
	2500			REGULAR 8' BOX	CAB			6'4" BOX	CREV	V CAB	8' BOX	(N	IEGA CAB 6'4'' Box	
	POWERTRAIN	GVWR	4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
	5.7L HEMI V8 CNG / 66RFE 6-speed 5.7L HEMI V8 / 66RFE 6-speed	9,200	2,350 3.060		1,970 2,680		2.690		0.070	1,850)	1,490 2.200		2.210		1,960
AT	6.4L HEMI V8 / 66RFE 6-speed	8.510							2,370 1,510	1						
	6.7L Cummins Turbo Diesel I-6 / 68RFE 6-speed	10,000	3,990 3,160 3,060		3,600 2,720 2,630		3,610 2,690 2,630		2,370 1,510 3,300 2,380 2,310	3,480 2,540 2,470]	3,130 2,200 2,130		3,190 2,340 2,280		2,910 2,020 1,950
MT		10,000	3,060		2,630 AR CAB		2,630			2,470 V CAB)	2,130			A CAB	1,950
	3500	01010	8' E	BOX	8' BOX	(DRW	6'4''	BOX	8' 1	BOX	8' BO	X DRW	6'4'	' BOX	6'4'' E	OX DRW
<u> </u>	POWERTRAIN	GVWR 10,100	4x2 4.080	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
		10,300 10,500	1,000	3,930			4.090									
	5.7L HEMI V8 / 66RFE 6-SPEED	10,700					4,090	3,970								
		11,000 11,300							4,480	4,390			4,280	4,250		
		10.200	4,140	3.940												
		10,400 10,500		3,940			4,040									
		10,800						4,010	4.500							
	6.4L HEMI V8 / 66RFE 6-SPEED	11,100 11,200							4,000	4.440			4,420	1 000		
		11,400 13,300 13,700			6,890 7,290	6,510 6,910	_			4,440	6.320	5,970		4,290	6.070	5.840
		13,700 13,800			7,290	6,910	_									
AT		13,900			1,000						7.000	0.070			6,670	0.540
		11,100	4,180								7,020	6,670				6,540
		11,500 11,600		4,230			4,160						3.910			
	6.7L CUMMINS TURBO DIESEL I-6 / 68RFE	11,700						4,070					3,910			
	6-SPEED	11,700 12,000 12,300							4,530	4.480				4.220		
		12.400			6,720	6.350					6.170	5,830			5.920	5.610
		14,000	4,040		0,720	0,300					0,170	0,000			3,920	3,010
		11 500		4,090			4,020						3.760			
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 /	11,600 11,700 12,000						3,920	4.380							
	AISIN 6-SPEED	12,000 12,300 12,400							4,380	4,330						
		12,400			6.580	6.200	_				6.030	5.690		4,070	5.770	5,470
		11,100	4,140	4,190	0,000	0,200	4.120				0,000	0,000			0,110	0,110
		11.600		4,190			4,120						3,870			
МТ	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	11 700						4,030	4,490							
		12 300							4,430	4,430						
		12,400			6,680	6,300					6,130	5,790		4,180	5,880	5,570

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in Ib. | Numbers in a black box 1. Weights are ESTIMATED values rounded to the nearest 10 lb. 2. Payload = GVWR minus Base Weight. 3. Payload and Trailer Weight Ratings are mutually exclusive. 4. GAWRs, GWWRs and GCWRs should never be exceeded. 5. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GVWR of 13,600 lb applies to Tradesman Package only. For all other price classes for this configuration (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), the GVWR is 13,700 lb.

2500

3500

1500

4500 CC 3500 CC

FABRICS

RESOURCES 37

HASSIS CAB K

POWERTRAINS

RAM 4500/5500 CHASSIS CAB

Properly secure all cargo.

RAM 3500



17-inch Argent Steel Wheel Standard on 3500 DRW Tradesman[®] (WFU)



17-inch Chrome Steel Wheel Standard on 3500 DRW SLT Optional on 3500 DRW Tradesman (WD4)



17-inch Polished Aluminum Wheel Standard on 3500 DRW Laramie[®] Optional on 3500 DRW SLT (WF7)

RAM 4500/5500



19.5-inch Steel Wheel with Argent Finish Standard on 4500/5500 DRW Tradesman® and SLT (WP3)



19.5-inch Forged Aluminum Wheel Standard on 4500/5500 DRW Laramie® Optional on 4500/5500 DRW Tradesman and SLT (WP4)



18-inch Painted Steel Wheel Standard on 3500 SRW Tradesman (WBN)



18-inch Chrome-Clad Steel Wheel Standard on 3500 SRW SLT Optional on 3500 SRW Tradesman (WBH)



18-inch Polished Aluminum Wheel Standard on 3500 SRW Laramie Optional on 3500 SRW Tradesman and SLT (WBL)



3	OVERVIEW	351	00 CC			4500				
							CODE	man® Ev	EN	E® AB
20	17 RAM 3	500/4500/	5500 CHAS	SSIS CAB			SALES CODE	TRADESMAN Reg/CREV	SLT Reg/Crew	LARAMIE® CREW CAR
	YER'S GUI							A	G	H
EN	IGINES / TR	RANSMISSIO	NS							
		JS/Fuel Saver Technology;		00 only)			DFP	22A	226	22H
6.4L H	IEMI V8 (ESB); AISIN® A	AS66RC six-speed automat	ic				DF3	27A	27G	27H
6.7L C	Cummins® Turbo Diesel;	; 320 hp / 650 lb-ft of tor	que / six-speed manual				ETK Deg	2EA	2EG	2EH
6.7L C	Cummins Turbo Diesel; 3	325 hp / 750 lb-ft of torqu	e / AISIN AS69RC Heavy-	Duty six-speed automatic			ETK DF2	29A	29G	29H
ENGIN	E SHUT-OFF TIMER — 5	minutes, standard (dealer	programmable from 1 –	60 minutes)			XCL	0	0	0
MAX S	SPEED SETTINGS - 65-m	ıph, 70-mph, 77-mph					JJ4 JJ5	0	0	0
PTO -	- Alternate left side requ	uires AISIN transmission (i	ncludes split-shaft capab	ility with the Cummins 6.	7L)		JJ9 LBV	0	0	0
		natic or the manual transn					LBN	0	0	0
— Sı	plit-shaft PTO capability	(packaged with Power Tak	e-Off Prep Group when e	quipped with the Cummin	s 6.7L)		LBX	Р	Р	P
M	ECHANICAL									
	NATORS — 180-amp, in		BAD	•	•	•				
		eavy-Duty Snow Plow Prep		-			BAJ	0/P	0/P	0/
		4L HEMI V8 (dual 160-am					XF5	0	0	0
		L Cummins Turbo Diesel (du					XF7	0	0	0
	IODIESEL COMPATIBILITY	,	. ,				XXJ	0	0	0
BATTE	RY – 730-amp (one pe	r vehicle with gas engines	two per vehicle with 6.7	'L Cummins engine)			BCN	•	•	•
DIESEL	L EXHAUST BRAKE ("SMA	ART" EXHAUST BRAKE) — F	Packaged with 6.7L Cumm	nins engine			NEN	Р	Р	P
		onal with gas engine; incl			engine		ADE NHK	O/P	O/P	0/1
ENGIN	E COOLING — Heavy-dut	у					NMC	•	•	•
EXTRA	BASE KEYS - Two (not	available with Power and	Remote Entry Group or R	emote Keyless Entry)			GXJ	0	-	-
FUEL 1	TANKS — Dual, 52- and	22-gallon, totalling 74 gal	lons (not available on 35	iOO SRW and 60-inch cab.	axle with 6.4L HEMI V8)		NLL	0	0	0
— Si	ingle 22-gallon, mid-shij	p-mounted (standard on DI	3500 SRW 10K GVWR n	nodels)			NFA	•/0	•/0	•/(
— Si	ingle 52-gallon, rear-mo	unted (not available on DF	3500 SRW 10K GVWR m	iodels)			NFH	•	•	•
SHOC	K ABSORBERS — Front, h	ieavy-duty					SFB	۰	•	•
— Re	ear, heavy-duty						SGB	۰	•	•
SKID F	PLATE – Transfer case ((4x4 only; included with H	eavy-Duty Snow Plow Prep	o Group)			XEF	0/P	O/P	0/
STABI	LIZER BAR – Front						SHA	۰	•	•
STEER	ING – Power, recirculat	ing ball					SBE	۰	•	•
TOW H	100KS – Available with	gas engine on 3500; inclu	ded with Cummins engin	e on 3500 models; standa	ard on 4500/5500 models	\$	XEA	0/•	0/•	0/
TRANS	SFER CASES — Manual s	hift, part-time (4x4 only)					DK1	•	•	-
— El	ectric shift, part-time (4	1x4 models only)					DK3	0	0	•
UPFIT	TER ELECTRONIC INTERF	ACE MODULE (VSIM) - Ov	er 50 inputs and outputs	(packaged with Ambulan	ce Prep Group)		XXS	0/P	O/P	0/
VOLTA	GE MONITORING AUTO I	DLE-UP SYSTEM — Include	d with Rollback Carrier G	roup and Ambulance Prep	Group		XF6	0/P	O/P	0/
AXLES	, 3500									
FRONT	r – 6,000-1b GAWR (sta	ndard on SRW models)					DJN	Р	P	P
— A)	kle disconnect with 4x4							•	•	•
	— Antispin differential						DSA	•	•	•
	42 ratio (diesel-equippe						DMR	0	0	0
	73 ratio (diesel-equippe						DME	•	•	•
		as-equipped models; avail		i models)			DMF	•	•	•
		6.4L HEMI gas engine and	AISIN transmission)				DMK	Р	P	P
	1.5-inch (SRW models of	•/					DRQ	•	•	•
	1.5-inch (DRW models o	niy)					DRX	•	•	•
	, 4500 and 5500	adapt of ODV					n	-	-	
	r — 6,000-1b GAWR (sta	noard on SRW models)					DJN	Р	P	P
	kle disconnect with 4x4	Dart of Dackano						•	•	•

 $\label{eq:product} \bullet = \text{Standard} \quad 0 = \text{Optional} \quad P = \text{Part of Package} \quad - = \text{Not available} \\ \text{NOTE: some features and/or applications may be late availability.}$

4500 CC

5500 CC

PROMASTER

PROMASTER CITY

CONFIGURATIONS

PAINT

FABRICS

RESOURCES

39

		0		
	SALES CODE	TRADESMAN Reg/CRev	SLT Reg/Crew	V CAB
	SALE	TRAD REG/	SLT REG/	CARA CR
		A	G	H
MECHANICAL FEATURES (continued)				
REAR — Antispin differential	DSA	•	•	•
- 3.42 ratio (diesel-equipped models only)	DMR	0	0	0
- 3.73 ratio (diesel-equipped models only)	DME	•	•	•
 4.10 ratio (standard with gas-equipped models; available with diesel-equipped models) 	DMF	•	•	•
– 4.44 ratio (included with 6.4L HEMI® gas engine and AISIN® transmission)	DMK	P	P	P
- 11.5-inch (SRW models only)	DRQ	•	•	•
- 11.5-inch (DRW models only)	DRX	•	•	•
EXTERIOR FEATURES				
BADGING — SLT	MTD	-	•	-
– Laramie	MTE	-	-	•
BUMPER – Front, Black	MB1	•	-	-
– Front, chrome (included with Chrome Appearance Group)	MCT	Р	•	•
CHROME BODYSIDE MOLDINGS — An authentic accessory from Mopar®	MJB	0	0	0
TUBULAR SIDE STEPS — In chrome; an authentic accessory from Mopar	MRT	0	0	0
– Black (Regular Cab only)	MRU	0	0	-
FASCIA — Front, headlamp filler, Black (standard on 4500 and 5500 models; included with low-volume paint)	MCJ	•	•	•
– Front, headlamp filler in body color (3500 only)	MCM	•	•	•
FOG LAMPS (available with Chrome Appearance Group on Tradesman and as a single option for SLT models)	LNJ	Р	0	•
GRILLES — Black insert and surround	MFF	•	-	-
– Chrome surround with Black insert (included with Chrome Appearance Group)	MFD	Р	•	-
- Chrome surround with chrome insert	MF1	-	-	•
HEADLAMPS — Automatic	LMG	•	•	•
– Halogen, quad-lens	LME	•	•	-
– Halogen, bifunctional projector	LMC	-	-	•
KEY-ALIKE FEATURE — Allows a single key to start multiple trucks	GRA	0	0	-
LAMPS — Cab-clearance	LNC	•	•	•
MIRRORS — Folding trailer-tow, manual, Black (Regular Cab models only)	GPD	•	-	-
 Power multifunction trailer-tow, heated, manual folding, chrome; includes position memory, exterior courtesy lamps supplemental turn signals 	GPC	-	-	•
 Power trailer-tow, heated, manual folding, Black; includes exterior courtesy lamps and supplemental turn signals (standard on Crew Cab models; included with Power Accessory and Power and Remote Entry Groups) 	GPG	₽/•	•	-
MONOTONE PAINT	APA	٠	•	•
PICKUP BOX DELETE	XBC	٠	•	•
TAILLAMPS — LED (not available with SRW models)	LAY	0	0	0
TIRES AND WHEELS				
TIRES, 3500 – LT235/80R17E BSW All-Season (DRW models only)	TV2	•	•	•
– LT235/80R17E OWL On-/Off-Road (4x4 DRW models only)	TV3	0	0	0
– LT275/70R18E BSW On-/Off-Road (standard on 3500 DF 10K GVWR models; packaged with other SRW models)	TCM	•/P	•/P	•/P
— Spare, full-size	TBB	0	0	0
TIRES, 4500/5500 — 225/70R19.5G BSW All-Position (4x2 models only)	TUV	•	•	•
 225/70R19.56 BSW All-Position front, Traction rear (standard on 4x4 models; available for 4x2 models) 	TUY	•/0	•/0	•/0
– 225/70R19.56 BSW All-Traction (4x4 models only)	TUZ	0	0	0
— Spare, full-size	TBB	0	0	0
WHEELS, 3500 — 17- x 6-inch Argent steel (DRW models only)	WFU	•	-	-
- 17- x 6-inch bright wheel covers and center cap (DRW models only; included with Chrome Appearance Group on Tradesman models)	WD4	Р	•	-
– 17- x 6-inch aluminum (DRW models only)	WF7	-	0	•
- 18-inch steel (SRW models only)	WBN	•	-	-
- 18-inch Chrome-clad steel (SRW models only; optional on Tradesman; included with Chrome Appearance Group)	WBH	O/P	•	-
— 18-inch polished aluminum (SRW models only)	WBL	0	0	•

ו	OVERVIEW	POWERTRAINS	3500	35	00 CC			4500 (
		500/4500/5		SSIS CAB			SALES CODE	TRADESMAN [®] Reg/CRev	SLT REG/CREW	LARAMIE [®] Crev Cab
RU	YER'S GUI	DE (CONTIN	UEUJ					A	G	H
TI	RES AND WI	HEELS (contir	nued)							
WHEE	L\$, 4500/5500 - 19.5-)	x 6-inch steel					WP3	٠	•	-
- 1	9.5- x 6-inch polished alu	minum					WP4	0	0	٠
WHEE	L WELL FLARES – Black (4500/5500 models only)					MMZ	٠	•	٠
— B	ody-color (3500 models o	nly)					MML	0	0	0
WINDS	SHIELD WIPERS — Variabl	e/intermittent					JHA	٠	•	۰
— R	ain-sensitive (packaged wi	ith Convenience Group)					JHC	-	-	Р
IN	TERIOR FEA	TURES								
AIR C	ONDITIONING						HAA	•	•	•
— D	ual-Zone Automatic Tem	perature Control (included v	vith Heated Seats and V	Vheel Group; Crew Cab mo	dels only)		HAF	-	Р	•
ASSIS	T HANDLES — Driver- an	d passenger-side (A-pillar-r	nounted)				CSP	•	•	•
	IARY SWITCHES — Five		,				LHL	•	•	•
BEZEL	. – Center-stack, Black						JBF	•	-	_
	enter-stack, color-keyed						JBY	_	•	_
_	enter-stack, woodgrain ins	ert					JBB	-	-	•
CLUS		5-inch Driver Information Disp	lay, tachometer (120-mp	h speedometer on 3500; 87	'-mph on 4500/5500 with		JAT	•	•	-
— In	strument, with 7-inch Driv	er Information Display (includ	ed with Luxury Group)				JA6	-	Р	•
CONS	OLES — Full-size floor cen	iter (included with front bucke	t seats)				CUP	-	Р	Р
- 0	verhead with Universal G	arage Door Opener (include	d with Luxury Group)				CV2	-	Р	•
	verhead with map lights (i		,				CUN	Р	•	-
	LOCKS – Manual (Regula	,					JE8	•	-	-
		Accessory and Power and Re	mote Entry Groups: stan	dard on Tradesman Crew Ca	ıb model)		JPB	P/•	•	•
	R COVERING – Heavy-duty	-			,		CKJ	•	0	0
	arpet						CKE	0	•	•
		(Regular Cab; included with	arnet on Tradesman mo	dels)			CLA	P	•	_
		Crew Cab; included with ca					CLE	Р	•	•
	ront, rubber (Regular Cal)			CLY	0	0	_
	ront and rear, rubber (Cre						CLF	0	0	0
	ORS – Day/night manual	n ous, roquiroo ourpory					GNA	•	•	_
		connect [®] Phone ¹⁴ (package	d with RA2, RA3, RA4 r	(aniha			GR4	Р	P	•
		y/night, with camera display		,	ra ¹⁹ with IIA1 radio)		GN4	P	P.	Р
	-	y/night, with Uconnect Phor					GNK	-	-	P
	assenger-side visor with						GNM	•	•	-
	J	er and passenger (included	with Luxury Group)				GNC	_	Р	
		500, 4500 and 5500; require:	,)			XAP	_	0	_
		mory (3500, 4500 and 550					XAM	_	-	0
	R ACCESSORY DELAY	1101y (3300, 4300 alla 330		ransinission)			JKY	•	•	•
		vilion (included with *MD *	MI *CI *VI conto)					_		•
		uxiliary (included with *M9, *	mu, cu, vi sealsj				JKV	-	P •	•
	wo 12-volt auxiliary out		tod atooring wheel P1	udad with Nantad Pasta	Wheel Group)		JJJ	•		
		front-passenger; includes hea		inen mini heated seats aud	wiicel gloup)		CMA	-	P	•
		packaged with Rear Interior	.,				CJT	0	0	-
		eat (included with *M9, *M.	,	1 410			JRT	-	P	-
		eat with memory and six-way	r power passenger (*G	J, ^VL)			JRF	-	-	•
	elete rear seat (Crew Ca						CF8	O/P	0/P	-
- H	eated, second-row (inclu	ded with *GJ bucket seats)					JPZ	-	-	P

5500 CC	PROMASTER	PROMASTER CITY	FABRICS	F	RESOURI	CES		41			
						8	V N®	_	. 8		
						SALES CODE	TRADESMAN Reg/CREV	SLT Reg/Crev	LARAMIE [®] Crev cab		
						~~~~	⊨≃ A	<u>م</u>	30		
INTERI		ES (continue	d)				A	u			
		seat with folding center arm		w Cah models include foldi	nn rear hench seat						
trimmed in vinyl)		soar waa lolang contor am			ng rour bonon sour	*TX	•	-	-		
— Work-grade	vinyl 40/20/40 split ben	ch				*SX	0	0	-		
	ed 40/20/40 split-bench ed rear bench seat)	front seat with folding ce	nter armrest/business co	nsole (Crew Cab models i	nclude folding	*V9	0	•	-		
business co		olit-bench front seat with Shion storage and 115-vo				*M9	-	0	-		
		nt bucket seats with powe v Cab models include 60/			d center console and	*MJ	-	0	-		
passenger s	seat, power lumbar adjust	ed 40/20/40 split-bench t ter, front center-seat-cush dels include 60/40 split-1	ion storage and folding c	enter armrest/business co		*VL	-	-	•		
lumbar adjus	med low-back, ventilated a ster, fixed center console, 1 folding vinyl-trimmed rear		s with power 10-way driver tlet and heated second-row	's seat and power six-way seats on Crew Cab models	passenger seats, power (Crew Cab models include	*6J	-	-	0		
SPEED CONTROL		NHM	•	•	•						
STEERING WHEE	LS — Four-spoke, urethane					SCF	•	•	-		
– Heated (inc	luded with heated seats;		NHS	-	Р	•					
— Leather-wra	ipped with remote audio c	control buttons (included )	with Luxury Group and He	ated Seats and Wheel Gro	up)	SCV	-	P	•		
– Tilt column						SUA	•	•	•		
STORAGE - From	nt, behind-the-seat (Regulai	r Cab models only)				CU3	•	•	-		
– Front-seat co	enter-cushion (included wit	h *M9 and *VL seats)				CVH	-	P	•		
TIP START — In	cluded with automatic tra	nsmissions				XBN	P	P	P		
TURN SIGNALS -	– One-touch/three-blink I	ane-change feature					•	•	•		
WINDOWS - Ma	inual (Regular Cab only)					JF8	•	-	-		
– Power front	and rear with driver's on	ie-touch up/down (Crew C	ab models only)			JP3	•	•	•		
– Power front	with driver's one-touch do	wn (Regular Cab models o	nly; included with Power A	ccessory Group and Power	and Remote Entry Group)	JPY	Р	•	-		
— Rear backli	ght, fixed					GJD	•	•	-		
— Rear backli	ght, power sliding (Crew	Cab models only; included	l with Luxury Group)			GFE	-	P	•		
— Rear backli	ght, sliding					GFD	0	0	-		
— Rear defrost	(available with fixed rear	or power sliding rear windo	w; requires Power Accesso	ry Group on Tradesman mo	dels)	GFA	0	0	0		
UCONN	NECT® / MUL										
INTEGRATED VOI	ICE COMMAND ¹⁴ WITH BL	UETOOTH® — Hands-free	calling ¹⁴ with Address Syr	ıc, Bluetooth		XRB	٠	•	•		
RADIO CONTROL Seats and Whee		nted audio controls (inclu	ded with leather-wrapped	steering wheel, the Luxur	y Group and the Heated	RDZ	-	P	٠		
SINGLE-DISC RE	MOTE CD PLAYER					RH1	0	0	0		
SIRIUSXM® SAT	ELLITE RADIO ¹⁶					RSD	0	•	•		
— 2.5-amp ch	arging USB port (included	l with Uconnect 5.0 radio	or higher, *M9, *V9 and	*MJ seats)		RS3	Р	P	•		
— Media Hub	(included with Uconnect 3	3.0 and 5.0 radios)				RS6	•	•	-		
— 1.5-amp ful	ly functional USB port					RSX	•	•	•		
– Auxiliary in	put jack for mobile device	S				RSU	•	•	٠		
– Media Hub (	included with Uconnect 8.4	A and 8.4 NAV radios)				RSF	-	P	•		
SPEAKER SYSTE	MS — Premium I (availab	le with Uconnect 8.4A and	1 8.4 NAV radios; not avai	lable with Upfitter Electro	nic Interface Module)	RCK	-	0	0		
— Six (standa	rd on Crew Cab Tradesma	an models)				RCG	-	•	•		
— Two (standa	— Two (standard on Regular Cab models)										
	N/FM with Media Hub (US	,				RA1	•	•	-		
		d Voice Command ¹⁴ with Blu				UA1	0	0	-		
Command ¹⁴ with	Bluetooth and SiriusXM Sa				· ·	RA2	0	0	-		
Voice Command	¹⁴ with Bluetooth, SiriusX	ch touchscreen display, M M Satellite Radio ¹⁶ and Ro	call/Ecall (required for He	ated Seats and Wheel Gro	up)	RA3	-	O/P	•		
		inch touchscreen display, ite Radio, ¹⁶ Rcall/Ecall and I				RA4	-	O/P	0		

							SALES GUUE Toangemani®	REG/CREW SI T	REG/GREW	LARAMIE* Crev cab			
		500/4500/  De (Conti	5500 CHA!	SSIS CAB					-				
	FETY & SE	•	NULUJ			-		A	G	H	BACK		IPMENT GRO
	AGS ¹⁸ – Multistage front	CONTI				ſ	63		.				ludes heated cloth front set
	iver's-side only							-	0	_		equires Uconnect® 8.4A or	
	S – Power-assisted fou	r-wheel antilnek dise					RT	-	•	•	HEAVY-DUTY	FRONT SUSPENSION GROUF	– Included with Heavy-Dut
			ira avtinnuishar thraa rat	flocting triangles two Rod	vinyl flags and spare fuse:			-	0	0			– Includes 220-amp alterna
	RONIC STABILITY CONTR		ine exanguioner, ande rei	nooning triangles, two nou	vinyi nugo unu opuro iuoo		NB	-		•		sion (4500 and 5500 mode	.,
		· · /	(requires Chrome Annear	rance Groun and fon lamo	s on Tradesman; fog lamps				0	0	7-inch Driver	Information Display, leathe	ith illuminated vanity mirro er-wrapped steering wheel v
PARK	/IEW® REAR BACK-UP C/	AMERA ¹⁹ — Shipped loose		pfitter in the ideal locatio	n (image is displayed in th	, ,	-		0	0	<b>C</b>	, , , , , , , , , , , , , , , , , , , ,	e Door Opener (requires Uc Iodels: includes underbody f
			able on 10K GVWR 3500 (	,		C	GQ	0	0	_	on 3500 moi	els: includes dual transmis	sion oil coolers, underbody es diesel engine with autom
EMO		introls for power door loc		,	des two transmitters (inclu	dad with	-	P/0	•	•	PAYLOAD UP	RADE PACKAGE — Includes	19K GVWR with 60-inch CA
		quires automatic transmi:	ssion			X	BM	-	0	Р			nower windows, premium vir
	BELTS – Front, shoulder					C	GD	•	•	•	mirrors with	turn signal indicators (Reg	ular Cab models only)
	ITY ALARM					L	SA	-	0	•	POWER AND trailer-tow m	REMOTE ENTRY GROUP – In irrors with turn signal indic	icludes power windows, pre ators and remote kevless e
NTF	Y KEY® THEFT DETERRE	NT SYSTEM – Engine imr	nobilizer			G	XX	•	•	•			es hard-wire remote start if
IRE I	RESSURE MONITORING -	– Packaged with 10K GVWA	R 3500 SRW models			X	GM	Р	P	Р		1 6.7L Cummins® Turbo Di	
- \$	elective Tire Pressure Disp	play (available on 3500 mc	odels over 10K GVWR only)			X	BT	0	0	0		OFF PREP GROUP (LEFT SI equipped with 6.7L Cummin	) – Includes hard-wire re
RAIL	ER BRAKE CONTROLLER ·	– Fully integrated electro	nic			Х	HC	0	0	0			ncludes front center seat d
P/	CKAGES /	EQUIPMENT	GROUPS									models only)	
	LANCE PREP GROUP – Ir e (VSIM)	ncludes 220-amp alternat	tor, voltage monitoring au	to idle-up system and upfi	tter electronic interface	A	H2	0	o	0		ARRIER GROUP — Includes v inted fuel tank, PTO prep a	voltage monitoring auto idle nd 220-amp alternator)
		– Includes chrome front it bumper on 4500/5500		nd and chrome wheel cove	ers on 3500 models; includ	es A	MP	0	-	-		WHEEL GROUP (standard o 4500/5500 models)	n Ram 3500 10K GVWR mo
COLD	WEATHER GROUP - Incl	udes engine block heater	and winter front grille co	ver (for diesel-equipped r	nodels only)	A	DE	0	0	0			
		des auto-dimming rearvie er 'n Go™ (not available v			dlamp Control, remote prox	imity A	DC	_	-	0			

	SALES CODE	TRADESMAN® Reg/Grew	SLT Reg/Grew	LARAMIE [®] Crev cab
		A	G	H
PACKAGES / EQUIPMENT GROUPS (continued)				
HEATED SEATS AND WHEEL GROUP — Includes heated cloth front seats and heated leather-wrapped steering wheel (optional with *M9 and *MJ seats; requires Uconnect® 8.4A or 8.4 NAV radios)	AGF	-	0	-
HEAVY-DUTY FRONT SUSPENSION GROUP - Included with Heavy-Duty Snow Plow Prep Group (4500 and 5500 models only)	AZB	O/P	O/P	0/P
HEAVY-DUTY SNOW PLOW PREP GROUP — Includes 220-amp alternator, transfer case skid plate (3500 models require 4x4) and heavy-duty front suspension (4500 and 5500 models only)	AHD	0	0	0
LUXURY GROUP — Includes sun visors with illuminated vanity mirrors, glove box lamp, underhood lamp, rear dome lamp with on/off switch, 7-inch Driver Information Display, leather-wrapped steering wheel with audio controls, overhead console, rear power sliding window (Grew Gab models) and Universal Garage Door Opener (requires Uconnect 5.0, 8.4A or 8.4 NAV radio)	ADA	-	0	-
MAX TOW PACKAGE — On 4500/75500 models: includes underbody thermal protection, 4.88 axle ratio and transmission software calibration; on 3500 models: includes dual transmission oil coolers, underbody thermal protection, 4.10 axle ratio, transmission software calibration and aluminum rear differential cover (requires diesel engine with automatic transmission and trailer brake controller; not available on 3500 SRW)	AHQ	0	0	0
PAYLOAD UPGRADE PACKAGE — Includes 19K GVWR with 60-inch CA, 19.5K GVWR with 84+, 108+ and 120-inch CA, 4.88 rear axle ratio (applies only for Ram 5500 models equipped with the 6.4L HEMI® V8)	AH5	0	0	0
POWER ACCESSORY GROUP — Includes power windows, premium vinyl door trim, power door locks and power adjustable exterior trailer-tow mirrors with turn signal indicators (Regular Cab models only)	AJW	0	-	-
POWER AND REMOTE ENTRY GROUP — Includes power windows, premium vinyl door trim, power door locks, power adjustable exterior trailer-tow mirrors with turn signal indicators and remote keyless entry (Regular Cab models only)	AJH	0	-	-
POWER TAKE-OFF PREP GROUP — Includes hard-wire remote start if equipped with AISIN® transmission; includes split-shaft capability if equipped with 6.7L Cummins® Turbo Diesel engine	LBN	0	0	0
POWER TAKE-OFF PREP GROUP (LEFT SIDE) – Includes hard-wire remote start if equipped with AISIN transmission; includes split-shaft capability if equipped with 6.7L Cummins Turbo Diesel engine	LBV	0	0	0
REAR INTERIOR TRIM DELETE GROUP – Includes front center seat delete, rear floor storage tray delete and cab-back trim panel delete (Regular Cab models only)	AS8	0	0	-
ROLLBACK CARRIER GROUP — Includes voltage monitoring auto idle-up system (5500 120-CA Regular Cab models only; requires 22-gallon mid-ship-mounted fuel tank, PTO prep and 220-amp alternator)	AH1	0	0	-
SINGLE REAR WHEEL GROUP (standard on Ram 3500 10K GVWR models (body code DF); available on 3500 over 10K GVWR models; not available on 4500/5500 models)	AR9	•/0	•/0	•/0

CONFIGURATIONS

PAINT

FABRICS

RAM 3500 C	HASSIS CAB MAX J	DB RATING INFORMATI	ION*		
	POW	IERTRAIN		Regular Cab 60'' CA (4x2 / 4x4) SRW	Crew Cab 60'' CA (4x2 / 4x4) SRW
Γ			MAX GVWR	10,000	10,000
		66RFE 6-SPEED	MAX PAYLOAD	4,200 / 3,960	3,760 / 3,440
	6.4L HEMI® V8	AUTOMATIC	MAX GAWR FRONT	5,500	5,500
	0.4L NEWII ⁻ VO	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		ILLANOMIODION	MAX TOWING	15,050 / 14,810	14,610 / 14,290
			MAX GCWR	21,000	21,000
			MAX GVWR	10,000	10,000
		AISIN® HEAVY-DUTY 6-speed Automatic	MAX PAYLOAD	4,070 / 3,830	3,630 / 3,310
	6.4L HEMI V8		MAX GAWR FRONT	5,500	5,500
0500 85	0.4L NEINI VO	TRANSMISSION	MAX GAWR REAR	6,800	6,800
3500 DF		INANOWIOOIUN	MAX TOWING	17,920 / 17,680	17,480 / 17,160
OK GVWR SRW			MAX GCWR	24,000	24,000
Γ			MAX GVWR	10,000	10,000
		G56 6-SPEED	MAX PAYLOAD	3,600 / 3,350	3,160 / 2,840
	6.7L CUMMINS®	MANUAL	MAX GAWR FRONT	6,000	6,000
	TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		INANOWIOOIUN	MAX TOWING	17,450 / 17,200	17,010 / 16,690
			MAX GCWR	24,000	24,000
			MAX GVWR	10,000	10,000
		AISIN HEAVY-DUTY	MAX PAYLOAD	3,430 / 3,180	2,990 / 2,670
	6.7L CUMMINS	6-SPEED AUTOMATIC	MAX GAWR FRONT	6,000	6,000
	TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		INAMOMIODION	MAX TOWING	17,280 / 17,030	16,840 / 16,520
			MAX GCWR	24.000	24.000

Weights given in ib. *Maximum tow job ration numbers are for a properly equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Single Rear Wheel.

	44	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	45
--	----	----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

#### RAM 3500/4500/5500 CHASSIS CAB Job Rating information

RAM 3500 CHASS	IS CAB MAX JOB RAT	ING INFORMATION*					
POW	ERTRAIN		Regular Cab 60″ CA (4x2 / 4x4) SRW	Regular Cab 60″ CA (4x2 / 4x4) DRW	Regular Cab 84" CA (4x2 / 4x4) DRW	Crew Cab 60" CA (4x2 / 4x4) SRW	Crew Cab 60" CA (4x2 / 4x4) DRW
		MAX GVWR	10,700 / 11,000	13,500	13,500	10,700 / 11,000	13,500
		MAX PAYLOAD	4,900 / 4,960	7,350 / 7,120	7,270 / 6,990	4,460 / 4,440	6,880 / 6,600
		MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
0.4L HEIVII - VO		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	I KANSMISSIUN	MAX TOWING	15,050 / 14,810	14,700 / 14,470	14,620 / 14,340	14,610 / 14,290	14,230 / 13,950
		MAX GCWR	21,000	21,000	21,000	21,000	21,000
		MAX GVWR	10,700 / 11,000	14,000	14,000	10,700 / 11,000	14,000
		MAX PAYLOAD	4,770 / 4,830	7,720 / 7,490	7,640 / 7,360	4,330 / 4,310	7,240 / 6,970
		MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
0.4L HEIVII VO		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
		MAX TOWING	17,920 / 17,680	17,570 / 17,340	17,490 / 17,210	17,480 / 17,160	17,090 / 16,820
6.4L HEMI V8 6		MAX GCWR	24,000	24,000	24,000	24,000	24,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
	CEC C-SDEED	MAX PAYLOAD	5,030 / 5,180	7,080 / 6,840	6,990 / 6,710	4,590 / 4,670	6,600 / 6,320
6.7L CUMMINS®		MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
TURBO DIESEL		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	TRANSMISSION	MAX TOWING	19,280 / 19,030	18,930 / 18,690	18,840 / 18,560	18,840 / 18,520	18,450 / 18,170
		MAX GCWR	26,000	26,000	26,000	26,000	26,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
6.7L CUMMINS	AISIN HEAVY-DUTY	MAX PAYLOAD	4,870 / 5,020	6,920 / 6,680	6,830 / 6,550	4,430 / 4,510	6,440 / 6,160
HIGH OUTPUT		MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
	6-SPEED AUTOMATIC	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
TURBO DIESEL	TRANSMISSION	MAX TOWING	19,120 / 18,870	23,770 / 23,530	23,680 / 23,400	18,680 / 18,360	23,290 / 23,010
		MAX GCWR	26,000	31,000	31,000	26,000	31,000

Weights given in 1b. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-bi allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

#### RAM 4500 CHASSIS CAB MAX JOB RATING INFORMATION*

POWERTRAIN		Regular Cab 60″ CA (4x2 / 4x4)	Regular Cab 84″ CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20″ CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.4L HEMI V8 WITH	MAX PAYLOAD	9,660 / 9,270	9,500 / 9,120	9,350 / 9,000	9,210 / 8,940	9,080 / 8,730	8,940 / 8,640
AISIN HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	19,010 / 18,620	18,850 / 18,470	18,700 / 18,350	18,560 / 18,290	18,430 / 18,080	18,290 / 17,990
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS TURBO	MAX PAYLOAD	8,920 / 8,560	8,730 / 8,350	8,640 / 8,230	8,560 / 8,170	8,310 / 7,960	8,170 / 7,870
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	20,270 / 19,910	20,080 / 19,700	19,990 / 19,580	19,910 / 19,520	19,660 / 19,310	19,520 / 19,220
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS HIGH	MAX PAYLOAD	8,800 / 8,400	8,570 / 8,190	8,480 / 8,070	8,400 / 8,010	8,150 / 7,800	8,010 / 7,710
OUTPUT TURBO DIESEL WITH AISIN HEAVY-DUTY	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	25,650 / 25,250	25,420 / 25,040	25,330 / 24,920	25,250 / 24,860	25,000 / 24,650	24,860 / 24,560
THATOMISSION	MAX GCWR	33,500	33,500	33,500	33,500	33,500	33,500


Weights given in Ib. **Maximum tow job rating numbers are for a property equipped vehicle with a 150-b allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Ade length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

RAM 5500 CHASSIS	CAB MAX JOB RA	TING INFORMATION*					
POWERTRAIN		Regular Cab 60″ CA (4x2 / 4x4)	Regular Cab 84″ CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20″ CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.4L HEMI V8 WITH	MAX PAYLOAD	12,110 / 11,740	12,480 / 12,100	12,310 / 11,960	12,260 / 11,880	11,600 / 11,220	11,910 / 11,550
AISIN HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	18,960 / 18,590	18,830 / 18,450	18,660 / 18,310	18,610 / 18,230	18,450 / 18,070	18,260 / 17,900
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS TURBO	MAX PAYLOAD	11,390 / 10,990	11,790 / 11,360	11,700 / 11,220	11,610 / 11,140	10,830 / 10,480	11,140 / 10,810
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	20,240 / 19,840	20,140 / 19,710	20,050 / 19,570	19,960 / 19,490	19,680 / 19,330	19,490 / 19,160
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS HIGH	MAX PAYLOAD	11,250 / 10,830	11,630 / 11,200	11,540 / 11,060	11,450 / 10,980	10,670 / 10,320	10,980 / 10,910
OUTPUT TURBO DIESEL	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
WITH AISIN HEAVY-DUTY 6-Speed Automatic	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	30,600 / 30,180	30,480 / 30,050	30,390 / 29,910	30,300 / 29,830	30,020 / 29,670	29,830 / 29,760
TIANOMISSION	MAX GCWR	38,500	38,500	38,500	38,500	38,500	38,500

Weights given in lb. **Maximum tow job rating numbers are for a properly equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.



#### **PROMASTER VAN ROOF OPTIONS**





Meets SAE J1100 requirements.



16-inch Painted Steel Wheel with Center Cap Standard for Ram ProMaster I500/2500/3500 (WCS and WMN)

**16-inch Steel Wheel with Optional Cover** Optional for Ram ProMaster I500/2500/3500 (W6A)

16-inch Aluminum Wheel Optional for Ram ProMaster I500/2500/3500 (WDN)

HIGH ROOF

76.0" INTERIOR HEIGHT

75.6" AT SIDE PANEL

55.8" AT WHEEL WELL

MAX CARGO AREA

Meets SAE J1100 requirements.

21.0" LOAD FLOOR HEIGHT

CUBIC

FEET

2017 RAM PROMASTER 1500/2500/3500 VAN AND 3500 CUTAWAY/CHASSIS CAB BUYER'S GUIDE ENGINE / TRANSMISSION

ENGINE / TRANSMISSION					
3.6L Pentastar® V6 engine; 280 hp / 260 lb-ft / six-speed automatic transmission	ERB	21A	21A	21A	21A
MECHANICAL FEATURES					
ADDITIONAL KEY FOBS – Two supplied	GXK	0	0	0	0
ALTERNATOR - 180-amp	BAD	•	•	-	-
— 220-amp	BAJ	0	0	٠	•
AUXILIARY FUEL TAP	XFZ	•	۰	٠	•
BATTERY — 95-amp	BCY	•	۰	٠	•
– Auxiliary Power Connector	BC1	•	٠	٠	•
CRUISE CONTROL	NHM	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) ⁷	BNB	•	٠	•	•
ELECTRONIC VEHICLE TRACKING SYSTEM (EVTS)	AES	0	0	0	0
ENGINE BLOCK HEATER	NHK	0	0	0	0
FUEL TANK - 24-gallon	NFE	•	•	•	•
FULL-SIZE SPARE TIRE	TBB	•	٠	٠	•
POWER STEERING	SBA	•	۰	٠	•
SPEED LIMITER — Dealer-activated, 60-mph, 65-mph, 70-mph and 77-mph	NHR	•	•	•	•
SUSPENSION – Heavy-duty rear stabilizer bar (3500 models only)	SHD	P	P	•	•
<ul> <li>Light-duty (1500 models with 118-inch wheelbase only)</li> </ul>	SDA	•	-	-	-
<ul> <li>Medium-duty (1500 models with 136-inch wheelbase only)</li> </ul>	SDI	•	-	-	-
– Heavy-duty (2500/3500 models only)	SDB	•	0	-	-
– Premium heavy-duty (3500 models only)	SDD	0	0	•	•
- Touring	SDC	-	•	-	-
TEMPORARY SPARE TIRE MOUNT	TBA	-	-	0	0
EXTERIOR FEATURES					
CAB-BACK WALL – With window	GEV	-	-	•	-
CHROME GRILLE — Included with Premium Appearance Group	MFE	P	Р	Р	Р
DAYTIME RUNNING LIGHTS	LMK	0	0	0	0
DOORS, REAR – 260-degree-opening	GLF	•	٠	-	-
DOORS, SIDE – Left-side with fixed glass (not available on 118-inch wheelbase models)	GKD	0	-	-	-
– Left-side with no glass (not available on 118-inch wheelbase models)	GKE	0	-	-	-
– Right-side with fixed glass	GKB	0	•	-	-
- Right-side with no glass	GKA	•	-	-	-

CUTAWAY

VAN

• = Standard 0 = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability.

8	OVERVIEW	POWERTRAINS	1500	2500	3500	350	)0 CC			4500 C
35	OO CUTAW	AY/CHASS	IS CAB BU	00/3500 VA Yer's guid		SALES CODE	VAN	WINDOWED	CHASSIS CAB	GUTAWAY
	DED WIRING - Taillamp	ATURES (co	ntinued)			XGF	-	-	•	•
		1 with Premium Appearanc	e Group			LNJ	P	P	P	Р
	LICENSE PLATE BRACK					MDA	0	0	0	0
		Graphics Package A (check		ity)		MPT	0	-	-	-
	EN HEADLAMPS	ck with dealer for availabi	iity)			LMA	•	-	-	-
		exterior (includes power	heated mirrors on Cargo	Van and Windowed Van mo	dels)	XZP	Р	Р	•	•
— M	anual-adjustable/manua	l folding				GTP	•	•	•	•
	ower-adjustable/power f	olding, heated				GTR	0	0	-	-
	ower-adjustable, heated	alata front algoranda lama				GTB LT8	0	0	0	0
- Fr		elete front clearance lamp	5			LINC	-	•	•	•
- Re						LNG	•	•	-	-
	H GUARDS – Set					MKN	0	0	-	-
		n (not available with Trail				MDM	0	0	-	-
		quires left side door; chec		ility)		MR3	0	0	-	-
	iding door, right side (c .S — 16-inch aluminum	heck with dealer for availa	ıbility)			MRZ	0	0	-	-
	enter cap delete					WDN WH8	0	0	0	0
	G-inch Silver painted ste	el with center cap				WCS	•	•	•	•
_		el with full wheel cover				WGA	0	0	0	0
WINDO	IW DEFROSTER – Rear (	(requires rear doors with g	lass on Cargo Vans)			GFA	0	•	-	-
	TERIOR FE									
	LT AUXILIARY POWER OU	UTLET — Front				]]]	•	۰	•	•
- Re						JKP	0	0	-	-
	JNUITIONING — Delete a anually controlled. with	ir conditioning; heater onl	у			HCD HAA	•	0	•	0
_		ing Prep Package (not ava	ilahle with air conditioni	nn delete)		HDG	0	0	0	0
	F HANDLE – Rear doors	ing rich rushago (not ara		ig uoloco)		CSR	0	0	-	-
AUXILI	ARY UPFITTER SWITCHE	S — Two				LHL	0	0	0	0
	) AREA LIGHTING — LED					LCP	0	0	-	-
	COMPARTMENT FLOOR	MAT (by Mopar)				CKL	0	-	-	-
	) LAMP – Rear ) PARTITION – None (st	andard)				LPE	•	•	-	-
	ith sliding window	allual u)				XJ1	0	-	-	-
	ithout window					CWC	0	-	-	-
CARGO	) TIE-DOWNS – Floor						•	•	-	-
-	de wall					CKT	•	-	-	-
_	FLOOR MATS – Carpet	t (by Mopar)				CLQ	0	0	0	0
	ush (by Mopar) walk-tupu mat - Co	rpet (not available with p	econgor double cost, by	Monor)		CWA	0	0	0	0
		passenger double seat; by		тира)		CCK	0	0	-	-
				dealer for details; by Mopa	r)	CHD	0	0	-	-
	UMENT PANEL WITH BRI				/	JBD	0	0	0	0
		ed with Interior Convenien				JKA	Р	P	P	P
		icluded with Interior Conve	nience Group			CTA	P	P	P	P
	R DOOR LOCKS - Speed		anianaa Craun			JPH	• P	•	•	•
	NG SURFACES - Cloth	ncluded with Interior Conv	emence aroup			CKR *A7	•	•	-	•
- Vi						*87	0	0	0	0
_		djustable driver's seat an	l front-passenger bucket			CDN/CDT	•	•	•	•
		· · · ·		suspension seat or passen	. ,	CDL	0	0	0	0
dr		adjustable with lumbar ad	juster (not available with	n passenger double seat, dr	iver's swivel seat or	CDU	0	0	0	0
	iver's suspension seat)	wailabla with drivar'a awi	al aget bested driver's	aat ar aix wax adjustable a	(toot					U
	iver's suspension (not a			seat or six-way adjustable s louble seat, carno nartition (		CXX CFA		-		Ω
	iver's suspension (not a iver's swivel (requires c	loth seating surfaces, not a	vailable with passenger d	seat or six-way adjustable s louble seat, cargo partition o		CEA	0	0	0	0
— He	river's suspension (not a river's swivel (requires c eated driver's seat (requ		vailable with passenger d iver's seat)				0	0		-
– Pa	iver's suspension (not a iver's swivel (requires c eated driver's seat (requ eated passenger (require assenger double	loth seating surfaces, not a uires six-way adjustable di	vailable with passenger d iver's seat)			CEA CMB	0	0	0	0
— Pa — Pa	iver's suspension (not a iver's swivel (requires c eated driver's seat (requi eated passenger (requir assenger double assenger seat delete	loth seating surfaces, not a iires six-way adjustable di es six-way adjustable driv	vailable with passenger d iver's seat) er's/passenger seats)	louble seat, cargo partition (	or heated seat)	CEA CMB CMC CAA CD9	0 0 0 0 0	0 0 0 -	0 0 0 0 0	0 0 -
— Pa — Pa — Pa	river's suspension (not a river's swivel (requires c eated driver's seat (requ eated passenger (require assenger double assenger seat delete assenger swivel (require	loth seating surfaces, not a uires six-way adjustable di es six-way adjustable driv s cloth seating surfaces a	vailable with passenger d iver's seat) er's/passenger seats)		or heated seat)	CEA CMB CMC CAA CD9 CHR	0 0 0 0 0 0	0 0 0  0 0	0 0 0 0 0 0	0 0 - 0 0
– Pa – Pa – Pa SPRAY	iver's suspension (not a iver's swivel (requires c pated driver's seat (requires pated passenger (requir sssenger double sssenger seat delete assenger swivel (require -ON FLOOR LINER (by M	loth seating surfaces, not a uires six-way adjustable di es six-way adjustable driv s cloth seating surfaces a lopar)	vailable with passenger d iver's seat) er's/passenger seats)	louble seat, cargo partition (	or heated seat)	CEA CMB CMC CAA CD9 CHR XMF	0 0 0 0 0 0 0	0 0  0 0 0	0 0 0 0 0 0 0 0 0 0	0 0  0 0 
– Pa – Pa – Pa SPRAY STEERI	iver's suspension (not a iver's swivel (requires c aated driver's seat (requi assenger double assenger seat delete assenger swivel (require -ON FLOOR LINER (by M ING COLUMN — Telesco	loth seating surfaces, not a uires six-way adjustable di es six-way adjustable driv s cloth seating surfaces a lopar) ping	vailable with passenger d iver's seat) er's/passenger seats)	louble seat, cargo partition (	or heated seat)	CEA CMB CMC CAA CD9 CHR XMF SUC	0 0 0 0 0 0 0 0	0 0  0 0 0 0	0 0 0 0 0 0 0 -	0 0  0 0 
– Pa – Pa – Pa SPRAY STEERI STEERI	iver's suspension (not a iver's swivel (requires c pated driver's seat (requires pated passenger (requir sssenger double sssenger seat delete assenger swivel (require -ON FLOOR LINER (by M	loth seating surfaces, not a jires six-way adjustable dri es six-way adjustable driv is cloth seating surfaces a lopar) ping rapped	vailable with passenger d iver's seat) er's/passenger seats)	louble seat, cargo partition (	or heated seat)	CEA CMB CMC CAA CD9 CHR XMF	0 0 0 0 0 0 0	0 0  0 0 0	0 0 0 0 0 0 0 0 0 0	0 0  0 0 

Image: Section of the sectio	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRIC	CS	Ri	ESOURC	ES		49
Will PMELS – Upper-side (includes lower side)         CTE         0         -         -         -           - Uncover-side-only         OMG         0         0         -         -         -           WINDOWS - Power with one-ouch down feature         JPY         •         •         -         -         -           WINDOWS - Power with one-ouch down feature         JPY         •         •         -         -           WINDOWS - Power with one-ouch down feature         JPY         •         •         -         -           WINDOWS - Power with one-ouch down feature         Come         0         0         -         -           WINDOWS - Power with one-ouch down feature         Come         0         0         -         -           WINDOWS - Power with one-ouch down feature         Come         0         0         0         -         -           WINDOWS - Power With One-Rear         Come         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0							SALES CODE	VAN	WINDOWED	CHASSIS CAB	CUTAWAY	
- Lower-side-only       CMG       0       0       -       -         WINDOWS - Power with one-touch down fasture       JPY       •       •       •         - Window guards, rear (not available on 118- and 136-inch wheelbase Cargo Vans with Standard Roof or on 2500 Windowed Van)       X86       0       0       -         WINDSHED DOUMENT CLP - Include with Interior Convenience Group       CME       0       0       -       -         WINDSHED CDVENTE CLF - Includes Media Input Nub       RH3       •       •       •       •         WINDSTPOT [®] / MULTIMEDIA       CME       0       0       0       0       0         MARINN'RS - Includes Media Input Nub       RH3       •       •       •       •       •         WIE WIFI NOTSPOT [®] (by Mapar, s)       XUU       0       0       0       0       0       0       0         NARIA WINN PAP - Includes start Interface connectors       BED       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •				ed)								
WINDOWS - Power with one-touch down feature       JPY       •       •       •         - Window quards, rear (out available on 119- and 130-inch wheelbase Cargo Vans with Standard Roof or on 2500 Windowed Van)       XEE       0       0       -       -         WINDSHELD BOCUMENT CLIP - Includes with Interior Convenience Group       CUME       0       0       -       -         WOOD FLOOR - Rear       CME       0       0       -       -       -         UNDOW FLOOR - Rear       CME       0       0       0       0       0         WEB WIFI HOTSPOT?       // MULTIMEEDIA       RH3       •       •       •       •         WEB WIFI HOTSPOT?       // MULTIMEEDIA       RH3       •       •       •       •         AMUGATION - Requires Ucannet 5.0 ratio       RH3       0       0       0       0       0         REAR-SPEAKER WIRING PREP - Includes upfit interface connectors       REB       •       •       •       •         SINUSING SANS ADM/HW WITH INTEGRATED VIGE COMMAND ¹⁴ WITH BLUETOOTH - Includes Media Input Hub with USB and auxiliary inputs and stering wheel-mounted audic controls       RA2       0       0       0       0       0       0       0       0       0       0       0       0       0			wer side)					-	-			
- Window guards, rear (not available on 118- and 138-inch wheelbase Cargo Vans with Standard Roof or on 2500 Windowed Van)         X&C         0         0         -         -           WINDSHELD DOCUMENT CLIP - Included with Interior Convenience Group         CUB         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P		<u> </u>						-	-			
WINDSHIELD DOCUMENT CLIP - Included with Interior Convenience Group       CUC       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P       P					dead Back as a 0500 Mile	1		· ·				
W000 FLOOR - Rear         CME         0         0         -           UCCONNECT* / MULTIMEDIA           AM/FM/MP3 - Includes Media Input Hub         RH3         •         •         •           WEB WIFI HOTSPOT® (by Mopar*)         XJU         0         0         0         0           MAVIGATION - Requires Uconnect 5.0 radio         JJUN         0         0         0         0           RADID WIRING PREP - Includes four speakers and Media Input Hub         RA9         0         0         0         0           REAR SPEAKE WIRING PREP - Includes uptit interface connectors         RED         •         •         •           SIRUSXM* SATELLITE RADIO* - Available with Uconnect 5.0 and Uconnect 3.0 radios         USD         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 <td></td> <td></td> <th></th> <th><b>..</b></th> <th>idard Roof or on 2500 Win</th> <td>dowed Van)</td> <td></td> <td>-</td> <td>-</td> <td></td> <td></td> <td></td>				<b>..</b>	idard Roof or on 2500 Win	dowed Van)		-	-			
UCONNECT** / MULTIMEDIA         M/FM/MP3 - Includes Media Input Hub       RH3       •       •         WEB WIFI HOTSPOT** (by Mopar*s)       XJU       0       0       0       0         NAVIGATION - Requires Uconnect 5.0 radio       JLN       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0			I WITH INTERIOR GONVENIENC	e Group				· ·	· ·			
M/FM/MP3 - Includes Media Input HubRH3••••WEB WIFH NOTSPOT® (by Mopar=)XJU00000NAVIGATION - Requires Uconnect 5.0 radioJUN00000RADIO WIRNOR PREP - Includes uptit interface connectorsRED•••••SIRUSXM* SATELLITE RADIO* - Available with Uconnect 5.0 radioRED••••••SIRUSXM* SATELLITE RADIO* - Available with Uconnect 5.0 and Uconnect 3.0 radiosRSD00000UCONNECT 5.0 AM/FM WITH INTEGRATED VOICE COMMAND* WITH BLUETOOTH * - Includes Media Input Hub with USB and auxiliary inputs and stering wheel-mounted audio controlsRA200000UCONNECT 5.0 AM/FM/CD WITH INTEGRATED VOICE COMMAND* WITH BLUETOOTH - Includes Media Input Hub with USB and auxiliary inputs and stering wheel-mounted audio controlsRA200000MR BAGS* - Advanced driver and front-passengerCG3•••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••<							GIVIE	U	U	-	-	
WEB WIFI HOTSPOT® (by Mopar**)       XJU       0       0       0       0         NAVIGATION - Requires Uconnect 5.0 radio       JLN       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0 </td <td></td> <td></td> <th></th> <th></th> <th></th> <td></td> <td>DUO</td> <td>_</td> <td></td> <td></td> <td></td> <td></td>							DUO	_				
NAVIGATION - Requires Uconnect 5.0 radio       JUN       0       0       0         RADIO WIRING PREP - Includes four speakers and Media Input Hub       RA9       0       0       0       0         RADIO WIRING PREP - Includes four speakers and Media Input Hub       RA9       0       0       0       0         REAR SPEACER WIRING PREP - Includes four speakers and Media Input Hub       RB0       •       •       •       •         SIRIUSXM* SATELLITE RADIO ¹⁶ - Available with Uconnect 5.0 radios       RS0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0 </td <td></td> <td></td> <th>]</th> <th></th> <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>			]									
RADIO WIRING PREP - Includes four speakers and Media Input Hub       RA9       0       0       0       0         REAR-SPEAKER WIRING PREP - Includes upfit interface connectors       RED       •       •       •       •         SIRIUSXM® SATELLITE RADIO ¹⁶ - Available with Uconnect 5.0 and Uconnect 3.0 radios       RSD       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0 <td< td=""><td></td><td>. (., ., .</td><th>dio</th><th></th><th></th><td></td><td></td><td>-</td><td>-</td><td>-</td><td>-</td><td></td></td<>		. (., ., .	dio					-	-	-	-	
REAR-SPEAKER WIRING PREP - Includes upfit interface connectors       RED       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       <				h				, v	-	-	-	
SIRUEXM** SATELITE RADIO* - Available with Uconnect 5.0 and Uconnect 3.0 radios       RSD       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       <								, v	· ·	•	•	
UCONNECT 3.0 AM/FM WITH INTEGRATED VOICE COMMAND ¹⁴ WITH BLUETOOTH* - Includes Media Input Hub with USB and auxiliary inputs and steering wheel-mounted audio controls       UA1       0       0       0       0         UCONNECT 5.0 AM/FM/CD WITH INTEGRATED VOICE COMMAND ¹⁴ WITH BLUETOOTH - Includes Media Input Hub with USB and auxiliary inputs and steering wheel-mounted audio controls       RA2       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0							neo					
auxiliary inputs and steering wheel-mounted audio controls       UAI       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U					s Media Innut Huh with 115	R and		- ·	-		-	
RAZ       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U       U <thu< th=""></thu<>					o moura inpat nuo with ot	o ana	UA1	0	0	0	0	
Alternative indexisting indexisting wheel-mounted audit controls       Alternative indexisting wheel-mounted audit controls         September 1       September 2       September 2         Alt BABS ¹¹ - Advanced driver and front-passenger       C63       •       •         Supplemental front-seat side       C11       •       •       •         Supplemental front-seat side       C11       •       •       •         ODT-CERTIFIED ROADSIDE SAFETY KIT - DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses       ADL       0       0       0         PARKSEKS ²⁶ REAP PARK ASSIST ¹⁹ XAA       0       0       -       -         PARKSEKS ²⁶ REAP PARK ASSIST ¹⁹ XAA       0       0       -       -         PARKSEKS ²⁶ REAP PARK ASSIST ¹⁹ XAA       0       0       -       -         PARKSEK ²⁶ REAP PARK ASSIST ¹⁹ Add C       0       0       -       -         PARKSEK ²⁶ REAP PARK ASSIST ¹⁹ XAA       0       0       -       -         PARKSEK ²⁶ REAP PARK ASSIST ¹⁹ Add C       0       0       -       -         READ RACK-UP CAMERA ³ WIT RV MIRROR/MONITOR – N/A with ParkView Rear Back-Up Camera ¹⁹ XA3       •       0       0       -				VITH BLUETOOTH — Includ	les Media Input Hub with	JSB and	RA2	n	n	n	n	
AIR BAGS ¹⁰ - Advanced driver and front-passenger       C63       •       •       •       •         Supplemental front-seat side       C11       •       •       •       •         Supplemental front-seat side       C11       •       •       •       •         Supplemental front-seat side       C11       •       •       •       •         DOT-OERTIFIED ROADSIDE SAFETY KIT - DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses       ACL       0       0       0         PARKSENESE*       REAR PARK ASSIST ¹⁰ XAA       0       0       -       -         PARKSENES*       REAR PARK ASSIST ¹⁰ XAA       0       0       -       -         PARKSENES*       REAR PARK ASSIST ¹⁰ XAA       0       0       -       -         PARKSENES*       REAR PARK ASSIST ¹⁰ XAA       0       0       -       -         REAR BACK-UP CAMERA ¹⁰ WITH RV MIRROR/MONITOR – N/A with ParkView Rear Back-Up Camera ¹⁰ or Rear Back-Up Camera ¹⁰ XA3       •       0       0       0         REMOTE STATIF (restrictions apply, see your dealer for details; by Mopar)       GXM       •       •       •       •         SECURITY ALARM       LSA       0       0		•					IIAZ	U	U	U	U	
- Supplemental front-seat side       CJ1       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •												
Supplemental side-curtain front       C14       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •			passenger					•	•	•	•	
DDT-CERTIFIED ROADSIDE SAFETY KIT - DDT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses       ACL       0       0       0       0         PARKSENSE® REAR PARK ASSIST ¹³ XAA       0       0       -       -         PARKVEW [®] REAR PARK ASSIST ¹³ XAA       0       0       -       -         PARKVEW [®] REAR PARK ASSIST ¹³ Rear Back-UP CAMERA ¹³ - Requires Uconnect 5.0 radio       XAC       0       0       -       -         REAR BACK-UP CAMERA ¹³ WITH RV MIRROR/MONITOR - N/A with ParkView Rear Back-Up Camera ¹³ or Rear Back-Up Camera ¹³ XA3       •       0       0       -       -         REAR BACK-UP CAMERA ¹⁴ WITH RV MIRROR/MONITOR - N/A with ParkView Rear Back-Up Camera ¹³ or Rear Back-Up Camera ¹⁴ XA3       •       •       0       0       -       -       -         REMOTE KYLLESS ENTRY       Commera ¹⁵ or adio on Cutaway and Chassis Cab; N/A with ParkView Rear Back-Up Camera ¹⁶ XA3       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •								•	•	•		
PARKSENSE**       REAR PARK ASSIST ¹³ XAA       0       0       -       -         PARKVIEW**       REAR BACK-UP CAMERA**       Requires Uconnect 5.0 radio       XAC       0       0       -       -         REAR BACK-UP CAMERA**       WTIR NV IMIROR/MONITOR       -       NA       with *arkView Rear Back-Up Camera**       XAC       0       0       -       -         REAR BACK-UP CAMERA*       WTIR NV IMIROR/MONITOR       -       NA       with *arkView Rear Back-Up Camera**       XAC       0       0       -       -         REAR BACK-UP CAMERA*       WTIR NV IMIROR/MONITOR       -       NA       with *arkView Rear Back-Up Camera**       XAC       0       0       -       -         REAR BACK-UP CAMERA*       REQUITES Uconnect 5.0 radio on Cutaway and Chassis Cab; N/A with *arkView Rear Back-Up Camera**       XA3       •       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0								· ·				
PARKVIEW** REAR BACK-UP CAMERA*3 - Requires Uconnect 5.0 radio       XAC       0       0       -       -         REAR BACK-UP CAMERA*3 WITH RV MIRROR/MONITOR - N/A with ParkView Rear Back-Up Camera*3 or Rear Back-Up Camera*3       XAC       0       0       -       -         REAR BACK-UP CAMERA*3 WITH RV MIRROR/MONITOR - N/A with ParkView Rear Back-Up Camera*3       XA3       •       0       0       -       -         REAR BACK-UP CAMERA KIT - Requires Uconnect 5.0 radio on Cutaway and Chassis Cab; N/A with ParkView Rear Back-Up Camera*3       XA3       •       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0			DOT fire extinguisher, thr	ee reflecting triangles, tw	o Red vinyl flags and spa	re fuses		-	-	-	-	
REAR BACK-UP CAMERA ¹¹ WITH RV MIRROR/MONITOR - N/A with ParkView Rear Back-Up Camera ¹⁰ or Rear Back-Up Camera ¹⁰ XA3       0       0       -       -         REAR BACK-UP CAMERA KIT - Requires Uconnect 5.0 radio on Cutaway and Chassis Cab; N/A with ParkView Rear Back-Up Camera ¹⁰ XA3       •       0       0       0         REMOTE KYLESS ENTRY       6XM       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •			<b>R</b> 1 <b>H</b> 150						-			
REAR BACK-UP CAMERA KIT - Requires Uconnect 5.0 radio on Cutaway and Chassis Cab; N/A with ParkView Rear Back-Up Camera ¹⁹ XA3       •       0       0         REMOTE KEYLESS ENTRY       6XM       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       • <t< td=""><td></td><td></td><th></th><th></th><th></th><td>0</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>						0						
REMOTE KEYLESS ENTRY       6XM       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       • <td></td> <td></td> <th></th> <th></th> <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>												
REMOTE START (restrictions apply, see your dealer for details; by Mopar)       JJL       0       0       0       0         SECURITY ALARM       LSA       0       0       0       0       0         PACKAGES / EQUIPMENT GROUPS         INTENIOR CARGO RACK PACKAGE (requires cargo partition with or without sliding window; by Mopar)       CWN       0       -       -         INTERIOR CONVENIENCE GROUP - Includes locking glove box, shelf above roof trim, underseat storage tray, rear door storage and windshelid document clip       AJV       0       0       0         PREMIUM APPEARANCE GROUP - Includes chrome grille and fog lamps       ALU       0       0       0       0			CONNECT 5.U RADIO ON GUTA	way and Gnassis Gad; N/A	WITH PARKVIEW REAR BACK-L	Ip Camera's	7410			•	-	
SECURITY ALARM     LSA     0     0     0     0       PACKAGES / EQUIPMENT GROUPS       INTENIOR CARGO RACK PACKAGE (requires cargo partition with or without sliding window; by Mopar)     CWN     0     -     -       INTENIOR CARGO RACK PACKAGE (requires cargo partition with or without sliding window; by Mopar)     CWN     0     -     -       INTENIOR CONVENIENCE GROUP - Includes locking glove box, shelf above roof trim, underseat storage tray, rear door storage and windsheld document clip     AJV     0     0     0       PREMIUM APPEARANCE GROUP - Includes chrome grille and fog lamps     ALU     0     0     0			our doclor for dataila, hu	Manar)				· ·				
PACKAGES / EQUIPMENT GROUPS         INTERIOR CARGO RACK PACKAGE (requires cargo partition with or without sliding window; by Mopar)       CWN       0       -         INTERIOR CARGO RACK PACKAGE (requires cargo partition with or without sliding window; by Mopar)       CWN       0       -       -         INTERIOR CONVENIENCE EROUP - Includes locking glove box, shelf above roof trim, underseat storage tray, rear door storage       AJV       0       0       0       0         PREMIUM APPEARANCE GROUP - Includes chrome grille and fog lamps       ALU       0       0       0       0			YOUI DEALET TOT DELATIS; DY	muhai)				-	-	-	-	
INTERIOR CARGO RACK PACKAGE (requires cargo partition with or without sliding window; by Mopar)       CWN       0       -       -         INTERIOR CONVENIENCE GROUP - Includes locking glove box, shelf above root trim, underseat storage tray, rear door storage       AIV       0       0       0       0         PREMIUM APPEARANCE GROUP - Includes chrome grille and fog lamps       ALU       0       0       0       0							LOA	U	U	U	U	
INTERIOR CONVENIENCE GROUP - Includes locking glove box, shelf above roof trim, underseat storage tray, rear door storage AJV 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					u Manar)		CWN	0				
ret on Cargo Van and windshield document clip PREMIUM APPEARANCE GROUP – Includes chrome grille and fog lamps ALU 0 0 0 0 0						otorono	GWN	U	-	-	-	
PREMIUM APPEARANCE GROUP - Includes chrome grille and fog lamps ALU 0 0 0 0	net on Carno Va	enience anour – Includ an and windshield docum	es iuckilly yluve uuX, shel ent clin	I ADOVE FOOT LETIII, UNDERSE	eat storage tray, rear dool	SIGLARE	VLA	0	0	0	0	
				amos			ALU	0	0	0	0	
	-			<u> </u>	ness (by Mopar)			0	-	-		

#### 2017 RAM PROMASTER 1500/2500/3500 VAN; 2500/3500 WINDOWED VAN; 3500 Cutaway/Chassis CAB towing and Payload

	CARGO VAN							WINDOWED VAN		
		1500		25	00	35	00	2500	3500	
	118″ WB	136*	136" WB		159" WB	159" WB	159" WB, Extended	159" WB	159" WB, Extended	
CAPABILITY	STANDARD Roof	STANDARD Roof	HIGH ROOF	HIGH	ROOF	HIGH	ROOF	HIGH	ROOF	
GVWR (lb)	8,550	8,550	8,550	8,900	8,900	9,350	9,350	8,900	9,350	
GCWR (lb) 3.6L Pentastar® V6	11,500	11,500	11,500	11,500	11,500	11,500	11,500	11,500	11,500	
BASE CURB WEIGHT (lb) 3.6L Pentastar V6	4,560	4,657	4,776	4,773	4,883	4,922	5,009	4,969	5,061	
MAXIMUM PAYLOAD* (lb) 3.6L Pentastar V6	3,990	3,890	3,770	4,130	4,020	4,430	4,340	3,930	4,290	
FRONT GAWR (lb)	4,629	4,629	4,629	4,629	4,629	4,629	4,629	4,629	4,629	
REAR GAWR (lb)	5,004	5,291	5,291	5,291	5,291	5,291	5,291	5,291	5,291	
CURB-TO-CURB TURNING (ft)	36.3	40.7	40.7	40.7	46.8	46.8	46.8	46.8	46.8	
MAXIMUM TOWING [†] (Ib)	5,100	5,100	5,100	5,100	5,100	5,100	5,100	5,100	5,100	

	CHASSIS CAB CUTAWAY							
		3500			3500	3500		
CAPABILITY	136" WB	159" WB	159" WB, EXTENDED	136" WB	159" WB	159" WB, EXTENDED		
GVWR (lb)	9,350	9,350	9,350	9,350	9,350	9,350		
GCWR (lb) 3.6L Pentastar V6	11,500	11,500	11,500	11,500	11,500	11,500		
BASE CURB WEIGHT (lb) 3.6L Pentastar V6	4,218	4,223	4,249	4,157	4,149	4,204		
MAXIMUM PAYLOAD* (lb) 3.6L Pentastar V6	5,130	5,130	5,100	5,190	5,200	5,150		
FRONT GAWR (Ib)	4,629	4,629	4,629	4,629	4,629	4,629		
REAR GAWR (Ib)	5,291	5,291	5,291	5,291	5,291	5,291		
CURB-TO-CURB TURNING (ft)	40.7	46.8	46.8	40.7	46.8	46.8		
MAXIMUM TOWING [†] (Ib)	5,100	5,100	5,100	5,100	5,100	5,100		





Ram ProMaster City retains its value better than Ford, Chevy and Nissan in its segment.*



__AMERICA'S___ MOST EFFICIENT WORK VAN

5500 CC



16-inch Steel Wheel with Center Cap Standard on Tradesman[®] Cargo Van/Wagon (WDL/WME)



16-inch Steel Wheel with Full-Painted Silver Wheel Cover Standard on Tradesman SLT Cargo Van/Wagon SLT Optional on Tradesman Cargo Van/Wagon (WCS/W6A)



16-inch Aluminum Wheel Available on Tradesman SLT Cargo Van/Wagon SLT (WDN)



51

WAGON SLT

.

•

•

•

٠

BIMPRESS         Final after rate in Black         MLM         •         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -	BUDASIDE WOLDING — RISCK	ALM	•	•	•	•
DIVITME UNHANG LENTS         UMK         0         0         0         0           DORS - Rear hinged dors with field plass, sliding alde dors with wented glass (large Van models only)         6624         -         -         -           - Bear hinged dors with field plass, sliding alde dors with vented glass (large Van models only)         6622         0         0         -         -           - Set sitting office with vented glass, (barsenper allo only); packaged with rear hinged dors with field glass         6600         P         P         -           - Sets discing office with vented glass         6601         •         •         -         -           - Sets discing office with vented glass         6601         •         •         -         -           - Sets discing office with vented glass         6601         •         •         -         -           - Sets discing office vent vented glass         6601         •         •         -         -           - Sets discing office vent vented glass         6601         •         •         -         -           - Sets discing office vent vented glass         6611         •         •         -         -           Sets discing vented vente	BUMPERS – Front and rear in Black	MLM	•	-	•	-
DDDBS         DDBS         Case highed doers with fitted glass, stilling side doers with vented glass (Passenger Wagna models only)         GC3         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -	– Front and rear in body color	MLA	-	•	-	•
- Rear hunged doors with tould glass, eliding side doors with vented glass (Grage Van models only)         662         0         0         -           - Rear hunged doors with tould glass, glassenger side only); packaged with rear hinged doors with fixed glass         662         0         0         -           - Side siding field for with wented glass (sexenger side only); packaged with rear hinged doors with fixed glass         664         00         P         -           - Side siding field foor with wented glass (striver's side only); packaged with rear hinged doors with fixed glass         664         0         P         -           - Rear doors with sold panels (true)'s side only); packaged with rear hinged doors with fixed glass         661         P         -         -           - Side and rear doors with sold panels         661         P         -         -         -           - Rear doors with sold panels         661         P         0         0         0           BIABNES - Reney near Marken annear-digetable         GG1         P         -         -         -           BOS BACK - Side Balls         MMR         0         0         0         0         0         0           ROB BACK Side Balls         MMR         0         0         0         0         0         0         0 <td< td=""><td>DAYTIME RUNNING LIGHTS</td><td>LMK</td><td>0</td><td>0</td><td>0</td><td>0</td></td<>	DAYTIME RUNNING LIGHTS	LMK	0	0	0	0
- Rear hunged doors with tould glass, eliding side doors with vented glass (Grage Van models only)         662         0         0         -           - Rear hunged doors with tould glass, glassenger side only); packaged with rear hinged doors with fixed glass         662         0         0         -           - Side siding field for with wented glass (sexenger side only); packaged with rear hinged doors with fixed glass         664         00         P         -           - Side siding field foor with wented glass (striver's side only); packaged with rear hinged doors with fixed glass         664         0         P         -           - Rear doors with sold panels (true)'s side only); packaged with rear hinged doors with fixed glass         661         P         -         -           - Side and rear doors with sold panels         661         P         -         -         -           - Rear doors with sold panels         661         P         0         0         0           BIABNES - Reney near Marken annear-digetable         GG1         P         -         -         -           BOS BACK - Side Balls         MMR         0         0         0         0         0         0           ROB BACK Side Balls         MMR         0         0         0         0         0         0         0 <td< td=""><td>DOORS — Rear hinged doors with fixed glass, sliding side doors with vented glass (Passenger Wagon models only)</td><td>GC4</td><td>-</td><td>-</td><td>•</td><td>•</td></td<>	DOORS — Rear hinged doors with fixed glass, sliding side doors with vented glass (Passenger Wagon models only)	GC4	-	-	•	•
Fract Impact doers with Endig Jass         B62         0         0         -         -           - Side sitting right doer with vented glass (reservage side only); packaged with rear hinged doors with fixed glass         GRG         OP         OP         -         -           - Side sitting right doer with vented glass (reverse side only); packaged with rear hinged doors with fixed glass         GRA         OP         OP         -         -           - Baar doors with Side Grass with said glass         GRA         OP         OP         -         -           - Baar doors with Side Grass with said glass         GRA         OP         OP         -         -           - Side and read ones with said glass         GRA         OP         OP         -         -           - Side and read ones with Side Glass with weak for sample         GRA         OP         O         -         -           - Side and read ones with Side Glass with weak for sample         GRA         -         -         -         -         -           - Side and read ones with Side Glass with weak ones sample         GRA         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O         O		GC3	0	0	-	-
- Side altiling right four will worked glass (passanger side anly); packaged with rear hinged doors with fixed glass         GKC         OP         OP         -           - Side altiling lefe door will worked glass (kriver's side anly); packaged with rear hinged doors with fixed glass         GKH         OP         OP         -           - Bar doors with 180-degree agening         GEE         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         - </td <td></td> <td></td> <td>0</td> <td>0</td> <td>•</td> <td>•</td>			0	0	•	•
- Side align         Edits         OF         OF         -           - Rar dors with 180-darger quoting         GLE         •         •         •           - Side and rear dors with 180-darger quoting         GLE         •         •         •           - Side and rear dors with 180-darger quoting         GLE         •         •         •         •           - Side and rear dors with 180-darger quoting         GLE         •         •         •         •           - Side and rear dors with 180-darger quoting         GLE         •         •         •         •           - Side and rear dors with sold parsel (requires Lights and Wheels forug)         LMA         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •	<ul> <li>Side sliding right door with vented glass (passenger side only); packaged with rear hinged doors with fixed glass</li> </ul>		O/P	O/P	-	-
- Side and rear doors with solid panels         EC1         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         P         -         P         -         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P	— Side sliding left door with vented glass (driver's side only); packaged with rear hinged doors with fixed glass	GKH	O/P	O/P	-	-
FOB       LAMPS - Front (requires Lights and Wheels Group)       LHJ       -       P       -       P         GLAS       Deep-int (red variable on Cargo Van models with side sliding rear doors with solid panels)       GE       GE       0       P       0       -         HRADLAMPS - Handle, manual-adjustable       GTZ       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -	- Rear doors with 180-degree opening	GLE	•	•	٠	•
BLASS - Deep-tint (not available on Cargo Van models with side sliding rear doors with solid panels)         656         0         P         0         •           HEALLAMPS - Halogen         LUAA         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •	- Side and rear doors with solid panels	GC1	•	•	-	-
BLASS - Deep-tint (not available on Cargo Van models with side sliding rear doors with solid panels)         656         0         P         0         •           HEALLAMPS - Halogen         LUAA         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •	FOG LAMPS – Front (requires Lights and Wheels Group)	LNJ	-	Р	-	Р
HEADLAMPS - Halogen         LMA         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •		GEG	0	Р	0	•
MIRRORS - Remote, manual-adjustable         617         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -			•	•		•
- Pwer-adjustable, folding, heated with body-color caps         613         -         -         -           ROOF RACK - Site Rails         MWE         0         0         0         0           ROOF RACK COSSBARS - Requires Roof Rack Side Rails         MWH         0         0         0         0           ROOF RACK COSSBARS - Three-bar utility (not available with Roof Rack Side Rails)         MWH         0         0         0         0           SPLAS RUARDS - Set         MMN         0         0         0         0         0         0           SPLAS RUARDS - Set         MMN         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0		GTZ	•	-	•	-
ROOF RACK - Side Rails         MWE         0         0         0         0           ROOF RACK CR0SSBARS - Requires Read Rack Side Rails         MMV         0         0         0         0           BROSSBARS - Three-bar utility (not available with Roof Rack Side Rails)         MMV         0         0         0         0           SPLASH GUARDS - Set         MKN         0         0         0         0         0           SPLASH GUARDS - Set         MKN         0         0         0         0         0           VIBELS - 16-inch stele painted Silver wheel covers         WCSWRAA         0         0         0         -           - 16-inch stele painted Black with fult-painted Silver wheel covers         WCSWRAA         0         0         -           - 16-inch aluminum (requires Lights and Wheels Group)         WDN         -         P         -         P           IR CONDTONNIG         HAA         •         •         •         •         •           CARGO AREA LIGHTING - LED         LCP         0         0         -         -         P           DOOR LOCKS - Power, speed-sanstrive         JPH         •         •         •         •         •           FlooB MITS - Front Laropt         <		GTS	-	•	-	•
ROOF RACK CROSSBARS - Three-bar utility (not available with Roof Rack Side Rails)         MWF         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 </td <td></td> <td>MWF</td> <td>N</td> <td>n</td> <td>Ω</td> <td>0</td>		MWF	N	n	Ω	0
CROSSBARS - Three-bar utility (not available with Roof Rack Side Raile)         MWM         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0						
SPLASH GUARDS - Set         MKN         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0			-	-	-	-
TIRES         - 215/55816XL BSW All-Season         TMC         •         •         •           - 16-inch steel painted Silver with center cap         WDLWME         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -<			-	-	-	-
WHEELS         16-Inch steel painted Silver with center cap         WUL/WME         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P         P			-	-	-	-
- 16-inch steel painted Black with full-painted Silver wheel covers       WGS/WGA       0       •       0       •         - 16-inch atuminum (requires Lights and Wheels Group)       WON       -       P       -       P         INTERIOR FEATURES         MR CONDITIONING         AIR CONDITIONING         CARGO AREA LIGHTING - LED       LGP       0       0       -       -         DOOR LOCKS - Power, speed-sensitive       JPH       •       •       •       •         FLODR MATS - Front and rear carpet       CLE       -       -       0       0       -       -         - Front arget       CLE       0       0       -       -       -       0       0       -       -         - Front arget       CLE       0       0       -       -       -       0       0       -       -       -       -       0       0       -       -       -       -       0       0       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       - <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td>				-		
- 16-inch aluminum (requires Lights and Wheels Broup)         WDN         -         P         -         P           INTERIOR FEATURES           AIR CONDITIONING         ILAR         0         0         -         -           CARGO AREA LIGHTING - LED         ILCP         0         0         -         -           DODR LOCKS - Power, speed-sensitive           FLOOR MAIS - Front and rear carpet         CLE         -         -         0         0         -         -           Front and rear carpet         CLE         -         -         0         0         -         -           - Front and rear slush         CLF         -         -         0         0         -         -           - Front slush         CLG         0         0         -         -         -         -         -         0         0         -         -         -         -         -         -         0         0         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         - <t< td=""><td></td><td></td><td></td><td></td><td>0</td><td>_</td></t<>					0	_
INTERIOR FEATURES         AIR CONDITIONING       HAA       •       •       •         CABGO AREA LIGHTING - LED       LCP       0       0       -         DODR LOCKS - Power, speed-sensitive       JPH       •       •       •         FLODR MATS - Front and rear carpet       CLE       -       -       0       0         - Front and rear carpet       CLE       -       -       0       0         - Front area fush       CLE       -       -       0       0         - Front area fush       CLE       0       0       -       -         - Front area fush       CLE       0       0       -       -         - Front area fush       CLE       0       0       -       -         - Front area fush       CLE       0       0       -       -         - Identify Courtes / cargo area lamps       LBE       •       •       •         SEATS - 60/40 Fold-and-Tumble three-person rear bench       CFF       -       -       •         - Cloth low-back bucket with manual adjuster       *B7       -       •       •       •         - Heated front (included with Popular Equipment Group)       JPM       P			-	-		-
AIR CONDITIONING       HAA       •       •       •         CARGO AREA LIGHTING - LED       ILCP       0       0       -       -         DODR LOCKS - Power, speed-sensitive       JPH       •       •       •       •         FLODR MATS - Front and rear carpet       CLE       -       -       0       0         - Front and rear slush       CLE       -       -       0       0         - Front area fuer       CLE       -       -       0       0         - Front area fuesh       CLE       0       0       -       -         - Front area fuesh       CLE       0       0       -       -         - Front areapt       CLC       0       0       -       -       -         - Cloth low-back bucket with meuplar fugineent Group)       JPM       P       P       P         - Brated front (included with Popular Equipment Group)       JPM       P       P       P         - Premium cloth bucket with drive's-side manual lumbar and height adjusters       *C7       -       -       -         SPEED CONTROL       NHM       0       0       0       •       •       -         STEERING COLUMN - Tilt / telescoping <td< td=""><td></td><td>WUN</td><td>_</td><td>٢</td><td>_</td><td>r</td></td<>		WUN	_	٢	_	r
CAREO AREA LIGHTING - LED         LCP         0         0         -         -           DOOR LOCKS - Power, speed-sensitive         JPH         •         •         •         •           FLODR MATS - Front and rear carpet         CLE         -         -         0         0           - Front and rear slush         CLF         -         -         0         0           - Front slush         CLC         0         0         -         -           - Front slush         CLC         0         0         -         -           LIBRTING - Map / courtesy / cargo area lamps         LBC         •         •         •           SEATS - 60/40 Fold-and-Tumble three-person rear bench         CFF         -         -         •           - Cloth low-back bucket with manual adjuster         *B7         •         -         -           - Heated front (included with Popular Equipment Group)         JPM         -         P         -           - Premium cloth bucket with diver's-side manual lumbar and height adjusters         *C7         -         -         -           STEERING COLUMN - Tit / telescoping         SDD         •         •         •         •           STEERING COLUMN - Tit / telescoping         SDD						
Instruction         Instruction <thinstruction< th=""> <thinstruction< th=""></thinstruction<></thinstruction<>						•
FLOOR MATS - Front and rear carpet         CLE         -         -         0         0           - Front and rear slush         CLF         -         -         0         0           - Front carpet         CLC         0         0         -         -           - Front slush         CLY         0         0         -         -           LIGHTING - Map / courtesy / cargo area lamps         LIGC         0         0         -         -           LIGHTING - Map / courtesy / cargo area lamps         LIGC         0         0         -         -           LIGHTING - Map / courtesy / cargo area lamps         LIGC         0         0         -         -           LIGHTING - Map / courtesy / cargo area lamps         LIGC         •         •         •         •           - Cloth low-back bucket with manual adjuster         *B7         •         -         •         -           - Heated front (included with Popular Equipment Group)         JPM         -         P         -         •           SPEED CONTROL         NHM         0         0         0         •         •         •           STEERING WHEL         SOCK         •         -         •         -         -		201		-		
- Front and rear slush         CLF         -         -         0         0           - Front carpet         GLC         0         0         -         -           - Front slush         CLY         0         0         -         -           LIGHTING - Map / courtesy / cargo area lamps         LBC         •         •         •           SEATS - 60/40 Fold-and-Tumble three-person rear bench         CFF         -         •         •           - Cloth low-back bucket with manual adjuster         *B7         •         -         •           - Beated front (included with Popular Equipment Group)         JPM         -         P         -           - Heated front (included with driver's-side manual lumbar and height adjusters         *C7         -         -         •           SPEE CONTROL         NHM         0         •         •         •         •           STEERING COLUMN - Tit / telescoping         SUD         •         •         •         •         •           TEERING WHEEL         SC6         P         •         P         •         P         •           - Lastner-wrapped (included with Popular Equipment Group)         JP3         •         •         •         •				۰	-	-
- Front carpet         CLC         0         0         -         -           - Front slush         CLY         0         0         -         -           LIGHTING - Map / courtesy / cargo area lamps         LBC         •         •         •           SEATS - 60/40 Fold-and-Tumble three-person rear bench         CFF         -         •         •           - Cloth low-back buckt with manual adjuster         *B7         •         -         •         •           - Heated front (included with Popular Equipment Group)         JPM         -         P         -         P           - Premium cloth bucket with driver's-side manual lumbar and height adjusters         *G7         -         •         -         •           SPEED CONTROL         NHM         0         •         0         •         •         •           STEERING COLUMN - Tit/ telescoping         SUD         •         •         •         •         •           - Leather-wrapped (included with Popular Equipment Group)         JP6         -         P         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         •         <			-	-	-	-
- Front slush       CLY       0       0       -       -         LIGHTING - Map / courtesy / cargo area lamps       LBC       •       •       •         SEATS - 60/40 Fold-and-Tumble three-person rear bench       CFF       -       -       •         - Cloth low-back bucket with manual adjuster       *B7       •       -       •         - Heated front (included with Popular Equipment Group)       JPM       -       P       -         - Premium cloth bucket with driver's-side manual lumbar and height adjusters       *C7       -       -       -         SPEED CONTROL       NHM       0       0       •       •       •         STEERING COLUMN - Tilt / telescoping       SUD       •       •       •       •         STEERING WHEEL       SCK       -       •       -       •         - Leather-wrapped (included with Uconnect* 5.0 radio)       SC6       P       •       P         WINDOWS - Front, power (included with Popular Equipment Group)       JPG       -       •       •         UCONNECCT / MULTIMEDIA       VIU       0       0       0       0         ADIOS - 3.0 AM/FM includes Nedia Hub with USB and auxiliary input jack), Integrated Voice Command** with Bluetont* (includes leather-wrapped steering wheel with audio co					0	0
LUBRTING - Map / courtesy / cargo area lamps       LBC       •       •       •         SEATS - 60/40 Fold-and-Tumble three-person rear bench       CFF       -       -       •         - Cloth low-back bucket with manual adjuster       *B7       •       -       •         - Heated front (included with Popular Equipment Group)       JPM       -       P       -         - Heated front (included with Popular Equipment Group)       JPM       -       P       -       •         - Premium cloth bucket with driver's-side manual lumbar and height adjusters       *G7       -       •       -       •         SPEED CONTROL       NHM       O       O       0       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •	– Front carpet		-	-	-	-
SEATS - 60/40 Fold-and-Tumble three-person rear bench       CFF       -       -       -         - Clobb low-back bucket with manual adjuster       *B7       -       -       -         - Heated front (included with Popular Equipment Group)       JPM       -       P       -       P         - Heated front (included with Popular Equipment Group)       JPM       -       P       -       P         - Premium cloth bucket with driver's-side manual lumbar and height adjusters       *G7       -       -       -       -         SPEED CONTROL       NHM       O       O       0       *       -       -       -         STEERING COLUMN - Tit / telescoping       SDD       •       •       •       -       -       -       -         - Leather-wrapped (included with Uconnect* 5.0 radio)       SC6       P       •       P       •         WINDOWS - Front, power with one-touch up/down       JP3       •       •       •       •       •         - Second-row power (included with Popular Equipment Group)       JP6       -       P       P       P         UCONNECT / MULTIMEDIA       -       -       -       -       -       -       -         - Uconnect 5.0 AM/FM includes leather-wrapped stee	– Front slush	CLY	0	0	-	-
- Cloth low-back bucket with manual adjuster       *87       •       -       •       -         - Heated front (included with Popular Equipment Group)       JPM       -       P       -       P         - Heated front (included with Popular Equipment Group)       JPM       -       P       -       P         - Premium cloth bucket with driver's-side manual lumbar and height adjusters       *C7       -       •       -       •         SPEED CONTROL       NHM       0       0       0       •       •       •       •         STEERING WHEL       SOCK       -       •       -       -       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •	LIGHTING — Map / courtesy / cargo area lamps	LBC	•	•	•	•
Heated front (included with Popular Equipment Group)     IPM     -     P     -     P       - Heated front (included with Popular Equipment Group)     IPM     -     P     -     P       - Premium cloth bucket with driver's-side manual lumbar and height adjusters     *G7     -     -     -       SPEED CONTROL     NHM     0     0     0     •       STEERING COLUMN - Tilt / telescoping     SUD     •     •     •       STEERING WHEEL     SCK     •     -     •       - Leather-wrapped (included with Uconnect* 5.0 radio)     SCGE     P     P     •       WINDOWS - Front, power with one-touch up/down     JP3     •     •     •       - Second-row power (included with Popular Equipment Group)     JP6     -     P     -       VUNDOWS - Stront, power with non-touch up/down     JP3     •     •     •     •       - Second-row power (includes dwith Popular Equipment Group)     JP6     -     P     -       VDORN.ECT / MULTIMEDIA     -     •     -     -     -       - Uconnect 5.0 AM/FM includes Media Hub with USB and auxiliary input jack     RA1     •     -     -       - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetooth (includes leather-wrappe	SEATS — 60/40 Fold-and-Tumble three-person rear bench	CFF	-	-	•	•
Premium cloth bucket with driver's-side manual lumbar and height adjusters         *G7         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -         -	— Cloth low-back bucket with manual adjuster	*B7	٠	-	•	-
SPEED CONTROL     NHM     0     0     0       STEERING COLUMN - Tilt / telescoping     SUD     •     •     •       STEERING COLUMN - Tilt / telescoping     SUD     •     •     •       STEERING COLUMN - Tilt / telescoping     SUD     •     •     •       STEERING COLUMN - Tilt / telescoping     SUD     •     •     •       - Leather-wrapped (included with Uconnect* 5.0 radio)     SCE     P     •     P       - Leather-wrapped (included with Uconnect* 5.0 radio)     JPG     -     •     •       - Second-row power (included with Popular Equipment Group)     JPG     -     P     -       UCONNECCT / MULTIMEDIA     MDPAR® WEB WIFH HOTSPOT ³⁰ XJU     0     0     0       RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack), Integrated Voice Command* with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)     RA2     0     •     0       - Uconnect 5.0 AM/FM NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BPS Nevigation, Integrated Voice Command* with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)     RA2     0     •     0       - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BPS Nevigation, Integrated Voice Command* with Bluetooth* (includes leather-wrapped steering wheel	– Heated front (included with Popular Equipment Group)	JPM	-	Р	-	Р
STEERING COLUMN - Tilt / telescoping       SUD       •       •       •         STEERING COLUMN - Tilt / telescoping       SCK       •       -       •         STEERING WHEEL       SCK       •       -       •       -         - Leather-wrapped (included with Uconnect* 5.0 radio)       SCGE       P       •       P       •         WINDOWS - Front, power with one-touch up/down       JP3       •       •       •       •         - Second-row power (included with Popular Equipment Group)       JP6       -       P       -       P         UCONNECCT / MULTIMEDIA       JP6       -       P       -       P       -       P         ADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack       RA1       -       -       -       -         - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BrS Novigation, Integrated Voice Command ⁴⁴ with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA5       0       0       0         S	<ul> <li>Premium cloth bucket with driver's-side manual lumbar and height adjusters</li> </ul>	*C7	-	•	-	•
STEERING WHEEL       SCK       •       -       •       -         - Leather-wrapped (included with Uconnect® 5.0 radio)       SC6       P       •       P       •         WINDOWS - Front, power with one-touch up/down       JP3       •       •       •       •         - second-row power (included with Popular Equipment Group)       JP6       -       P       P       •         UCCONNECT / MULTIMEDIA       JP6       -       P       P       P       •       •         MOPAR® WEB WIFI HOTSPOT ²⁰ XJU       0       0       0       0       0         RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack       RA1       -       •       •       -         - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetonthe (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FMI/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetonthe (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), 6PS Naviga	SPEED CONTROL	NHM	0	•	0	•
- Leather-wrapped (included with Uconnect* 5.0 radio)       SC6       P       •       P       •         WINDOWS - Front, power with one-touch up/down       JP3       •       •       •       •         - Second-row power (included with Popular Equipment Group)       JP6       -       P       -       P         UCONNECT / MULTIMEDIA       JP6       -       P       -       P         MOPAR* WEB WIFI HOTSPOT*30       KJU       0       0       0       0         RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack       RA1       •       -       -         - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command*4 with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), RPS Navigation, Integrated Voice Command*4 with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA5       0       0       0         - Uconnect 5.0 AM/FM with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), GPS Navigation, Integrated Voice Command*4 with Bluetooth (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA5       0       0       0      <	STEERING COLUMN — Tilt / telescoping	SUD	•	•	•	•
WINDOWS - Front, power with one-touch up/down       JP3       •       •       •         - Second-row power (included with Popular Equipment Group)       JP6       -       P       -       P         UCONNECT / MULTIMEDIA         MOPAR* WEB WIFH NOTSPOT ²⁸ XJU       0       0       0       0         RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack       RA1       -       -       -         - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ¹⁴ with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM With S-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ¹⁴ with Bluetooth * (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM/MAV with S-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BPS Navigation, Integrated Voice Command ¹⁴ with Bluetooth (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA5       0       0       0         SIRIUSXM** SATELLITE RADIO ¹⁶ (requires Uconnect 5.0 or Uconnect 5.0 NAV radios)       RCD       •       •       •         SPEAKERS - Four       RCD       • <td>STEERING WHEEL</td> <td>SCK</td> <td>•</td> <td>-</td> <td>•</td> <td>-</td>	STEERING WHEEL	SCK	•	-	•	-
Second-row power (included with Popular Equipment Group)     JPG     P     P     UCONNECT / MULTIMEDIA     SUU     O     O     O     O     O     C     RADIOS     - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack     RA1     -     -     Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice     Command ⁴⁴ with Bluetooth [®] (includes leather-wrapped steering wheel with audio controls on Tradesman models)     - Uconnect 5.0 AM/FM/NAW with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice     Command ⁴⁴ with Bluetooth [®] (includes leather-wrapped steering wheel with audio controls on Tradesman models)     - Uconnect 5.0 AM/FM/NAW with B-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BFS Navigation,     Integrated Voice Command ⁴⁴ with Bluetooth (includes leather-wrapped steering wheel with audio controls on Tradesman models)     SIRIUSXM [®] SATELLITE RADIO ¹⁵ (requires Uconnect 5.0 NAV radios)     RSD     0     0     0	— Leather-wrapped (included with Uconnect® 5.0 radio)	SCG	Р	•	Р	•
Second-row power (included with Popular Equipment Group)     JPG     P     P     UCONNECT / MULTIMEDIA     SUU     O     O     O     O     O     C     RADIOS     - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack     RA1     -     -     Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice     Command ⁴⁴ with Bluetooth [®] (includes leather-wrapped steering wheel with audio controls on Tradesman models)     - Uconnect 5.0 AM/FM/NAW with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice     Command ⁴⁴ with Bluetooth [®] (includes leather-wrapped steering wheel with audio controls on Tradesman models)     - Uconnect 5.0 AM/FM/NAW with B-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BFS Navigation,     Integrated Voice Command ⁴⁴ with Bluetooth (includes leather-wrapped steering wheel with audio controls on Tradesman models)     SIRIUSXM [®] SATELLITE RADIO ¹⁵ (requires Uconnect 5.0 NAV radios)     RSD     0     0     0	WINDOWS — Front, power with one-touch up/down	JP3	•	•	•	•
UCONNECT / MULTIMEDIA         MOPAR* WEB WIFI HOTSPOT ²⁰ XJU       0       0       0       0         RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack       RA1       -       -       -         - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetooth* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BPS Navigation, Integrated Voice Command ⁴⁴ with Bluetooth (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA5       0       0       0         SIRIUSXM [®] SATELLITE RADIO ¹⁵ (requires Uconnect 5.0 or Uconnect 5.0 NAV radios)       RSD       0       0       0         SPEAKERS – Four       RCD       •       •       •       •		JPG	-	Р	-	Р
MOPAR* WEB WIFI HOTSPOT ²⁸ XJU       0       0       0       0       0         RADIOS - 3.0 AM/FM includes Media Hub with USB and auxiliary input jack       RA1       •       -       •       -       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       -       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •       •						
RADIOS       3.0 AM/FM includes Media Hub with USB and auxiliary input jack       RA1       •       -       •       -         - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice Command ⁴⁴ with Bluetoath* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BPS Navigation, Integrated Voice Command ⁴⁴ with Bluetoath* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA2       0       •       0       •         - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), BPS Navigation, Integrated Voice Command ⁴⁴ with Bluetoath* (includes leather-wrapped steering wheel with audio controls on Tradesman models)       RA5       0       0       0         SIRIUSXM [®] SATELLITE RADIO ¹⁵ (requires Uconnect 5.0 or Uconnect 5.0 NAV radios)       RSD       0       0       0         SPEAKERS – Four       RCD       •       •       •       •		VIII	0	0	0	0
- Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice     Command ⁴ with Bluetooth ⁶ (includes leather-wrapped steering wheel with audio controls on Tradesman models)     - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), 6PS Navigation,     Integrated Voice Command ⁴ with Bluetooth ⁶ (includes leather-wrapped steering wheel with audio controls on Tradesman models)     - Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), 6PS Navigation,     Integrated Voice Command ⁴ with Bluetooth ⁶ (includes leather-wrapped steering wheel with audio controls on Tradesman models)     SIRIUSXM [®] SATELLITE RADIO ¹⁵ (requires Uconnect 5.0 or Uconnect 5.0 NAV radios)     SPEAKERS – Four     RCD • • • •			-	0	-	-
Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), 6PS Navigation, Integrated Voice Command ¹⁴ with Bluetooth (includes leather-wrapped steering wheel with audio controls on Tradesman models)     SIRIUSXM® SATELLITE RADIO ¹⁶ (requires Uconnect 5.0 NAV radios)     RSD 0 0 0 0     SPEAKERS – Four     RCD • • • • •	- Uconnect 5.0 AM/FM with 5.0-inch touchscreen display, Media Hub (with USB and auxiliary input jack), Integrated Voice			•		•
SIRIUSXM® SATELLITE RADIO18 (requires Uconnect 5.0 NAV radios)         RSD         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0 </td <td>- Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), GPS Navigation,</td> <td>RA5</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	- Uconnect 5.0 AM/FM/NAV with 5-inch touchscreen display, Media Hub (with USB and auxiliary input jack), GPS Navigation,	RA5	0	0	0	0
SPEAKERS - Four RCD • • • •		Reu	n	ρ	n	0
			-	-	-	-
– ora (paevageo with rupular tulupilent oroup) NGO – – – P			•	•	•	
	— oix (packayeu with rupulai Equiphilent bruup)	NUU	-	_	-	Г

• = Standard 0 = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability.

		350	3500 CC			4500 CC				
		ROMASTER De (Conti				SALES CODE	TRADESMAN® Cargo van	TRADESMAN SLT CARGO VAN	WAGON	WAGON SLT
SA	FETY & SEC	CURITY								
AIR BA	GS ¹⁸ — Front driver and	passenger				CGT/CGE	•	٠	•	•
– Dri	iver inflatable knee bols	ter				CGY	•	۰	•	•
-	ipplemental front-seat si					GJ1	•	•	•	•
	ipplemental side-curtain					CJ2	-	-	•	•
	ipplemental side-curtain					CJ4	•	۰	-	-
BACK-L	UP CAMERA ¹⁹ WITH RV N	IIRROR/MONITOR – Not a	available with ParkView®	Rear Back-Up Camera ¹⁹		XH7	0	0	0	0
			uisher, three reflecting tri			ACL	0	0	0	0
		OL (ESC) ⁷ — Includes Bra Issist and All-Speed Trac	ike-Lock Differential, Elect tion Control	tronic Roll Mitigation, Hill	Start Assist,	BNB	•	•	•	•
PARKS	ENSE® REAR PARK ASSIS	ST ¹⁹ — Included with the	Rear Back-Up Camera Gro	up; not available with 3.0	radio	XAA	Р	Р	P	Р
PARKV	IEW REAR BACK-UP CAM	ERA ¹⁹ – Included with the	e Rear Back-Up Camera G	roup; not available with 3	.0 radio	XAC	Р	Р	P	Р
REMOT	TE KEYLESS ENTRY					GXM	•	•	•	•
REMOT	re start system – Lat	e availability				JJL	0	0	0	0
TIRE PI	RESSURE MONITORING S	YSTEM — Warning lamp				LAB	•	•	•	•
PA	CKAGES / I	EQUIPMENT	GROUPS							
CARGO	PARTITION PACKAGES -	- No window (includes re	ar wall trim)			AS1	0	0	-	-
— Wi	ith window (includes rea	r wall trim)				AHA	0	0	-	-
LIGHTS	LIGHTS AND WHEELS GROUP — Includes front fog lamps and 16-inch aluminum wheels							0	-	0
POPULI not ava	POPULAR EQUIPMENT GROUP — Includes heated front seats, second-row power window and six speakers (Wagon models); not available with sliding side and rear doors with solid panels on Cargo Van models						-	0	-	0
	REAR BACK-UP CAMERA GROUP — Includes ParkView Rear Back-Up Camera ¹⁹ and ParkSense Rear Park Assist ¹⁹ ; not available with 3.0 radio							0	0	0
	REAR WIPER / WASHER / DEFROSTER GROUP — Includes rear window defroster and rear window wiper/washer (requires deep-tint sunscreen glass; not available with sliding side and rear doors with solid panels)								0	0
TRAILE	R TOW GROUP - Include	es Class III hitch receiver	with four- and seven-pin	wiring harness		AHT	0	0	0	0

#### MAXIMUM PAYLOAD AND TOWING CAPACITIES

PROMASTER CITY

5500 CC

PROMASTER

	TRADESMAN® Cargo Van	TRADESMAN SLT Cargo Van	WAGON	WAGON SLT
GVWR (lb)	5,395	5,395	5,395	5,395
GCWR (lb)	5,900	5,900	5,900	5,900
CURB WEIGHT (Ib)	3,512	3,512	3,682	3,682
MAXIMUM PAYLOAD (Ib)	1,883	1,883	1,713	1,713
MAXIMUM TOWING* (Ib)	2,000	2,000	1,867	1,867

CONFIGURATIONS

PAINT


FABRICS

RESOURCES

53

*When properly equipped. Trailer Weight Rating and tow vehicle trailer weight are calculated as specified in SAE J2807. Driver and passenger weight = 300 lb. Trailer equipment weight: 50.7 lb for conventional hitch.

• = Standard 0 = Optional P = Part of Package - = Not available NOTE: some features and/or applications may be late availability.






#### 122. RB **TRADESMAN®** PASSENGER 87.2 **CARGO VAN** WAGON 6'4" 60" 60" 同制 ([<mark>120"</mark>)]) **RAM PROMASTER VAN AND CHASSIS CAB/CUTAWAY REGULAR CAB** 8' 8' 8' 3500 3500 4500 4500 4500 4500 2500/3500 3500 3500 5500 5500 5500 5500 1500 2500 3500 000 WHEELBASE LENGTH IN INCHES EXT BODY/CHASSIS EXTENDED 14 INCHES 118 136 000 LOAD FLOOR LENGTH IN INCHES 105.1 122.8 RB CAB-TO-AXLE LENGTH IN INCHES (000) 6'4" QUAD CAB® **CARGO VAN** 195.4 000 OVERALL BODY LENGTH IN INCHES 213.1 STANDARD ROOF 1.1 ر بلې ب n i r n.r RB 159 136 136 RB 5'7" 6'4" 122.8 122.8 145.9 ([84"]] 2500/3500 CARGO VAN 213.1 213.1 **CREW CAB** AVAILABLE HIGH ROOF 236.0 236.0 RB 7.:r 6'4" 6'4" 6'4" 159 3500 145.9 4500 4500 2500/3500 3500 3500 5500 5500 WINDOWED VAN HIGH ROOF ONLY ( 000 ) CARGO BED LENGTH 236.0 CAB-TO-AXLE LENGTH (CA) RB RAMBOX® SYSTEM AVAILABLE SRW = SINGLE REAR WHEEL DRW = DUAL REAR WHEEL RB 6'4" 6'4 **MEGA CAB®** 81. **CHASSIS CAB**/

CUTAWAY

STANDARD ROOF ONLY

2500/3500 3500

207.0



٦ŀ٢

159

EXT

160.2

250.5

٦.:٢

159

EXT

159

145.9

55

122.

69.2

56	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	IS PAINT FABRICS RESOURCES						
EX.	TERIOR PAI	NT COLORS						SPECIA	L EXTERIOR	PAINT COL	ORS*						
		BLACK – 2, 3		BRI	ILLIANT BLACK CR	YSTAL PEARL – 1	, 2		MIDNIGHT	BLUE - 1, 2		DARK BROWN – 1, 2, 3, 4					
	BL	ACK METALLIC - 4	4		TRUE BLUE PE	ARL – 1, 2, 3			TIMBERLINE GR	EEN PEARL – 1, 2		TREE GREEN – 1	. 2				
	BLACK FO	REST GREEN PEAI	RL – 1, 2	G	RANITE CRYSTAL I	METALLIC – 1, 2, ;	3		LIGHT GF	REEN - 1, 2		BRIGHT GREEN – 1, 2					
	MAXIMUI	M STEEL METALLI	C - 1, 2		QUARTZ GRAY	METALLIC – 4			HOLLAND	BLUE – 1, 2		HILLS GR	EEN/GREEN ANG	EL – 1, 2, 3			
	BLUE	NIGHT METALLIC	- 4		SILVER ME	TALLIC - 4			POWER	TAN - 1, 2		R(	)BIN EGG BLUE -	1, 2			
	BLUE	STREAK PEARL –	1, 2		BRIGHT SILVER M	ETALLIC - 1, 2, 3			BROOM YE	ellow - 3, 4			LIGHT CREAM – 1	, 2			
	BRIG	HT WHITE – 1, 2, 1	3, 4		SANDSTO	DNE - 3			YELLO	W - 1, 2		NATION	IAL SAFETY YELLI	DW - 1, 2			
	DELMO	NICO RED PEARL	- 1, 2		PEARL WH	ITE – 1, 2			DETONATOR	YELLOW - 1, 2		CONS	TRUCTION YELLO	W - 1, 2			
	FL	.AME RED – 1, 2, 3	3		BRIGHT	RED – 4			OMAHA OF	RANGE – 1, 2		SCH	OOL BUS YELLON	1 – 1, 2			
	DEEP CHER	RY RED CRYSTAL	PEARL – 3		DEEP RED M	ETALLIC - 4			BRIGHT	RED – 1, 2		AG	RICULTURE RED •	- 1, 2			
				and the second													

LUXURY BROWN PEARL – 1, 2

#### COLOR AVAILABILITY LEGEND

1: RAM 1500 2: RAM 2500/3500 AND CHASSIS CABS 3: RAM PROMASTER® 4: RAM PROMASTER CITY®

58	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	59
----	----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

#### **INTERIOR SEAT FABRICS**

Cloth	Vinyl
Black	Black
Ram ProMaster®	Ram ProMaster
Cloth	Premium Cloth
Black	Black
Ram ProMaster City® Tradesman®	Ram ProMaster City SLT
Vinyl	Work-Grade Vinyl
Diesel Gray	Diesel Gray
Tradesman, Express and EcoDiesel HFE	Tradesman (Heavy Duty and Chassis Cab only)
Sedoso/Embossed Cloth	Sedoso/Embossed Cloth
Diesel Gray	Canyon Brown
Tradesman, Express and SLT	SLT
Sedoso/Carbide Cloth	Sedoso/Carbide Cloth
Diesel Gray	Canyon Brown
SLT and Big Horn*/Lone Star*	SLT and Big Horn/Lone Star*
Vinyl/Cloth with Embossed Tread Pattern	Vinyl/Cloth with Embossed Tread Pattern
Radar Red/Black	Black
Rebel*	Rebel
Bristol Vinyl/Sport Mesh Cloth	Vinyl/Cloth with Embossed Tread Pattern
Black	Black/Diesel Gray
Sport and Night	Power Wagon*
Bristol Leather/Perforated Leather Trim	Bristol Leather/Perforated Leather Trim
Black	Light Frost Beige
Sport, Night, Laramie® and Power Wagon	Laramie
Natura Leather with Laser Etching/Perforated Leather	Natura Leather/Perforated Leather with Dark Saddle
with Dark Saddle Piping and Tan Accent Stitching	Piping and Tan Accent Stitching
Canyon Brown	Canyon Brown
Laramie Longhorn *	Laramie Longhorn
Natura Leather/Perforated Leather with Black Piping	Natura Leather/Perforated Leather with Medium Gray
and Black Accent Stitching	Stone Piping and Medium Gray Stone Accent Stitching
Cattle Tan	Black
Laramie Longhorn	Limited

#### *Lone Star model available only in Texas.

#### THE RIGHT UPFIT FOR YOUR RAM TRUCK.

Because it's the most important and expensive tool in your business toolbox, you can increase your truck's efficiency and customize its capability with an upfit-an aftermarket body modification. Ram Commercial is ready to help.

Select upfitters who meet our criteria for excellence, and who agree to our guidelines, ensure that your truck performs to spec. Streamline the process by identifying the type of work, operating conditions (worksite, on-/off-road, etc.), type and amount of weight or payload, and type and weight of trailer and contents (if applicable).

You'll find the most recent list of these upfitters and the comprehensive Body Builder's Guides-critical details, technical specs and measurements-at ramtrucks.com/commercial. Log on to rambodybuilder.com or use our toll-free hotline for Body Builder questions or assistance: the number is 866-205-4102.

#### THE FINAL WORD: FROM ACCESSORIES TO WARRANTIES.

5-YEAR/100,000-MILE DIESEL POWERTRAIN LIMITED WARRANTY. Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty.

5-YEAR/60,000-MILE GAS POWERTRAIN LIMITED WARRANTY. Transferable. See your dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty.

3-YEAR/36,000-MILE BASIC LIMITED WARRANTY. Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty. See your dealer for a copy of this limited warranty. Excludes normal maintenance and wear items.

BUSINESSLINK. If your business relies on vehicles, BUSINESSLINK can save you time, money and hassles. For more, log on to fcaworkvehiclesus.com or call us toll-free at 877-2THELINK (877-284-3546).

MOPAR® VEHICLE PROTECTION. Mopar Vehicle Protection[®] is the only extended protection backed by the manufacturer. FCA US LLC stands behind Mopar Vehicle Protection with certified, factory-trained technicians, genuine Mopar parts and service at any dealership within the United States, Canada, Puerto Rico or Mexico. Be sure to ask for a Mopar Vehicle Protection plan at your dealership. For more information, call us toll-free at 800-442-2666 or visit moparvehicleprotection.com

AUTHENTIC ACCESSORIES BY MOPAR are designed for exceptional fit, finish and performance. Visit your dealership or mopar.com UCONNECT.[®] With Uconnect, you're always connected-to people, places, music, movies and the Internet.

SIRIUSXM® SATELLITE RADIO!⁶ Over 130 channels, including commercial-free music, sports, news, talk, comedy and entertainment. Factory-installed SiriusXM Satellite Radio¹⁶ includes a one-year subscription. For more, go to siriusxm.com

RAM OUTFITTER is a collection of handpicked items bearing the Ram identity-from apparel to tools for work and play. It's all found at ramtrucks.com/outfitter

1 Based on IHS Automotive VIO registration data for all brands of GVW 1 - 3 pickup trucks continuously sold in the U.S. since 1988, Dodge and Ram have the highest overall percentage still on the road. 2 Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty. 3 Transferable. See your dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty. 4 Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty, See your dealer for a conv of this limited warranty. Excludes normal maintenance and wear items, 5 Based on Standard Pickup class, Manufacturer's estimated 29 highway mpg based on EcoDiesel HFE 4x2. Actual results may vary. 6 Based on latest available competitive information. Class based on light-duty pickups. 7 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully consistent with conditions. Always wear your seat belt. 8 Based on latest available competitive information. Class based on 250/2500 and 350/3500 pickups. 9 Based on latest available competitive information. Class based on 250/2500 pickups. 10 Based on Class 3 - 5 pickup-based conventional cab chassis. 11 Based on Class 4 - 5 pickup-based conventional cab chassis. 12 Based on latest available competitive information. Class is Small Commercial Van segment, 13 Based on latest available competitive information. Class is based on Large Commercial Van segment (Class 2). 14 Requires a mobile phone equipped with the Bluetooth Hands-Free Profile. Visit UconnectPhone.com for system and device compatibility, 15 Uconnect Access is available only on equipped vehicles purchased within the 50 United States. Services can only be used where cellular coverage is available, see coverage map for details. For a complete list of Uconnect Access services, please visit driveuconnect.com/features/uconnect access/packages. Vehicle must be registered for Uconnect Access and fulfill minimum subscription requirements. 16 SiriusXM subscriptions for audio and data services are sold by SiriusXM to follow your trial subscription. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel, you must call SiriusXM at 1-866-635-2349. See the SiriusXM Customer Agreement for complete terms and more information at siriusxm.com. All fees and programming subject to change. Your equipment and features for SiriusXM services will vary depending upon the vehicle you select and may be limited in select markets. 17 Voice Text Reply and Voice Texting features require a compatible mobile device enabled with Bluetooth Message Access Profile (MAP). iPhone and some other smartphones do not currently support Bluetooth MAP. Visit UconnectPhone.com for system and device compatibility. Ensure MAP is ON and incoming message notification is enabled. Vehicle must be registered for Uconnect Access and you must fulfill minimum subscription requirements. Also requires the use of a compatible smartphone that supports text messaging and Bluetooth. Visit UconnectPhone.com for system and device compatibility. 18 The Advanced Front Air Bags in this vehicle are certified to the new U.S. Federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. 19 Always look before proceeding, electronic drive aid is not a substitute for conscientious driving; always be aware of your surroundings. 20 Wi-Fi subscription required. This feature is not intended for use by the driver while the vehicle is in motion. Always drive carefully, 21 Efficiency based on best-in-class payload, cargo capacity and fuel efficiency on Ram ProMaster City. Class is Small Commercial Van segment. 22 ON THE JOB is a retail incentive program; see your dealer for official rules. Inquire about eligibility by calling 677-ONTHEJOB or by logging on to fcaworkvehiclesus.com. The purchaser or lessee must be a qualified commercial customer for more than 30 days prior to the date of the vehicle purchase. An official ON THE JOB Customer Acknowledgment Form must be signed by the customer (provided by the dealer).

©2017 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Mopar, the Ram's Head logo, AllSecure, Big Horn, BusineszLink'& design, HEMI, Laramie, Laramie Lengharn, Mega Cab, Mopar Vehicle Protection, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Ram 1500 Express, RamBox, Ram Articulink, Ram ProMaster, City, Ram Work Grade, Rebel, Sentry Key, Snow Chief, Tigershark, TorqueFilie, Tradesman and Uconnect are registered trademarks, and Active-Level. HFE High Fuel Efficiency & Design, Keyless Enter 'n Go and On The Job & design are trademarks of FCA US LLC. Chrysler Capital is a registered trademark of FCA US LLC and licensed to Santander Consumer USA Inc. MultiAri sa registered trademark of C.R.F. Societt Conscriber et Actioni, used under license by FCA US LLC.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. iPhone and iPod are registered trademarks of Apple Inc. Bosch is a registered trademark of Robert Bosch GmbH. Cummins is a registered trademark of Lommins, Inc. AISII is a registered trademark of AiSI Selik Co., Ltd. WANI is a registered trademark of Warn Industries, Inc. Mossy Oak is a registered trademark of Hazo Utdoors, Inc. CMH, Case IH and New Holland are registered trademarks of CMH America LLC. Densölass? He color GOLD and the Georgia-Pacific logo are trademarks of Naved by or licensed to Georgia-Pacific Gypsum LLC. Bisletein is a registered trademark of August-Bilstein GmbH & Co. Strius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. Paramount Farms and logo are registered trademarks of Paramount Farms International LLC. Katerack is a registered trademark of Dejana Truck & Uiltity Equipment Co. All rights reserved. Green Car of the Year is a trademark of Tarem Car Untral and RJ Cogan Speciality Publications Group. Inc.

About this brachure: since the time of printing, some of the information you'll find in this brachure may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this brachure may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.