# INCENTIVES AND SUPPORT FOR YOUR BUSINESS NEEDS.



# THE DEALER NETWORK FOR YOUR BUSINESS.

Your BusinessLink dealer is committed to providing you, the small business owner, with the vehicle support you need for your business, from servicing all makes and models of your existing vehicles to selling you the

right vehicles needed to perform the work that you do. Your BusinessLink dealer provides priority service because we know downtime is costing you money. Your BusinessLink dealer has sales professionals trained to properly "job-rate" the right vehicle for your work application along with providing commercial finance options. New vehicle sales to qualified small business owners also include a free alternate transportation contract, in the event your vehicle is in for service.

Membership in the **BusinessLink** program is free. Membership helps us to identify you as a small business owner so we can provide you with both the service you deserve and update you with offers that can help reduce the cost of doing business. Ask your **Business**Link dealer to register today.

BusinessLink has you covered:

- ▶ Full Range of FCA Commercial Vehicles
- ▶ Free Membership
- ▶ Priority Service
- ▶ Dedicated Staff of Commercial **Vehicle Experts**
- ▶ Extended Service Hours
- ▶ Free Alternate Transportation ▶ Generous Incentives
- ▶ Expertise in Commercial **Financing Options**
- ▶ 24/7 Towing Service Available

For more information, log on to

FCAUSFLEET.COM or call us toll-free at 877-2THELINK (877-284-3546).

JOB INCENTIVES FOR SMALL BUSINESSES.
Running a business presents plenty of challenges—like cutting costs, not corners; like saving time and money and eliminating hassles. The ON THE JOB23 commercial incentive program provides assistance in customizing and servicing your business vehicles.

ON THE JOB<sup>23</sup> allowances make your business more profitable!

- NO-EXTRA-CHARGE. 2-Year Gas/4-Year Diesel Lube-Oil-Filter Allowance
- ▶ UP TO \$1,000. Commercial Graphics Program Allowances
- ▶ UP TO \$1,000. Commercial Equipment/Upfit Allowances
- ▶ \$300-\$1,000. Allowance on Select Mopar® Service Contracts

See your dealer for specific program rules and details, log on to FCAUSFLEET.COM or call us toll-free at 877-ONTHEJOB (877-668-4356).



CHRYSLER A commercial line of credit from Chrysler Capital is ideal for qualified business customers looking for a flexible, easy way to manage growing vehicle needs. Chrysler Capital streamlines the process—and, with

prequalification, you're ready to buy a vehicle when you need it. Ask your BusinessLink dealer for details.





RAM IS A REGISTERED TRADEMARK OF FCA US LLC.





FROM HEAVY INDUSTRY TO SERIOUS RECREATION,
THIS WORKFORCE STANDS READY TO SERVE.
WITH POWERTRAINS EAGER TO TAKE ON TOUGH TOWING.
WITH VANS AND CHASSIS CABS DESIGNED FOR THE UPFIT.
ABOVE ALL, WITH UNIMPEACHABLE QUALITY.

Here's where long-term durability, proven capability and a focus on fuelefficient performance are all at the top of the game. It's where occupant comfort rivals the luxury vehicles found in the private sector. And, increasingly, it's where engineering, communications and telematics rank among the best—keeping you connected every moment.

Simply said, we know what works. It's the phenomenal PTO capability designed into our Chassis Cabs. It's the innovative suspension technologies on our pickups and vans. And from the get-go, it all ranks as commercial-grade: from big Chassis Cabs to the city-friendly Ram ProMaster City® Tradesman® models, the Ram Commercial workforce stands out—and frequently stands above.

The Ram Commercial portfolio shows how genius and strength can accomplish formidable towing tasks while delivering outstanding fuel economy figures—from the toughest industrial and commercial assignments to the most challenging personal and recreational demands. For more, visit us at RAMTRUCKS.COM/COMMERCIAL

# RAM QUALITY: EXCEPTIONAL WARRANTIES.

The power that propels your Ram means you'll get the job done with ironclad reliability. Whether you're moving people or steel, Ram delivers like no other.

All diesel powertrains feature a 5-Year/100,000-Mile Powertrain Limited Warranty? Gas-driven powertrains offer a 5-Year/60,000-Mile Powertrain Limited Warranty.3

Quality is built in. Every vehicle in this portfolio backs you with our comprehensive 3-Year/36,000-Mile Bumper-to-Bumper Warranty.4

INTRODUCTION	2 - 3
RAM: AN OVERVIEW	4 – 7
POWERTRAINS	8 - 11
RAM 1500 LIGHT-DUTY PICKUPS	
WHEELS	12 - 13
BUYER'S GUIDE	14 – 19
TRAILER WEIGHTS AND PAYLOADS	20 - 21
RAM 2500/3500 HEAVY DUTY PICKUPS	
WHEELS	24 - 25
BUYER'S GUIDE	26 - 33
TRAILER WEIGHTS AND PAYLOADS	34 - 35
RAM 3500/4500/5500 CHASSIS CABS	
WHEELS	36 - 37
BUYER'S GUIDE	38 - 43
TRAILER WEIGHTS AND PAYLOADS	44 - 45
RAM PROMASTER® VANS/CUTAWAYS/CHASSIS CABS	
DIMENSIONS AND WHEELS	46
BUYER'S GUIDE	47 – 49
TRAILER WEIGHTS AND PAYLOADS	49
RAM PROMASTER CITY®	
WHEELS	50
BUYER'S GUIDE	51 - 52
TRAILER WEIGHTS AND PAYLOADS	53
RAM COMMERCIAL PORTFOLIO	
CONFIGURATIONS	54 - 55
EXTERIOR PAINT COLORS	56 - 57
INTERIOR SEAT FABRICS	58
SUPPORT FOR YOUR BUSINESS	
UPFITS/BODY BUILDERS/RESOURCES	59
BUSINESS <i>LINK</i> /ON THE JOB/CHRYSLER CAPITAL	60

<sup>\*</sup>A note about this brochure: all disclaimers and disclosures can be found on the last page.

POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES

# **LIGHT-DUTY PICKUPS**

A Ram pickup was built to go where the work is: from deep-country farms and sprawling ranches to gritty urban industrial parks and manicured landscaping sites—and everywhere in between.

One full-size pickup steps up where others step back. Ram 1500, with its no-nonsense attitude and serious can-do muscle, delivers what counts. Like the award-winning power that comes from the EcoDiesel V6, Pentastar® V6 and legendary HEMI® V8. Like the class-exclusive<sup>5</sup> available Active-Level<sup>TM</sup> Four-Corner Air Suspension System and the class-exclusive<sup>5</sup> available RamBox® Cargo Management System. Upshot? You've got the light-duty worker ready for the toughest tasks.

Properly secure all cargo

### **SELECT RAM 1500 HIGHLIGHTS**

OVERVIEW

- THE CLASS-EXCLUSIVE<sup>5</sup> RAMBOX CARGO MANAGEMENT SYSTEM. Pioneered by Ram 1500, the available system includes two large, illuminated and drainable side bins, a cargo extender/divider, side rails with adjustable tie-down cleats and invaluable rear cargo bed illumination.
- THE TORQUEFLITE® 8-SPEED AUTOMATIC TRANSMISSION. Ram 1500 makes it happen in ways most others don't. Case in point: Ram 1500 pioneered the TorqueFlite 8-speed automatic with its innovative dashboard-mounted Rotary Shifter and invaluable thermal management system.
- POWERFUL AND EFFICIENT 4x4 CAPABILITY. With the Pentastar V6, HEMI V8 and EcoDiesel V6
  mated to the TorqueFlite 8-speed automatic, you're looking at impressive and efficient
  power backed with available 4x4 capability for tough jobs and tough terrains.
- THE AVAILABLE CLASS-EXCLUSIVE<sup>5</sup> ACTIVE-LEVEL FOUR-CORNER AIR SUSPENSION SYSTEM can replace the resilient and comfortable (and class-exclusive<sup>5</sup>) multilink coil spring suspension. Operator-controlled with five operating modes, automatic load-leveling and lower entry/exit heights.
- INTERIORS THAT EMPLOY BRILLIANT ELECTRICAL ARCHITECTURE give you technology that dazzles. The available full-color Driver Information Display relays tons of real-time vehicle/mechanical data about engine and vehicle condition, towing and much more.
- A DASHBOARD-MOUNTED SWITCHBANK offers fingertip control of the standard Electronic Stability Control (ESC)<sup>6</sup> system, the Tow/Haul Mode and the available Active-Level Four-Corner Air Suspension System (if equipped). Additional switches handle more optional equipment.

# **HEAVY-DUTY PICKUPS**

Heavy-duty jobs demand heavy-duty support. Ram Heavy Duty has it, with impressive class-exclusive advantages that get the job done.

Start with best-in-class<sup>7</sup> gas horsepower from the available 6.4L HEMI® V8; factor in best-in-class<sup>8</sup> gas towing\* with the same 6.4L HEMI V8 on Ram 2500, and top it off with best-in-class<sup>7</sup> 930 lb-ft of diesel torque and best-in-class<sup>7</sup> 30,000-lb\* 5th-wheel towing available for Ram 3500. Now factor in the class-exclusive<sup>7</sup> available Auto-Level Rear Air Suspension System for both models, and you've got the ideal comfort and control advantages for towing and payload capability. Fact: few pickups measure up to the standards set by a 2018 Ram Heavy Duty.

## SELECT RAM 2500/3500 HEAVY DUTY HIGHLIGHTS

- EXCEPTIONAL CAPABILITY, MEASURED BY MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs). Robust strength for the job is part of the Ram Heavy Duty package. The max GCWRs of the 2018 Ram Heavy Duty models equipped with the available 6.7-liter Cummins® Turbo Diesel ensure confidence and capability on the job—transforming exceptional ratings into pure capability: GCWR for Ram 2500 is up to 25,300 lb\*; for Ram 3500 it's up to 39,100 lb.\*
- UNCOMPROMISING TOWING FOR GAS AND DIESEL ENGINES. For beyond-confident pulling and hauling, know this: Ram Heavy Duty pickups don't back down. Towing capability in a Ram 3500 powered by the available 6.4L HEMI V8 is up to 16,480 lb\*; and with the available 6.7L Cummins High Output in Ram 3500, max towing vaults to a jaw-dropping 31,210 lb\*.
- IMPRESSIVE MAXIMUM GROSS VEHICLE WEIGHT RATINGS (GWWRs). Ram 2500 and 3500 pickups deliver serious GVWRs: up to 10,000 lb\* for Ram 2500 and up to 14,000 lb\* for Ram 3500.
- EFFICIENT GAS POWER. The available 6.4L HEMI V8 generates 410 hp and 429 lb-ft of torque—and features the gas-sipping Multi-Displacement System (MDS)/Fuel Saver Technology.

## FOR THE AVAILABLE CUMMINS TURBO DIESEL

• THE THREE SEPARATE POWER RATINGS max out with the HIGH OUTPUT CALIBRATION CHURNING OUT 385 HP backed by an incredible and BEST-IN-CLASS? 930 LB-FT OF AVAILABLE DIESEL TORQUE when mated to the AISIN® Heavy-Duty 6-speed automatic on Ram 3500. Every Cummins iteration features a CLASS-EXCLUSIVE? "SMART" DIESEL EXHAUST BRAKE.

OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES **7** 

# **CHASSIS CABS**

Ram Chassis Cabs bring upfit versatility to benchmark levels, with pickup-based Chassis Cabs offering available left- or right-side Power Take-Off (PTO) and best-in-class<sup>9,10</sup> available dual fuel tank capacity.

Power is exceptional. The standard 6.4L HEMI® V8 on pickup-based models delivers 370 hp (410 hp\*) on 3500, 366 hp on 4500/5500 models, with 429 lb-ft of torque across the board. Max GVWRs: up to 14,000 lb† on Ram 3500 DRW, up to 16,500 lb† on 4500 and up to 19,500† on Ram 5500—with an available heavy-duty front suspension for 4500/5500. On the Ram ProMaster® Cutaways/Chassis Cabs, ultra-low frame height sets these workers apart.



# SELECT RAM AND RAM PROMASTER CHASSIS CAB HIGHLIGHTS

- Ram 4500/5500 Chassis Cab models come to work with top-notch capability. SERIOUSLY
  IMPRESSIVE MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs) give you ample latitude for upfits.
- BEST-IN-CLASS® FRONT GROSS AXLE WEIGHT RATINGS (GAWRs) WITH THE 6.4L HEMI V8 make the Ram 4500/5500 Chassis Cabs ideal candidates for heavy-duty front-mounted attachments—and the go-to choice for snowplows.
- When equipped with the available Cummins® High Output Turbo Diesel, Ram Chassis Cab models deliver ALL THE DIESEL TORQUE YOU NEED. Cummins advantages include available B20 capability and a state-of-the-art Diesel Exhaust Fluid (DEF) system.
- Standard on every 2018 Chassis Cab, the ELECTRONIC STABILITY CONTROL (ESC)<sup>6</sup> SYSTEM is an
  invaluable advantage for exceptional maneuvering, road manners and trailering control.
- ULTRA-CAPABLE AVAILABLE MAX DUAL ALTERNATOR OUTPUT. Put a total of 440 amps at your service, from a Ram Chassis Cab equipped with the Cummins Turbo Diesel.
- The RAM PROMASTER CHASSIS CAB MODELS substantially broaden the overall versatility of the Ram
  portfolio, with two cab-to-axle lengths, two wheelbases and three frame lengths, topped
  off by an impressive Gross Vehicle Weight Rating. Frame height makes these models
  ideal for applications that require frequent stops and loading. As low as 24.4 inches from
  the ground, it's custom-made for landscaping services or the transport of items like ATVs.

# CARGO VANS AND WAGONS

Our family of commercial-grade vehicles grew exponentially when we added the Ram ProMaster® models; it was further beefed up with the upfit-welcoming Ram ProMaster City® Cargo Van models.

The Ram ProMaster and ProMaster City models stand out with distinction. Ram ProMaster Cargo Van offers three wheelbases, multiple floor lengths, two roof heights and numerous best-in-class features. Ram ProMaster City Tradesman® Cargo Van and Passenger Wagon—right-sized for cities and suburbs—rank as best-in-class¹¹ in all the right areas: payload, cargo capacity and GVWR (on Cargo Van)—and every model rides on a class-exclusive¹¹ bi-link rear suspension.

# SELECT RAM PROMASTER AND RAM PROMASTER CITY HIGHLIGHTS

- Ram ProMaster Cargo Van models lead the competition with all the right BEST-IN-CLASS¹² FEATURES. Among them: widest width between wheel wells, smallest turning diameter (on the short-wheelbase model) and the lowest load floor height. To that, add the CLASS-EXCLUSIVE¹² FRONT-WHEEL DRIVE that ensures smart handling—especially in adverse weather.
- Ram ProMaster Cargo Van offers a world-class and long-proven engine that stands out for the power you need: the standard 3.6L PENTASTAR® V6 MATED TO THE 6-SPEED AUTOMATIC CHURNS OUT BEST-IN-CLASS¹² STANDARD V6 280 HORSEPOWER, backed with 260 lb-ft of ready-to-work torque.
- NOTABLE RETAINED VALUE. Competitive comparisons to the Ford, Chevy and Nissan vehicles in the segment show outstanding retained value for Ram ProMaster City.
- THE RAM PROMASTER CITY MODELS come to work with a CLASS-EXCLUSIVE" 9-SPEED AUTOMATIC TRANSMISSION. Factor in the 2.4L TIGERSHARK\* MULTIAIR\*2 INLINE FOUR-CYLINDER, and you're looking at BEST-IN-CLASS" HORSEPOWER AND TORQUE. And when you can go from zero-to-30 mph in a mere 3.7 seconds, you've got the perfect vehicle for rapid merging into city traffic.
- THE 2018 RAM PROMASTER CITY MODELS offer the numbers you're looking for. Load capacity, interior space and overall capability all rank among the best, with Cargo Van supplying enough interior volume and wide rear door openings to allow a standard loaded pallet. Towing on Cargo Van models reaches a super-competent (and unsurpassed<sup>11</sup>) 2,000 lb.\*

# **GAS POWERTRAINS**



# RAM PROMASTER CITY®

THE 2.4L TIGERSHARK® MULTIAIR®2 I-4: I78 HP / I74 LB-FT Powerful and light, the four-cylinder 2.4L MultiAir2 features a host of smart components and enhancements for combustion control, maximum fuel efficiency and reduced exhaust emissions. With its 10:1 compression ratio, individual piston oil squirters, preciousmetal spark plugs and refined oil life monitoring system providing recommended oil change data, the 2.4L MultiAir2 easily meets the everyday tasks required from ProMaster City Cargo Van and Wagon.



# **RAM 1500**

THE 3.6L PENTASTAR® V6: 305 HP / 269 LB-FT

As standard powerplant on select Ram 1500 pickups, the awardwinning Pentastar V6 delivers up to 25 mpg highway\* working with its standard partner, the innovative TorqueFlite® 8-speed automatic transmission. Count on built-in V6 efficiencies, V8-equivalent performance and tough available 4x4 capability.



# RAM PROMASTER® VAN/CHASSIS CAB/CUTAWAY

THE 3.6L PENTASTAR V6: 280 HP / 260 LB-FT

The impressive and award-winning Pentastar V6 is the standard engine for the 2018 Ram ProMaster models. Light and efficient, with outstanding horsepower and torque, Electronic Throttle Control and a serious compression ratio of 10.2:1.



THE 5.7L HEMI® V8 WITH MDS/FUEL SAVER TECHNOLOGY: 395 HP / 410 LB-FT



The resilient HEMI V8 for Ram 1500 reflects its legendary heritage-but it's really the engineering that frequently makes this the engine of choice.

Smart refinements to get the most from every drop of fuel include dual spark plug technology and Variable Valve Timing (VVT); both contribute to outstanding engine efficiency and torque levels. The Multi-Displacement System (MDS)/Fuel Saver Technology

transforms this tough V8 into a fuel-efficient 4-cylinder under many driving conditions. Available for Ram 1500 pickups.



# RAM 2500/3500

THE 5.7L HEMI® V8 WITH VVT: 383 HP / 400 LB-FT



This iteration of the 5.7L HEMI V8 utilizes Variable Valve Timing (VVT), technology that optimizes engine breathing. Since a major function of VVT

is to increase torque, output with VVT is measurably better than that of comparable engines without it. VVT also gives these tough Ram models notable gas-powered towing strength. Standard on select Ram 2500/3500 SRW pickups.



## RAM 2500/3500

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 410 HP / 429 LB-FT



This engineering combines the best: VVT, MDS/ Fuel Saver Technology, Individual Cylinder Fuel Fuel Saver recilifology, find the Control and interactive Deceleration Fuel Shut-

Off (iDFSO). Put it all together, and this available engine for Ram Heavy Duty pickups delivers bottom-line strength, proven efficiency and the confidence to take on the toughest jobs.




## RAM 3500/4500/5500 CHASSIS CAB

THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 370 HP (410 HP\*) / 429 LB-FT (3500); 366 HP / 429 LB-FT (4500/5500)

The standard engine for all Ram Chassis Cab models provides outstanding gas-powered V8 performance with 87-octane unleaded gas.

Mate the 6.4L HEMI V8 with the available AISIN® transmission, and you've got stellar available PTO capability that efficiently uses only four of its cylinders (static). Configurations: 3500 models mate the 6.4L HEMI V8 with the 66RFE 6-speed automatic, with the AISIN AS66RC available for increased payload and towing capability; Ram 4500/5500 models mate it solely to the AISIN transmission.



It's exactly what business needs. Engineered for the 5.7L HEMI V8 on Ram 1500 and the 6.4L HEMI V8 on Heavy Duty and 3500 Chassis Cab with the 66RFE automatic, the Multi-Displacement System supplies a tough 8-cylinder for the job-and then seamlessly transforms the engine into a smooth and efficient 4-cylinder for the highway. Using available PTO on a 6.4L HEMI V8/AISIN powered 3500/4500/5500 Chassis Cab? The MDS even operates in the stationary (static) mode.



## A TRANSMISSION FOR EVERY NEED: THE GAS-DRIVEN PORTFOLIO.

THE 948TE 9-SPEED AUTOMATIC. It's the ideal engineering to propel the efficient Ram ProMaster City models. The wide 9.79 ratio spread and 4.70:1 first-gear launch ratio ensure quick takeoffs, while on the opposite end, the smooth 7th - 9th gear transitions help enhance fuel efficiency. Standard on 2018 Ram ProMaster City Tradesman® Cargo Van and Passenger Wagon.

THE 8HP45 TORQUEFLITE 8-SPEED AUTOMATIC. Compact, durable and efficient: the 8HP45 8-speed features adaptive shifting, filled-for-life fluid, a sophisticated thermal management system and the intuitive dashboard-mounted Rotary Shifter. Standard with the 3.6L Pentastar V6 on Ram 1500 only.

THE 8HP70 TORQUEFLITE 8-SPEED AUTOMATIC. This larger, more robust version of the 8HP45 8-speed offers all of the features described above, but with the resilience that can handle 5.7L HEMI V8 power. It's a very real contributor to the impressive Ram 1500 fuel efficiency figures. This transmission also features the dashboard-mounted Rotary Shifter. Packaged on Ram 1500 with the 5.7L HEMI V8.

THE 66RFE 6-SPEED AUTOMATIC. Electronic Range Select (ERS) facilitates heavy towing and payload assignments, with an added sixth gear that contributes a crisp and efficient 0.63:1 gear ratio; the muscular Reverse gear ratio of 4.44:1 is ideal when moving larger trailers. Standard with the HEMI V8 on Ram 2500 and 3500 pickups and on Ram 3500 Chassis Cab.

THE 62TE 6-SPEED AUTOMATIC. Mated to the 3.6L Pentastar® V6 and refined for commercial demands. this long-proven component ensures effortless and economical shifting. Engine speeds change less with each shift, contributing to fuel efficiency. Standard on Ram ProMaster®

THE AISIN ASSERC HEAVY-DUTY 6-SPEED AUTOMATIC. Developed with our colleagues at AISIN, it was specifically sized, packaged and calibrated to accommodate the output and relating axle ratios of its partner—the 6.4-liter HEMI V8 engine for Ram 3500 Chassis Cab (as available transmission) and 4500/5500 Chassis Cab models (as standard transmission). On Ram Chassis Cabs, the AS66RC provides prodigious available PTO capability-which includes available dual-sided configurability (with the left side capable of hydraulic or higher-output functions); impressive output (measured at 60 hp and 250 lb-ft of torque); and super-efficient operation when paired with the 6.4L HEMI V8 (by operating static PTO functions using only four of the engine's eight cylinders).

OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 11

# DIESEL POWERTRAINS





# RAM 2500/3500

6.7L CUMMINS® TURBO DIESEL: 350 HP / 660 LB-FT

The Cummins Turbo Diesel for Ram Heavy Duty pickups is available in three separate calibrations. **All feature the class-exclusive<sup>7</sup>** "smart" diesel exhaust brake for improved braking and control, especially on downhill grades. The 350 hp / 660 lb-ft version of the Cummins Turbo Diesel churns out stunning torque and ample horsepower; the powertrain configuration mates it only to the class-exclusive<sup>7</sup> 6-speed manual transmission. Available for Ram 2500/3500 pickups.

## RAM 2500/3500

6.7L CUMMINS TURBO DIESEL: 370 HP / 800 LB-FT

This calibration translates into radically high torque output, giving Ram Heavy Duty models extra clout for the job. Like all Cummins engines, it features the "smart" diesel exhaust brake and offers **superb unaided cold-start capability in temperatures as low as -20° F.** The 370 hp / 800 lb-ft calibration is partnered with the dependable 68RFE 6-speed automatic transmission. Availability is solely on Ram 2500/3500 Heavy Duty pickups.

## **RAM 3500**

**6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 385 HP / 930 LB-FT**The available High Output (HO) calibration is mated only to the AISIN®
6-speed automatic. With its **best-in-class**<sup>7</sup> **available diesel torque of 930 lb-ft**, the Cummins HO gives Ram 3500 pickup models indisputable superiority for your high-end towing and hauling assignments. All Cummins Turbo Diesels meet stringent Federal emissions standards with an ingenious Diesel Exhaust Fluid (DEF) system. This Cummins calibration is available only on Ram 3500 pickups.



## **RAM 1500**

3.0L ECODIESEL V6: 240 HP / 420 LB-FT

This award-winning component is part of an arsenal of groundbreaking powerplants. The available 3.0-liter EcoDiesel V6 engine provides exceptional performance; it features breakthrough technology like a standard oil cooler that helps achieve time- and money-saving **oil change intervals up to 10,000 miles.** Available for Ram 1500 pickups.





# RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS® TURBO DIESEL: 320 HP / 650 LB-FT

Two formidable Cummins Turbo Diesel calibrations serve the Ram Chassis Cab portfolio, with the 320 hp / 650 lb-ft iteration mated to the class-exclusive<sup>9,10</sup> G56 6-speed manual transmission. Assets are extensive and include the "smart" diesel exhaust brake and a state-of-the-art (and fully compliant) DEF system. **Unaided cold-start capability measures as low as an Antarctic –20° F.** Available for all Ram Chassis Cabs.

# RAM 3500/4500/5500 CHASSIS CAB

**6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 325 HP / 750 LB-FT** Significant advantages come with the available Cummins High Output Turbo Diesel—starting with **available torque of 750 lb-ft.** The 325 hp / 750 lb-ft Cummins is partnered solely to the single transmission meant to handle this level of output over the long term: the AISIN® AS69RC 6-speed automatic, with its **Chassis Cab-friendly available Power Take-off (PTO) capability.** This Cummins iteration is available for all Ram Chassis Cabs.

## A TRANSMISSION FOR EVERY NEED: THE DIESEL-DRIVEN FAMILY.

**THE G56 6-SPEED MANUAL.** This class-exclusive<sup>7,9,10</sup> component features engineering designed to handle the incredible output of the Cummins Turbo Diesel engine on a daily basis. The G56 features an **ultra-low first-gear ratio to facilitate heavy hauling/payload/towing** requirements; it's also designed for convenient Power Take-Off (PTO) access, simplifying upfits on Ram Chassis Cab models. Available on Cummins equipped Ram pickups and Chassis Cab models.

**THE 68RFE 6-SPEED AUTOMATIC.** This component employs Electronic Range Select (ERS), transmission technology that ensures **phenomenal towing control**. Designed to capably handle the 800 lb-ft of torque generated by the Cummins, the 68RFE features a beyond-tough torque converter to manage that output. Available with the 6.7L Cummins on Ram 2500/3500 pickups.

**THE ZF 8HP70 8-SPEED AUTOMATIC: RAM I500.** The available 3.0L EcoDiesel V6 in Ram 1500 gives you a unique standard powertrain partner: the innovative and pioneering TorqueFlite® 8-speed automatic transmission, for **an outstanding combination of power and fuel efficiency**.

THE AISIN AS69RC 6-SPEED HEAVY-DUTY AUTOMATIC: RAM 3500 PICKUP. The engineering behind the world-class AISIN is all about teamwork with the Cummins High Output and the transmission's capability to handle the remarkable best-in-class? 930 lb-ft of available diesel torque of that Cummins calibration. AISIN AS69RC business-specific advantages include a shift control system with its seamless shifting algorithm, an industrial-grade case and wide overall gear ratios. The groundwork behind the engineering also delivers a geartrain with three efficient clutches and two brakes; braking response rivals that of a manual. Available only on Ram 3500 pickups with the available 6.7L Cummins High Output Turbo Diesel (385 hp / 930 lb-ft of max torque).

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM CHASSIS CABS. The AISIN Heavy-Duty automatic was engineered to handle Cummins torque—but the component also enhances available PTO capability; think impressive levels of on-the-job versatility. When paired with the 325 hp / 750 lb-ft Cummins, the AISIN gives Ram Chassis Cabs left- or right-side PTO capability, ease-of-installation and convenient access. Left-side capability can handle hydraulic and high-output applications; there's even packaging space for aftermarket units. Further PTO advantages include 60 horsepower and 250 lb-ft of torque (both static and mobile), while split-shaft capability enables multiple PTO usages.

# **RAM 1500**

Properly secure all cargo.



17-inch Argent Steel Wheel Standard on Tradesman (WFP)



17-inch Painted Aluminum Wheel Standard on Express Optional on Tradesman (WFE)



17-inch Chrome-Clad **Aluminum Wheel** Optional on Big Horn®/ Lone Star\* and Laramie Packaged with Harvest Edition (WFJ)



17-inch Aluminum Wheel with Matte **Black Pockets** Standard on Rebel® (WFK)



17-inch Matte Black Aluminum Wheel Packaged with Black Rebel Group (WFF)



20-inch Aluminum Wheel Standard on Tradesman® HFE Optional on Harvest Edition (WHE)



20-inch Chrome-Clad Aluminum Wheel Optional on Express (WR2)



20-inch Semi-Gloss **Black Painted** Aluminum Wheel Packaged with Black Express Group and Black Appearance Group; Optional on Harvest Edition (WHN)



20-inch Chrome-Clad Aluminum Wheel Standard on Big Horn®/ Lone Star\* (WHK)



20-inch Polished Aluminum Wheel Standard on Sport (WRF)



20-inch Semi-Gloss 20-inch Chrome-Clad Black Painted Aluminum Wheel Standard on Night Optional on Sport (WRL)



Aluminum Wheel Standard on Laramie (WRG)



20-inch Aluminum Wheel with Polished Face and **Accent-Color Inserts** Standard on Laramie Longhorn® with Two-Tone Paint

(WRN)



20-inch Aluminum Wheel with Polished Face and Silver Inserts Standard on Laramie Longhorn with Monotone Paint

(WRJ)



20-inch Polished Aluminum Wheel Packaged with Lone Star Silver Edition\* (WRT)



20-inch Polished **Aluminum Wheel with** Mineral Gray Inserts Standard on Limited (WRA)



20-inch Aluminum Wheel Painted Satin Carbon with **Mineral Gray** Inserts Packaged with Limited



Tungsten Package (WSW) (WPZ)



22-inch Polished Forged Aluminum Standard on 4x2 Regular Cab Sport Optional on 4x2 Crew Cab Sport



22-inch Black Painted Forged Aluminum Wheel Optional on 4x2 Regular Cab, Crew Cab Sport and Night

(WPV)

14	OVERVIEW	POWERTRAINS	1500 25	00		350	0		3500	O CC		4	1500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PA	INT		FA	BRICS		RES	OURCES	
В	018 RAM 1 Uyer's gu	500 PICKUP IDE		SALES CODE TRADESMAN®	_	ш	BIG HOKM "/LUNE STAR" REG/QUAD/CREW HARVEST EDITION	338	SPORT REG/QUAD/GREW	■ NIGHT REG/QUAD/CREW ■ REBEI ® CREW	-	CREW	- UMITED CREW	GPOS PACKAGE					REG/QUAD/GREW TRADESMAN HFE QUAD	四	SS BIG HORN®/LONE STAR* REG/QUAD/CREW HARVEST EDITION	395	8	MIGHT REG/QUAD/CREW ■ REBEL® CREW		CREW  LIMITED CREW
E	NGINES / TR	ANSMISSIONS												EXTERIO	OR FEATURE	S (continued	)									
			/ OURAS O	ERB/								L			nt and rear. in Black		,	MB1/								
3.61	L Pentastar® Fiex Fuei 24	IV Variable Valve Timing (VVT) V6	/ 8HP45 8-Speed automatic	DFL	_			•	•	* (4x	4)		_	DUMPENS — FIUI	IL AIIU TEAT, III DIACK			MBN								
5.71	L HEMI® V8 with VVT and	Fuel Saver Technology / 8HP70 8	-speed automatic	EZH/ DFK/ O DFD	-	0	0 0	0	•/0	•/0 (4x 0 (4x	2) 0		•		ar, in Black powder-coate ar, in painted body-color	ed (included with Black Appe	earance Group)	MCS/ MB5 MBA/ MBC	-   -	-			-	- ·	-	
3.01	L EcoDiesel V6 / 8HP70 8	-speed automatic		EXF/ DFD 0	•	-	0 0	0	0	-   -	. 0	0	0	– Front and re	ar, in painted lower acce	nt-color		MBU/ MBV	-   -	-		-   -	-		_	• -
M	IECHANICAL	FEATURES		טוט										– Front and re	ar. in Chrome (included v	with Chrome Appearance 6	Groun: included with	MCT/	_							
		Included with 8-speed automatic tr	ansmission	MOX P		Р	РР	Р	Р	Р –	. Р	Р	Р		int; included with Chrom		aroup, morauou arta	MBF	Р –	-	•	•	-		•	P P
_	ERNATOR - 160-amp			BAB •	-			•					•	— Rear, in body	/-color			MBQ -		٠		-   -	٠	• -	-	- •
=	180-amp (included with	V8 if Fleet Option Editor [fleet opti	on 4FM] is ordered)	BAD P	-	Р	P P	Р	Р	P P	P	P	P		- Black (included with lo			MNA	• •	٠	-	- P	-		-	
_	230-amp (included with	EcoDiesel V6)		BAM P	•	-	P P	P	P		P	P	P			arance Group or Limited T	Tungsten Package)	MNK -	-   -	-			•			- P
	E — 3.21 ratio (not avail			DMC •	-	•		•	٠	• 0/	• •		•		body-color bezel	OL MO		MNE -		— Р		• •	Р			• •
	3.55 ratio (included with 8-speed transmission)	EcoDiesel V6; not available with H	IEMI V8 with	DMD 0/F		0	O/P O/F	0/P	0/P	0 -	O/P	0/P	0/P		le rear (included with 3.6 Icluded with HEMI® V8 o	,		NER -	Р •	P	_	PP	P	P P	-	
	3.92 ratio (included with	Snort Renular Cah 4x2)		DMH O	_	n	0 0	0	O/P	0 •	n	n	n			th low-volume paint colors	6)	MCL			_	- Р			Г _	
_		(included with Sport Regular Cab	4x2)	DSA O	_	0	0 0	_	_	0 •	0		0		11.7	h Chrome Bumper Packagi	- /	MCM -		-			-		•	• P
_	TERY - 730-amp	(		BCN •	-	•		•	•				•	- Front full, bo	- \	omomo Bampor i aonagi		MBP -						• -	-	- •
Ξ	800-amp (included with	EcoDiesel V6)		BCF P	•	-	P P	Р	Р		P	P	P	FOG LAMPS				LNJ/								
		luded with Cold Weather Group if e	quipped with EcoDiesel V6	NHK O/F	P	-	0/P 0/F	0/P	O/P	0 0	O/P	0/P	O/P					LNV		_						
_		ty (included with HEMI V8)		NMC P	-	P	P P	Р	Р	P P	P	P	Р			(included with low-volume	paint colors) ir Black Appearance Group)	MFF -	• •	Р	- ·		-			_   -
_	Maximum-duty (package			NMX P	P	-	P P	Р	Р				P	- Black Rebel		TILLI BIACK EXPLESS PLOUP O	и віаск арреагансе білпр)	MFM -		P	r -				_	
	L TANK — 26-gallon (incl	uded with Ecoblesel V6) 8'-box model: not available with I	Coollineal VC or on Denular Co	NFW •	•	•	• •	•	•		•	P	Р			luded with Chrome Annea	rance Groun)	MFD	Р _	-	_	_	-		_	
		al on 6'4''- and 5'7''-box models		NFX 0/F	P -	0	0 0	0	0	0 0	0	•	•		urround. Black hex-link	пииси міні опгото яррон	rance areap)	MFT -					-		_	
	R BUMPER STEP EXTENSI		,	мрм –	-	- 1	- •	-	-1		-	-	-	- Sport RAM	arround, brack now min			MAW -	-   -	-		-   -			-	
SHO	ICK ABSORBERS - Front,	heavy-duty		SFB •	•	•		•	•	• -			•	- Chrome surr	ound, chrome billet-perf			MFH -		-			- 1		-	
=	Rear, heavy-duty			SGB •	•	•		•	•	• -			•	- Chrome surr	ound, chrome mesh inser	rt		MFZ -		-		•	-		-	
_	Front, Bilstein® Perform			SFC -	-	-		-	-	- •	-	ļ-	-		ound, chrome wave-perf			MF1 -		-		-   -	-		•	
	Rear, Bilstein Performan	CO		SGC -	-	-		-	-	- •	-	-	-	- Chrome RAM	•			MFJ -	-   -	-		-   -	-			• •
	BILIZER BAR — Front	equiar Cab 4x2 8'-box models: inc	studed with 2 CL VC on Depute	SHA •	•	•		•	•	• •	•	•	•		M (included with Limited	Tungsten Package)		MYV -		-			-		-	- P
		egular Gab 4x2 o -bux illuueis; illi ded with Sport Regular Cab 4x2)	SIUUEU WILII 3.0L VO UII NEYUIAI	SHF •	•	•		•	•		•		•		LAMPS — Automatic	ncluded in Convenience Gr	-oun)	LMG -	• •	•		• •	P	P -		• •
STE	ERING — Electronic rack a	nd pinion		SBA •	•	•		•	•		•		•			port blackout look, LED tur	17	LMM/					H.		•	
SUS	PENSION — Front, upper	and lower A-arms, coil springs, twi	n-tube shocks		•	•		•	•	• -		•	0		s (included with Limited		in running rights und	LAE	-   -	-		-   -		•	-	– P
_	Rear, five-link, coil sprin Active-Level™ Four-Corn	gs, twin-tube shocks er Air Suspension System: includes	in the front: upper and lower	•	•	•	• •	•	•	• -			0	— Quad-lens ha	alogen with incandescent	taillamps		LME/ LAG			•		-	-   -	-	-   -
	A-arms, air springs, and	twin-tube shocks; in the rear: five-	link, air springs, twin-tube	SER O	_	0	0 0	0	0	0 .	0	0				h incandescent taillamps	(included with Black	MFA/		Р	р.		- 1		_	
	shocks, air compressor, models only: not availab	dual closed-loop system storage ta le for Crew Cab 4x2 models with 6	INKS (Quad Gab® and Grew Ga '4'' hox)	b				-	-			-		Express Grou	ip or Black Appearance G	iroup)		LA6		L.	-		$\vdash$			
		tch receiver (incl. with Trailer-Tow		XFH/		O/P	• 0		0/P	0/P •		١.		— Premium bifi	unctional halogen project	tor with <b>LEO</b> turn/running I	ights	LMC/ LAD	-   -	-	-   -	-   -	-	-   -	•	
		` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	инного ана птаке атапф)	XF9 °	_		-							MIRRORS - Man	ual, Black, 6 x 9-inch (R	egular Cab models only)		GPU	• -	•	_	-   -	-		-	
_		part-time (4x4 models only)		DH9 •	-	•	- •		-	- •			-			nch (included with Popula	r Equipment Group or	GT6	р .	р					_	
	Electronic on-demand (4 ICH — Tire carrier	x4 models only)		DH8 -	-		• -		•	• -	_	_	•		emote Entry Group)	11-inch (included with Tr	roilor Tow Mirrors and	413		Ľ						
	XTERIOR FE	ATLIDEC		I BIMI •	•	•		•	•		•	•	•		ng trailer-tow, black, 7 x : Regular Cab models onl		railer-low mirrors and	GPD	Р —	P	-   -	-   -	-	-   -	-	-   -
		ATORES 1. included with RamBox® System a	and Luvury Group	LPL 0/F	D _	n/p		•	р	рр	0/P			– Power, heate	d, auto-dimming, power-l	folding, Black, 6 x 9-inch;	includes exterior courtesy	GUK -						_ P		
BED	RAILS — Chrome, tubula	r, for the sides of 5'7'' and 6'4'' of er or with 22-inch aluminum whee	cargo beds (not available with	MEB -	_		0 0		-	0 0	-		0			(included with Luxury Gro mming, body-color 6 x 9-i	-17	GT5 -		H						
_	ibux systeili, tullileau cuv ILINERS — Under-rail	ei of widi 22-ingh aluminum whee	18)	XME -	_	-	- 0	_			-	-	_		ps and supplemental turi			610		_				• -	_	
_	Spray-in			XMF 0			0 •		0			_	•	- Power trailer	r-tow, manual-folding, Bla ental turn sinnals (includ	ack, 7 x 11-inch; includes ded with Trailer-Tow Mirro	exterior courtesy lamps	GPG	р _	P	Р	р	P	РР		
_	T MOLDINGS — Chrome			MME -	-	-		-	-				•	available on	Regular Cab on Tradesm	ian or Express models)	ore and brake droup; NOT	ui u		[ '				<u> </u>		
BOD	IY MODELS — Regular Ca	b 6'4" box		61 0		0	0 -	-	0	0 -	-	-	_			nming, power-folding, chro		01/12								
_	Regular Cab 8' box			62 0	_		0 -		_	-   -		_	_			n signals; includes positio s: includes hody-color for	n memory for Laramie, Limited Tunosten Package	GU4 -	-   -	-	-	•	-	-   -	•	•
	Quad Cab 6'4" box			41 0		0	0 0		-	0 -	U	_	-		•	ed, auto-dimming, manual-										
	Crew Cab 5'7" box			98 0 91 0	_	0	0 0	_	0		_	0	0	7 x 11-inch,		xterior courtesy lamps and		GPC -	-   -	-		-   -	-	-   -	P	P P
	Crew Cab 6'4" box	me (optional with Monotone paint )	only on Laramie)	91 0 MJB —			0 0		-	U	. 0		0	signals (incl MUD FLAPS — Re		iiiuis and Brake Group)		MEG -		-	_	-	-			
_		nie (optional with Monotone paint Limited Tungsten Package)	uny dii Laranne)	MTG -	_	_		U -			. U		P	RUNNING BOARD	, .,			MRM -								• -
_	. Sugoros (monduou with	tou rungoton ruokaya)		miu											s — Accent-color included with Limited Tur	nosten Packane)		MRL -						0 -		- P/0
															similed I til	990/							,			170

16	OVERVIEW	POWERTRAINS	1500	2500			350	0		350	o cc			4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS		PAINT			FABRI	CS		RESOUI	ICES	17
BU	YER'S GUI Package	IOO PICKUP De (Contin	IUED)		SALES CODE TRADESMAN®		EXPRESS REG/QUA		OUAD/CREW		MIGHT R		LARAMIE LONGHORN®		CPOS PACKAGI				SALES CODE	TRADESMAN® REG/QUAD/CREW	TRADESMAN HFE QUAD	EXPRESS REG/QUAD/GREW  BIG HORN®/LONE STAR*	HARV	■ LONE STAR SILVER ■ EDITION* CREW ■ SPART RECAULAN/CREW	C NIGHT REG/QUAD/CREW		= LARAMIE® QUAD/GREW  → LARAMIE LONGHORN®	A LIMITED CREW
		TURES (conti														OR FEATURE												
		ngth, Chrome (included with th EcoDiesel V6 on Limited)			MRT -	-   -	-	-   -	-   -	-		-   -	- 0/	P		ll-size floor console (inclu ull-size floor with leather-		ts)	CUP	_	-	- P	P	P P	Р	•	P -	-
		(optional with Black Expres	,		MRU C	-	0	-	• -	0	0	0 -	-	_		un-size noor with leather- (included with Uconnect® !	- 11		CUN	_	-	P _	-			-		_
- Ti	ubular, wheel-to-wheel, c	hrome (included with V8 or	ı Limited)		MRA (	•	0	0	- •	0	0 -	- (	0 0	P		with Universal Garage Doo	,	uxury Group)	CV2	-	-	- •				Р		•
_		n, 4x4 only (included with l			XEU F		-	Р	• P	-		P F	P			- Front / rear carpeted (in	, ,	,	CLA/	Р	_							_
	, , ,	ncluded with Protection Gro	.,		XEF F	<u> </u>	-	Р	• P	-	-	P F	PP			Tront 7 Tour ourpotou (iii	oranga with ropular Equip	mont droup)	CLB							ш		
	i Pekrukmange huub - id Tungsten Package)	· Included with Sport Regula	AT GAU 4X2 IIIUURI UT WILI	"	MGB -	-   -	-	-   -	-   -	•/P/0	0	• -	-	P	- Front / rea	ar, rubber			CLY/ CLF/	0	_	0 0		0 0	0	$ \cdot $	0 -	_
which tie-do	are weatherproof, illumin	Management System: includ nated, lockable and drainab bed divider/extender and Ll ailable with 8' box)	ile, bed rails with four ac	djustable	XB9 (	-	0	0	0 0	0	0	0 (	) 0	0	- Front / rea	· ·	and Craw Cah madale a	nly; included with premium	CL3 CLZ/ CLL	Н	-					-	- •	•
TIRES	- P265/70R17 BSW All	-Season			TTM	-	•		-   -	-		-   -		-	cloth and leath		una orew oan mouers o	my, moradou with promium	CVN	_	-	- P	P	P P	P		P P	P
	T265/70R17E BSW All-Te				TTB (		-	-	• -	-		-   -	-   -	-		EM — Seats, mirrors, peda	els, radio presets		LEV		-		-			-		•
	T285/70R17E BSW All-Te		nroce Croun, included wi	ith	TWG -	-	-		-   -	-	-	• -	-	-	PEDALS — Non	,			XA8 XAP	_	•	• •	•					_
	z r 3700nzo baw Ali-aea: ptional 20-inch wheels)	son (included with Black Ex	press aroup; michaea wi	101	TTN -	•	P	•	-   •	-	-   -	-   1		•	— Power adji — Power adji	istable with memory			XAM	_	_		-			-		-
– P:	275/60R20 OWL All-Seas	son (included with WR2 and	l WHE 20-inch wheels)		TUB -	- 0	Р	0	P O	•	• -	- (	0 0	0		ial adjusting driver and fro	nt-passenger seats		JP8	_	•	• -	-			- 1		_
_ P:	285/45R22 BSW All-Seas	son (included with 22-inch	wheel)		TY4 -		-		-   -	•/P	Р -	-  -	-   -	-	— Power 10-	way driver (included with p	premium cloth seats)		JRT	-	-	- P	P	P P	Р	-		-
- \$1	pare, full-size				TBB/ TBS	•		•			•			•		way driver and power 6-wa			JRM	-	-		-	- P	Р	•		_
	EAU COVER – Soft, tri-fol gement System)	ld (available with or withou	t the RamBox Cargo		CS7/ CSU	•	0	0	0 0	0	0	0 (	0	0	leather-tri	way driver with memory ar mmed seats)		`	JRF	_	-		-	-   -	-   -	-	P P	P
TOW H	HOOKS — Included with P	rotection Group (requires c	hrome bumpers for Limit	ileu)	XEA/ XHW	-	-	Р		-	-	• 0/	/P •	0	leather-tri	ay lumbar adjuster (driver mmed seats) iver and front-nassenner i		r premium clour or wheel (included with Heated	JPW CMA/		-	- P		P P		•	• •	•
WHEE	LS — Spare: 17-inch stee	el; 17-inch aluminum; 20-in	nch steel		W1A/ W1B/ W1D	•		•						•	Seats and	Wheel Group; included with front (included with leathe	h leather-trimmed seats)	moor (moradea with neares	NHS	-	-	- P	P	P P	P	-	P P	P
- 1	7 x 7-inch styled steel, p	ainted Argent			WFP 4	-	-			-				_	– Heated, 2r	id-row (Crew Cab models o	only; included with leathe	-trimmed bucket seats)	JPZ	-	-		-			-	P P	P
- 1	7 x 7-inch painted cast a	luminum (included with Ch	rome Appearance Group)	)	WFE F	-	•	-	-   -	-		-   -		-				t / cup holder, floor-mounte clude vinyl-trimmed folding	d *TX					_   _	_	l _ l		_
_	7 x 7-inch chrome-clad a				WFJ -		-	0	• -	-		- (	)   -	-	rear bench		ana orew oan mousis in	sidde vinyr trininied folding	IA									
_	7 x 8-inch aluminum with		lask Bahal Graus		WFK -		-		-   -	-	-	• - P -	-	-				holder (Quad Cab and Crev		P		Р _						
	7 x 8-inch aluminum pan O x 8-inch painted Silver	nted Black (included with B	таск келег өгөйр)		WHE -		-		n –	-		r -		_		is iliciuue ciutii lululliy rea : Value Package)	r dench seat; hichaea wi	th Popular Equipment Group	V9	, ,	-	r   -	-	-   -	_	-	-   -	_
- 2	•	ack painted, aluminum (inc	luded with Black Express	s Group or	WHN -	-   -	Р	P	-   -	-		-   -		-	power 10-	eloth-trimmed 40/20/40 sp way driver's seat, power lu	ımbar adjuster, front cent	er-seat-cushion storage,	*M9	_	_		n	0 -	_			_
- 2	0 x 8-inch chrome-clad a	aluminum			WHK -		- 1		-   -	-		-   -	-	_		uxiliary power outlet (Quai ig rear bench seat with uni			0									
- 2	O x 9-inch chrome-clad a	aluminum (included with Exp	press Value Package)		WR2 -		O/P	-	-   -	-		-   -		_	- Premium o	loth-trimmed low-back bud	cket seats, power 10-way	driver's seat, power lumbar								П		
	0 x 9-inch aluminum, pol				WRF -		-			•		-	-	-		ull-length floor console, 115 clude 60/40 cloth-trimmed		t (Quad Cab and Crew Cab seat with underseat storage	*MJ	-	-	- 0		-   -		-	-   -	-
	0 x 9-inch aluminum, ser				WRL -		-	-	0 –	0	•	-   -	-	-		at load floor storage)	opint rolating roat bollon	ocat with anacrocat storage										
	O x 9-inch chrome-clad a O x 9-inch aluminum nol	numinum lished, with accent-color ins	earte		WRG -		-			-	_		-	-	- Premium o	loth/vinyl-trimmed high-ba	nck heated bucket seats, p	lower 10-way driver's seat, and Wheel Group, 115-volt										
_		lished with Silver inserts (i		naint)	WRJ -	_	-	_		-			- P					and wheel Gloup, 113-von e 60/40 cloth/vinyl-trimme		-	-	-   -	-	• •	•	-	-   -	-
_		inum (requires Monotone p		,	WRT -	-	-	-	- •	-		-	-	-		ng rear bench seat with un				$\vdash$						ш		
_		lished with Mineral Gray ins			WRA -	-	-		-  -	-		-	-   -	•		:iotn/vinyi-trimmed nign-da wav driver's and 6-wav da:		ith embossed tread pattern iuster. full-lenath floor	*N7							1.1		
Li	imited Tungsten Package	inted Satin Carbon with Min ) ed aluminum (included with			WRS -	-   -	-	-	-   -	-		-   -	-	P	rear bench	15-volt auxiliary power ou 1 seat with underseat stora Immed high-back, heated a	ige and fold-flat load floo		N1							Ľ		
_ 0	ptional on Crew Cab 4x2)			,	WPZ -		-		-   -	•/P/0 0		-   -		_	driver's an 115-volt a	ıd power 6-way passenger, uxiliary power outlet (Quai	power lumbar adjuster, f d Cab and Crew Cab mod	ull-length floor console, els include 60/40 vinyl-	*CJ	_	_		_	- 0	0 0	_	_   _	_
	rew Cab 4x2 models)					_					-					plit-folding rear bench sea ot available on Regular Ca		and fold-flat load floor										
— B		Monotone paint on Laramie ten Package on Limited Cre			MMZ -		-	-	 • -	-		- (	-   - -   P	— Р	– Leather-tri	immed high-back heated bi	ucket seats with Rebel log	o, power 10-way driver's console, 115-volt auxiliary	*TI	П	_							
	umper Packaye or Tumys ccent-color: included with		W Uduj		MRD -	-	-	_	Р –	-		- 1		_	power outl	et (includes 60/40 split-fo			~IL	-			-	-   -		0	-   -	_
	TERIOR FEA															ad floor storage) immed 40/20/40 heated a	nd ventilated solit-hanch	front with nower 10-way/		$\vdash$						$\vdash$		
	ONDITIONING - Manual				HAA		•	•				-	-	-	memory fo	r driver and power 6-way	for the passenger, power	lumbar adjuster, front										
		erature Control; included w	vith 8.4 radios (Quad Cal	ıb® and	HAF -	_		Р	РР					•	center-sea nower nutl	t-cushion storage and fold et (Ouad Cab and Crew Ca	ling center armrest with c ib models include 60/40	up holder, 115-volt auxiliar vinvl-trimmed split-folding	y *VL	-	-	-   -	-	-   -	-	-	•   -	_
	rew Cab models only)  FER — Instrument with 3	.5-inch display screen for D	Triver Information Disales	ıv.	JAT 4										rear bench	seat with underseat stora	ige and fold-flat load floo	storage)		Ш						Ш		
	,	.5-inch Driver Information D		ı y												immed high-back, heated a nd power 6-wav passenger												
_Lı	uxury Group)		.,,,		JA6 -	-	-	•	• •	•		- '	-	-	115-volt a	uxiliary power outlet and h	neated 2nd-row seats on I	Crew Cab models (Quad Cal	*GJ	-	-	-   -	-	-   -	-   -	-	0 -	-
		t, with 7-inch Driver Informa			JAJ -	-	_		-   -		-	_	-			Cab models include 60/40 storage and fold-flat load		ig rear bench seat with										
		n instrument, with 7-inch D nt. with 7-inch Driver Inforn		y	JAX -		-						•	-		ago and fold flut fold	otorago)											
		int, with 7-inch briver infort Part of Package  — = Not availa			JAV	_																						
		rant on Packaye — = wot avana itions may be late availability.	DIO .																									

Standard 0 = Optional P = Part of Package -= Not available
 NOTE: some features and/or applications may be late availability.

18	OVERVIEW	POWERTRAINS	1500	2500			35	00		8	3500 C	)		4	500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	ا	PAINT			FABR	IICS		RESC	OURCES		19
BU		600 PICKUP DE (CONTIN			SALES CODE TRADESMAN®	TRADESMAN HFE OUAD		S BIG HORN®/LONE STAR! REG/QUAD/CREW	= HARVEST EDITION QUAD/CREW	M BITION' CREW	MIGHT REG/OUAD/CREW	■ REBEL® CREW	= LARAMIE® QUAD/GREW	> LARAMIE LONGHORN® CREW	- UMITED CREW	CPOS PACKAG	E			SALES CODE	FEG/QUAD/CREW	TRADESMAN HFE QUAD	☐ EXPRESS REG/QUAD/CREW  BIG HORN®/LONE STAR*	HAR HAR	= LONE STAR SILVER EDITION' CREW	- SPORT REG/QUAD/GREW		LARAMIE	S CREW	
IN	TERIOR FEA	TURES (contir	nued)													SAFET	Y & SECURIT	Υ												
		r-etched design, high-back														AIR BAGS <sup>19</sup> —	Advanced multistage front			CG3	•	•			•			•		,
		iver's and power 6-way pas console. 115-volt auxiliarv			*XJ -	.   _	_	_	_	_   _	_	l _	_		_		ntal side-curtain			CGS	•	٠	• (	•	•	• •	• •	•	• 1	•
		ing premium leather with la			א												ntal front-seat side-mounte	-		CJ1	٠	٠	• •	•	•	• •	• •	•	• 1	
_	rith underseat storage)																wer-assisted 4-wheel antilo			BRT	•	•	• •	•	•	• •	• •	•	• •	•
d C S	river's and power 6-way ponsole, 115-volt auxiliary	k, heated and ventilated bu passenger, power lumbar a / power outlet, heated 2nd- her rear bench seat with ur	djuster, premium full-leng row seats (includes 60/4	gth floor 10	*DJ -		-	-	-	-   -	-	-	-	0	-	Traction Cont Hill Start Assi Parksense®	TABILITY CONTROL (ESC) <sup>6</sup> rol, Rain Brake Support, Re st and Trailer Sway Dampin REAR PARK ASSIST <sup>20</sup>	ady Alert Braking, Electro	nic Roll Mitigation,	BNB	-	-		· ·	-		- •	-		-
_ P	remium leather high-bacl	k, heated and ventilated bu	cket seats, includes powe	er 10-way													RONT AND REAR PARK ASSIS		*	XAG	-	-	- '	U	•	0 0	J –	0	•	,
C S 	onsole, 115-volt auxiliar) plit-folding premium leatl oad floor storage)	passenger, power lumbar a v power outlet, heated 2nd- her rear bench seat with ur	row seats (includes 60/4	10 I-flat	*UL -	-   -	-	-	-	-   -	-	-	-	-	•	3.0 radios) Remote Keyl RamBox® Sys	EAR BACK-UP CAMERA <sup>20</sup> — ESS Entry With Allsecur tem (when equipped), illum included with Popular Equip	E® — Controls for power iinated entry system, pani	door locks, tailgate and c alarm; includes two	1 XAC	• P	-	Р .		•	•		•		
STEEF	RING WHEEL — Urethane				SCF •	•	•	-	-	-	-	-	-	-	_	Remote Entry		0100p, Exp1000 Vall												
- L	eather-wrapped with audi	o control buttons (included	l with Luxury Group)		SCV/ SCB	-   -	-	•			•		•	-	-	REMOTE KEYL	ESS ENTER 'N GO™ — Includ	des remote proximity key	(included with	GX4	_	_		_	_	P F	P 0	Р		
-1	eather-wranned, nenuine	wood, heated, with audio c	ontrol huttons		SC3 -		-	_	-			-	-	•	•	Convenience (											Ů			
_		ted Seats and Wheel Group			NHS -		-	Р	Р	РР	Р		•		•	REMOTE STAR	I SASTEW			XBM	-	-	- '	•	•	• •	• •	0	• •	-
	AGE — Front center-seat- (VL seats)	cushion (included with opti	onal CD player; included	with *M9	CVH P	Р	Р	Р	Р	Р –	-	-	Р	_	_		Front, shoulder height-adj	ustable		CGD/ LAX	•	•			•	• •	• •	•	• 1	•
		Regular Cab models only)			CU3 •	-		•	- 1			-	-	_	_		RM — Detects break-in			LSA	-	-	- (	•	•	• •	• •	•	• •	<u>'</u>
_		th removable liners (Crew	Cab models only)		CB9 •	-		•			•		•	•	•		E CONTROLLER — Fully inte Trailer-Tow Mirrors and Br		ed with Trailer and Traction	XHC	O/P	-	0/P 0	/P P	0/P	0/P 0/	/P 0/P	O/P	O/P 0	/P
— R	ear, underseat compartm	ent (Quad Cab® and Crew	Cab models only)		CUE •			•			•	٠	•	٠	•		AGES / EQUIP	.,	DS											
- D	ual glove boxes with clos	sing doors			-	-   -	-	•	•		•	•	•	•	•		SS GROUP — Includes Popul													
SUNR	OOF — Power (Quad Cab	and Crew Cab models only	)		GWA -		-	0	-	0 0	0	0	0	0	0	Black badges,	Black bezel headlamps, Bla			AMQ	-	-	0 -	-   -	-	-   -	-   -	-	-   -	-
_	OWS — Manual (Regular	•,			JF8 •	-	•	-	-	-   -	-	-	-	-	-		painted wheels													
a	nd Remote Entry Group)	one-touch down (Regular C driver's one-touch down a		uu Cob	JPY P	-	P		-	-   •	•	-	-	-	-	Black bezel ho painted alumin		ear bumpers, Black grille	and 20-inch Black	ADN	-	-	- (	) -	-		-	-	-   -	_
_	nodels only)											L				BLAGK KEBEL	GROUP — Includes Black po	owder-coated front bumpe	r and 17-inch Black painte	AE2	-	-	-   -	-   -	-	-   -	- 0	-	- -	-
		dard on Regular Cab mode	ls)		GJD •	•	•	•		- •		-	-	-	_		ARANCE GROUP — Includes	chrome front and rear b	impers, chrome grille	450										
_	lear backlight, sliding (Re	guiar Gab models only) ing (Quad Cab and Crew Ca	ah madale anlu)		GFD C	_	0	0	_	- 0 • •		-	-	-	_		17-inch painted aluminum v			AED	0	_		_	_			_		
		r sliding rear backlight only			GFA -		-	0	_	0 0		_	0		•		PER PACKAGE — Includes b	ody-color wheel flares an	d chrome front and	AST	_	_	_   -	-   -	_	_   -	-   -	_	- 1	j
			.,		UIA			U		0 0	0		U	Ů		rear bumpers	R GROUP — Includes engine	o blook booter and winter	front grillo oggar											
		ut jack for mobile devices			RSU •											(requires Ecol		6 DIOGN HEALET AND WINLES	HOIL GILLE COACL	ADE	0	0	- (	0 0	0	0 -	-   -	0	0 0	ı
	ISB 1.5-amp fully function	•			RSX •			•			•		•		•		GROUP — Includes Auto Hi	gh-Beam Headlamp Contr	ol, rain-sensing wipers and	ADC	_	_			_	0 0	n _	n		
- U		y port (included with *V9,	*M9, *MJ seats and		RS3 P	_	Р	Р	Р	Р •	•		•		•	EXPRESS VALU	Keyless Enter 'n Go IE PACKAGE – Includes clot			ADO						0 (		0		
	E CARPLAY <sup>™13</sup> — Included	with 8.4-inch radios			RFP -		-	Р	Р	P P	Р	Р	Р	Р	Р	***************************************	tellite Radio,16 5-inch touchs		chrome-clad aluminum	AYY	-	-	0 -	-   -	-	-   -	-   -	-	- -	-
	OID AUTO <sup>™13</sup> — Included				RF5 -		-	Р	_	P P	P	Р	P	Р	Р		vailable on Regular Cab mo S AND WHEEL GROUP — Incl		neated steering wheel	AGF		_	_ (	) 0	0					
RADIO	DS — Radio 3.0 AM/FM				RA1 •	•	•	-	-	-   -	-	_	-	_	-		STEN PACKAGE - Includes	,		AUI					J					
<u> – U</u>	connect 3.0 AM/FM/Blue	tooth® Voice Command¹4			UA1 C	-	0	-	-	-   -	-	-	-	-	_	door handles,	Sport performance hood, Ti	ungsten body-side moldin	gs, body-color RAM tailgate											
	lconnect 3 with 5-inch dis r Express Value Package)	splay; AM/FM/Bluetooth (in	cluded with Black Expres	s Group	RA2 C	-	O/P	-	-	-   -	_	-	-	_	_		gsten exterior badges, Sport nning boards, body-color pa			AZ9										1
		)   display; AM/FM/Bluetooth	/Annacc15		UAS -		-		-					_	_		d 20-inch Satin Carbon pair		wilder Hards, Tuligaton											
		-inch display: AM/FM/Blue			UAO -	_		0		0 0		0	0		•		GHORN SOUTHFORK PACKAG													
RADIO		vheel-mounted audio contro			RDZ -	_	-	Р		P P	_		Р	Р	Р	tailgate letteri	3			N ALM	_	_		1	_			_	0 -	
	E-DISC CD PLAYER				RH1 C	_	0	n	0	0 0	n	0	0	0	n		P — Includes leather-wrappe ead console with Universal													
SIRIU	SXM® SATELLITE RADIO 16	- Included with Popular E	quipment Group or Expres		RSD F		Р				•				•	lamp, switchal	ble dome lamp, glove box la	amp, exterior mirrors with	signal and puddle lamps,	ADA	-	-	-   -	-   -	-	•	• 0	-	-   -	
	Package	ncluded with Uconnect 4C I	NAV radio		RSB -		<u> </u>	Р	Р	P P	D	P	Р	Р	n	LED DEU IIGNU	ng system, underhood lamp IPMENT GROUP — Includes	eleth AN/20/AN banch	IIIVI at parnated flooring rows	0	$\dashv$									
		ncluded with Uconnect 46 i cluded with Uconnect 4C N/			RSM -		-	P	-	P P	_	_	P	_		keyless entrv.	IPMENT GROUP — INCIDUES floor mats and SiriusXM Sa	atellite Radio <sup>16</sup> (included	ar, carpered nooring, renio with Black Express Group)	AJY	0	-	0/P -	-	-	-   -	-   -	-	-   -	
		Juded with Uconnect 4C NA			RSK -		+	Р	_	r r P P	_	-	P	P	-		EMOTE ENTRY GROUP - Inc													
	KER SYSTEM — Six. stand		* 14410		RCG •			•	•		-	· ·	-	_	_		k power heated mirrors, pov r Cab models onlv: included			AJH	0	-	0/P -	-	-	-   -	-   -	-	-   -	
		s and eight-channel amplifi	ier (Regular Cab models i		RCK -	-	-	-	-		•	-	-	_	_		r Gao models only; included GROUP — Includes tow hook		17											
- P	remium II; 10 speakers i	ncluding a subwoofer and 1	( . 5	od Cob and	RC3 -		Ī-	0	0	0 0	0	0				(4x4 models of		io, irviit ouopviioivii allu t	mioigi paog ovin higigs	ADB	0	-	- (	•	0	-   -	- 0	0	0 -	-
	rew Cab models only) INECT BLUETOOTH CONNI	ECTIVITY — Includes hands	s-free phone, <sup>14</sup> Streaminn	Audio								-					MIRRORS AND BRAKE GROUP and 7 x 11-inch trailer-tow			V AHC	0	-	0 (	0	0	0 (	0 0	0	0 (	J
		ssage Reader <sup>18</sup> (included v			XRB P	_	P	P	P	P P	P	P	P	P	P			(												_

# RAM 1500 TOWING AND PAYLOAD

20

MAXIMUM LOADED TRA	AILER WEIGH	ΓS (when properly eq	juipped)				SAE	J2807 COMF	PLIANT			
				REGUL	AR CAB		QUAD	CAB <sup>®</sup>		CREV	W CAB	
			6′4″	BOX	8'E	OX	6′4″	вох	5′7″	вох	6′4″	ВОХ
ENGINE	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	3.21	9,850	4,940	4,740	4,770	4,570	4,610	4,430	4,510	4,260		
3.6L PENTASTAR® V6 /	3.55	12,200	7,240	7,030								
8-SPEED AUTO	3.55	12,400			7,260	7,070						
	3.55	12,900					7,600	7,430	7,500	7,250		
	3.55	13,750			8,240	8,030	7,990	7,690	7,860	7,560		7,610
3.0L ECODIESEL V6/	3.92	13,750			8,240	8,030	7,990	7,690	7,860	7,560		7,610
8-SPEED AUTO	3.92	14,550										8,410
	3.92	14,750			9,210	9,030	8,990	8,690	8,860	8,560		
	3.92	10,250	5,020									
	3.21	13,800	8,660	8,380	8,440	8,250	8,160	8,040	8,070	7,990	8,010	7,760
5.7L HEMI® V8 / 8-SPEED AUTO	3.92	14,350	9,210	8,930								
	3.92	15,950			10,620	10,420	10,340	10,210	10,240	10,170	10,190	9,770

			REGUL	AR CAB		QUAL	CAB		CREV	V CAB	
		6′4″	вох	8'	вох	6′4″	вох	5′7″	вох	6′4″ I	30X
ENGINE	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	6,025	1,480									
3.6L PENTASTAR V6 /	6,300		1,550								
8-SPEED AUTO	6,600			1,870	1,690						
	6,800					1,880	1,700	1,820	1,630		
	6,600			1,500	1,290						
3.0L ECODIESEL V6/ 8-speed auto	6,945					1,500					
O OI LLD AUTO	6,950					1,600	1,400	1,540	1,330		1,250
	6,200	1,350									
. T. U.S. W. VO. ( 0. O.S. S. A. U.S.)	6,350	1,590	1,380								
5.7L HEMI V8 / 8-SPEED AUTO	6,600			1,660	1,480						
	6,900					1,760	1,580	1,680	1,520	1,630	1,450

Numbers in a blackbox reflect max ratings. 1. Payload and Max Trailer Weight sare estimated values. 2. All weights are estimated values. 2. All weights are shown in Ib unless otherwise stated. 3. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. 4. Payload = GVWR minus Base Weight. 5. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807. 6. Payload and Trailer Weight Ratings are mutually exclusive. 7. GAWRs, GVWRs and GCWRs should never be exceeded. 8. The recommended tongue weight for a conventional hitch is 10 percent of the gross trailer weight. The maximum tongue weight for Class IV hitch receiver is limited to 1,100 lb. 9. A weight-distributing hitch is recommended for trailers over 5,000 lb.



# PUT HEAVY-DUTY MUSCLE TO WORK.



# RAM HEAVY DUTY PICKUP



**OVERVIEW** 

24

17-inch Painted Steel Wheel Standard on 2500 Tradesman® (WDA)



17-inch Aluminum Wheel with Matte Black Pockets Standard on Power Wagon® Packaged with Power Wagon Package on Tradesman (WFZ)



18-inch Painted Steel Wheel Standard on 3500 Tradesman Optional on 2500 Tradesman (WBN)



18-inch Chrome-Clad Steel Wheel Standard on SLT Optional on Tradesman (WBH)



18-inch Polished **Aluminum Wheel** Standard on Big Horn®/ Lone Star\* and Harvest Edition Optional on SLT (WBE)



**Aluminum Wheel** Standard on Laramie® (WBL)



18-inch Polished **Aluminum Wheel with** Accent-Color Pockets Standard on Laramie Longhorn® with Two-Tone Paint

(WBJ)



18-inch Polished Aluminum Wheel with Silver Pockets Standard on Laramie Longhorn with Monotone Paint (WBA)



20-inch Satin Carbon Painted Aluminum Wheel with Chrome Inserts Packaged with Sport Appearance Group; Optional on SLT, Big Horn/Lone Star\* and Laramie (WRJ)



20-inch Black Painted Aluminum Wheel Optional with Sport Appearance Group (WF3)



20-inch Polished Aluminum Wheel with Accent-Color Pockets Optional on Laramie Longhorn with Two-Tone Paint (WRP)



20-inch Polished Aluminum Wheel with Mineral Gray Inserts Included with Lone Star Silver Edition\* (WRY)





20-inch Polished **Aluminum Wheel with** Silver Pockets Optional on Laramie Longhorn with Monotone Paint (WRA)



20-inch Satin Carbon **Painted Aluminum Wheel** with Chrome Inserts Standard on Limited (WH3)



20-inch Satin Carbon Painted Aluminum Wheel with Satin Silver Inserts Included with Limited Tungsten Package (WSV)



17-inch DRW Painted Steel Wheel Standard on 3500 Tradesman (WFU)



17-inch DRW Chrome-Clad Steel Wheel Standard on 3500 SLT. Big Horn®/Lone Star\* and Harvest Edition Packaged with

(WD4)

Sport Appearance Group or Chrome Appearance Group Sport Appearance Group and Big Horn/Lone Star



(WF7)

17-inch DRW Polished 17-inch DRW Polished **Aluminum Wheel Aluminum Wheel** Standard on 3500 Laramie® and Limited Packaged with Lone Star Silver Edition\* Optional on 3500 SLT,



Standard on 3500 Laramie Longhorn® (WF9)

26	OVERVIEW	POWERTRAINS	1500	2500	350	)		3500	CC		45	500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FABR	ICS		RES	OURCES		27
	18 RAM 2! IYER'S GUI	500/3500 I IDE	PICKUP		SALES CODE	TRADESMAN® REG/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR† Cren/Mega	®NO9	LARAMIE® CREW/MEGA	CREW//MEGA	LIMITED CRENV/MEGA						SALES CODE	TRADESMAN® REG/GREW	REW/M	BIG HORN "/LONE START CREW/MEGA	POWER WAGON® CREW	LARAMIE® CREW/MEGA LARAMIE LONGHORN®	GREV/MEGA LIMITED GREV/MEGA	
CPOS	PACKAGE					2TA	2TG	2TZ/ 2TY	2TP	2TH 2	!TK	2TM	CPOS PACKAGE						2TA	2TG	2TZ/ 2TY	2TP	2TH 2TI	C 2TM	
2500					DJ	χ	χ	χ	χ	χ	Х	χ	MECHA	NICAL FEAT	URES (contin	ued)									
3500	SRW/DRW (6'4" box not	available with Crew Cab dua	al-rear-wheel models)		D2	X/X	X/X	Х/Х	-	X/X )	(/X	Х/Х		Front, three-link coil spring	•	,		SDB							1
EN	IGINES / TR	ANSMISSION	IS											Articulink® suspension (inc		ackage; 2500 models only	)	SD1	Р	-	- 1	•	-   -	-	1
	HEMI® bi-fuel CNG/gas; 3 Cab 8' box only)	83 hp, 400 lb-ft of torque /	6-speed automatic (66RI	FE; 2500 Regular Cab and	EZF/ DFP		0	-	-	-	-	-		onic disconnecting stabilize	r bar (included with Power	Wagon Package; 2500 mo	odels only)	SHG SHA	P	-	-	•			-
5.7L	HEMI V8 nas: 383 hn. 40	OO lb-ft of torque / 6-speed	d automatic (66RFE: SRV	W only)	EZC/				_	_	_	_	— Front stabili — Rear five-li	zer var nk coil spring suspension (	2500 models only)			9HA				-			-
_				500 Mega Cab® models; stan	DFP lard ESA/									kiss leaf spring suspension						•		-			
		e / 6-speed automatic (661		ooo moga oab moacie, etan	DFP		0/•	0/•	•	•	•	•	— Rear, Auto-I	evel dual-mode air spring :	suspension system			SEB	0	0	0	-	0 0	0	
6.7L	Cummins® Turbo Diesel	I-6; 350 hp, 660 lb-ft of t	torque / 6-speed manual	(656)	ETK/ DEG		0	0	-	0	-	-	TOW HOOKS -					XEA	٠	•	•	-	• •	•	_
6.7L	Cummins Turbo Diesel I-	6; 370 hp, 800 lb-ft of tor	rque / 6-speed automatio	c (68RFE)	ETK/	0	0	0	-	0	0	0		s (included with Cummins® Froup, Harvest Edition Packa				XEA	0/P	0/P	0/P	•	O/P •		
6.7L	Cummins Turbo Diesel I-	6; 385 hp, 930 lb-ft of tor	rque / AISIN® heavy-duty	y 6-speed automatic (3500 on	ETV/	_	0	0	_	0	0	0	TRAILER TOW -	- 4-/7-pin trailer harness p	lug (combination receptacl	e)		XFU/ XFK	•	•	•	•			
Diese	l Exhaust Fluid (DEF) syste	em (standard with Cummins	s Turbo Diesel engine)		012	P	Р	Р	_	Р	P	P	— Class V hite	h receiver				XFR	٠	•	•	•	• •	•	-
	ECHANICAL													S (4x4 models only) – M	anual shift-on-the-fly			DK1	•	-	-	•	-   -		-
	RNATOR — 160-amp (stan				BAB								- Electronic s			W Pl		DK3	0	•	•	-	• •	_	-
- 1	80-amp (standard with th	e Cummins Turbo Diesel; in		II V8; included with Snowplow P			0/P	O/P		O/P (	)/P	O/P	w <u>ingh – wakn</u> – Tire carrier	<sup>®</sup> front, electric, 12,000-lb	capacity (included with Po	wer wagon Package)		XE5 TBM	P •	•	-	•			-
_		on 5.7L HEMI V8-equipped lowplow Prep Group or Snow	,	ed with dual alternator options)	BAJ	O/P	0/P	O/P	Р	O/P (	)/P	O/P	EXTER	OR FEATURE	S										
_	-	.4L gas V8 only; comprised			XF5		0	0				0	BEDLINER - Spi	ray-in; included with Harves	t Edition Package (not ava	ilable with Ram 2500 CNG	model)	XMF	0	0	O/P	0	0 •		1
		.7L diesel only; comprised o			XF7		0	0	_	0	0	0	BED LIGHTING S	YSTEM — LED (included wi	ith RamBox® System, Luxu	ry Group or Harvest Edition	Package)	LPL	O/P	P	P	P	O/P •		
		tial (standard on 3500; incl			DSA	0/P/•	0/P/•	0/P/•	- 0	/P/• 0/	/P/• (	0/P/•	BODY MODEL A	ND BOX — Regular Cab 8' i	box			62	0	0	-	-	-   -	_	
- E	lectronically locking front	and rear differentials (inclu	uded with Power Wagon Pa	ackage; Crew Cab models only)	DSE	Р	-	-	•	-	-	-	— Crew Cab 6	'4'' box (SRW only)				91	0	0	0	•	0 0	0	
- 3	.42 ratio (standard for die	esel)			DMR	0	0	0	-	0	0	0	— Crew Cab 8	' box				92	0	0	0	-	0 0	0	_
- 3	.73 ratio (standard for ga	s; available for 3500 DRW (	diesel)		DME	•/0	•/0	•/0	-	•/0	/0	•/0	— Mega Cab®	6'4" box				81	-	0	0	-	0 0	0	-
- 4	.10 ratio (optional for gas	s; available for 3500 DRW d	liesel; included with Powe	er Wagon Package)	DMF	O/P	0	0	•	0	0	0	BUMPERS - BIA	ack				MB1/ MBN		-	-	•	-   -	-	
-1	1.5-inch rear axle — SRW	1			DRQ	•	•	•	•	•	•	•	- Chrome (inc	cluded with Chrome Appeara	ance Group. Chrome Bumpe	er Packane. Power Wanon F	Package or with	MCT/			-				-
		O DRW only (included with 6 or diesel/AISIN transmission		56 manual transmission,	DRX	P	Р	Р	-	Р	P	Р	Monotone p	aint)				MBF MBA/	P	•	•	_	• P		-
		O DRW only (included with d speed automatic transmissio		with 3.73 and 4.10 axle ratios;	DRS	0/P	0/P	O/P	-	O/P (	)/P	0/P	— Painted, boo	ly-color (included with Spor	t Appearance Group)			MBC	_	-	Р	-	Р –		-
BATT	ERY — 730-amp, maintena	ance-free (two batteries are	e required for diesel engin	105)	BCN	•	•	•	•	•	•	•	— Painted, Iow	er body in accent-color				MBU/ MBV	-	-	-	-	- •	-	
DIESE	L EXHAUST BRAKE – Wit	h "smart" function (included	d with diesel engine)		NEN	P	P	P	-	P	P	P	CLEARANCE LAI	MPS — Cab (included with D	DRW)			LNC	O/P	0/P	O/P	•	O/P O/F	0/P	1
DOT-	CERTIFIED SAFETY KIT -	Includes fire extinguisher, t	three reflecting triangles,	two Red flags and spare fuses	ACL	0	0	0	0	0	0	0	— Box and rea	r fender (included with DRV	N)			LND	P	P	P	-	P P	P	
		LE — Not available with pren			XXS	_	0	0	0	-	-	-	DOOR HANDLES	— Black (included with low	r-volume paint colors)			MNA	٠	P	P	-		_	
_		uded with Cold Weather Grou			NHK		_		0				— Body-color	(included with Sport Appear	ance Group or Limited Tun	gsten Package)		MNK	-	-	•		Р –	P	-
	,-	soline gallon equivalent) du	`	- /	XXV		P	-			-	_		n body-color bezel				MNE	-	•	•	-		•	-
_	• `	ith Regular Cab models equi	ipped with the Cummins T	Turbo Diesel)	NGC		Р	-		_	-	-	FOG LAMPS — F Power Wagon Pa	Fleet option with Chrome Ap Ickage)	pearance Group (included	with SLT Popular Equipmer	nt Group or	LNJ	Р	0/P		•			
_	1-gallon tank (included w	,	MC angina)		NFT NFX	•	•	•			•	•		surround with Black inserts				MFF		_	-	_		-	1
	Z-yanon tank (included w KS — Front, heavy-duty	ith 8' box; standard with CN	na eligilie)		SFB	_			_		_	_	- Chrome sur	round with Black hex insert	s (included in Chrome App	earance Group)		MFD	Р		- 1	-		-	1
	ear, heavy-duty				SGB	_				-		_	- Chrome sur	round with chrome billet ins	serts			MFH	-	-		-		-	1
		included with Off-Road Pack	kane: 2500 models only)		SFC		Р	Р	_	Р		•	- Chrome sur	round with chrome mesh in:	serts; included with Harves	t Edition Package or Lone	Star Silver Edition†	MFZ	-	-	P	-	-   -	-	
_		included with Off-Road Packa			SGC	_	P	P	_	P			— Body-color I	RAM (included with Sport A	ppearance Group)			MAW	-	-	P	-	Р –	_	]
		as-charged monotube (includ		ickage)	130	P	-	-			-	_	— Black RAM					MFM	-	-	-	•		-	
		nly) — Transfer case (inclu ief Group, Off-Road Package			XEF	Р	Р	Р		Р	Р	Р		round with chrome wave-pe	rf inserts			MF1	-	-	-	-	• -		-
		HET GROUP, UTT-KOAO PACKAGE Dwer Wagon Package; 2500 I		ye)	XEE	Р	_	-		_	_		- Chrome RAI		unneton Packana)			MFJ	-	_	-		- •		-
	uer tank (included with Fo RING — Power, recirculatio		models only)		SBE	_	•		_		•	-		AM (included with Limited T AILLAMPS — Automatic he				LMG	-	-	-	-		-	-
01111	ronot, toutiouldul	ng wall			OUL									aillamps — automatic nea en headlamps / incandescer				LME/				_		-	-
														-				LA6 MFA/	-		_				-
		Part of Package — = Not avail ations may be late availability.	liadie										- Black bezel	quad-halogen headlamps /	ilicandescent taillamps (in	ciuued with Sport Appeara	nce etonb)	LA6			P		-   -		

28	OVERVIEW	POWERTRAINS	1500	2500	3500			3500	) CC		ı	1500 CO	CC 5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FABR	ICS		RESOU	RCES	2
_		500/3500 P IDE (CONTIN			SALES CODE	TRADESMAN® REG/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR† Cren/mega	POWER WAGON® CREW	LARAMIE® CREW/MEGA	CREW/MEGA	LIMITED GRBV/MEGA						SALES CODE	TRADESMAN® REG/CREW	SLT REG/CREW/MEGA		PUWEH WAGUN® CHEW LARAMIE® CREW/MGA	LARAMIE LONGHORN® CREW/MEGA	LIMITED GREW/MEGA
פח	POS PACKAGE					2TA	2TG	2TZ/ 2TY	2TP	2TH	2TK	2TM	CPOS PACKAGE						2TA		2TZ/ 2TY 2	TP 2TH	1 2TK	2TM
		ATURES (conti	nued)					LIII						OR FEATURE	S (continued	)					211			
		eadlamps / premium Black LE		h Sport Appearance Group or	LMM/					,				er Information Display with		,		JAV	- 1		- 1		-	
_	Limited Tungsten Package)		z tamampo (monadou ma		LAE	_	_	-	•	Р	-	Р				nission or manual transfer c	ase)	CUM	Р	Р	Р	• P	_	-
-	– Premium chrome projector	headlamps / premium LED ta	illamps		LMC/ LAD	-	-	-	-	•	•	•		oor console (included with b				CUP/ CVT	-	Р	Р	- P	•	
_	– Auto High-Beam Headlamp	Control (included in Convenie	ence Group)		LMS	-	-	-	-	P	Р	٠	- Overhead c	onsole (included with 5.0 ra	adio)			CUN	Р	•		• -	_	-
HE	ADLAMP FILLER PANEL — BI	lack (included with Power Wag	gon Package or low-volum	e paint colors)	MCJ	P	P	Р	•	-	-	-		`		vith Luxury Group, Harvest E	dition Package or	CV2	_	Р	Р	р .		
_	– Body-color				MCM	٠	•	٠	-	٠	٠	٠		1 Luxury Group)						•				ш
-		size: 6 x 9-inch, Manual, in E			GPU	•	-	-	-	-	-	-	-	- Manual (Regular Cab mod				JE8	•	-		-   -		-
-	– Power, heated (Black; inclu Regular Cab models)	uded with Power Accessory Gr	oup or Power and Remote	Entry Group on Tradesman	GT6	P/•	•		•	-	-	-		NG — Black vinyl (not availa		s)		CKJ	•	0	-	0 –	-	-
_	.,	dle, turn, auto-dimming (Black	k: included with Luxury Gr	oup and Sport Appearance Gro	up) GUK	-	Р	Р	Р	Р	_	_		luded with Tradesman Popu				CKE	P	•	•	• •	•	•
_	– Power folding, heated, pudd	dle, turn, auto-dimming, memo	ory (Black; included with I	Leather and Luxury Group)	GPL	-	-	- 1	Р	-	-	-	- FLUUR MATS - requires carpet		ab models only; included v	with Tradesman Popular Equ	ipment Group;	CLA	P	•	-	-   -	-	-
_	– Power folding, heated, pudd	dle, turn, auto-dimming, memo	ory (chrome)	, ,,	GU4	-	-	- 1	-				- Front and r	ear, carpeted (included with	ı Tradesman Popular Equip	ment Group; requires carpet	floor covering)	CLE	Р	•			_	-
25	500 — Available size: 7 x 11:	-inch, Manual, in Black (traile	er-tow mirrors, two-positio	on foldaway with convex edge)	GPD	0	-	-	-	-	-	-	- Front, rubbi	er (Regular Cab models onl	y; requires carpet floor cov	vering)		CLY	0	0	-		_	-
-	– Power, heated, puddle, turn	ı (Black; optional with Sport A	Appearance Group; require	es Power Accessory Group or	GPG	0	0	0	0	0	_	_	- Front and r	ear, rubber (included with H	larvest Edition Package)			CLF	0	0	0/P	• -	-	-
-	•	roup on Tradesman Regular C n, power folding (Black; requir			GP1	-	0	0	0	_	_	_	- Front and r	ear, luxury				CLZ/ CLL	-	-	-	-   -	•	
-		n, memory, power folding (Bla		and Luxury Group)	GPH	-	-	-	0	-	-	-	MIRRORS - Re	arview day/night (included	with 5-inch radio display)			GNA	Р	Р	-		_	-
-		n, memory, power folding (chr			GP2	-	-	Р	-	0	0	0	— Rearview a	, , ,	,	Group or ParkView® Rear Ba	ock-Up Camera <sup>20</sup>	GN4			-	-   -	-	-
	. ,	-inch (trailer-tow mirrors, two odels only)	-position foldaway with co	onvex edge)	GPD		-	-	-	-	-	-		uto-dimming (included with	Luxury Group or Harvest Ed	dition Package)		GNK	Р	Р			•	•
_	– Power, heated, puddle, turn	ı (Black; included with Power	Accessory Group or Powe	r and Remote Entry Group on	GPG	Р			_	_	_	_	PEDALS - Non-	-				XA8 XAP	•	0	_	· ·	-	-
_	Tradesman Regular Cab)					r			_		_	_		stable (requires automatic t		Group; requires automatic t	tranomiccion)	XAP	-	U _	_	U – P N		-
-		n, power-folding (Black; includ			GP1	-	P	Р	-	Р	-	-		of — Not available with Reg		aroup; requires automatic	iranomioorum)	GWA		0		0 0		
-		n, memory, power-folding (Bla		pearance Group)	GPH	-	-	O/P	-	O/P	-	-				uded with *TX ,*SX ,*V9, *	(steas DH	JP8	Р	Р		P –	_	_
_		n, memory, power-folding (chr		on both had aldered about the bo	GP2	-	-	-	-	•	•	•				ncluded with *M9, *MJ, *S9		JRT	-	Р		Р –	_	
div	vider/extender; LED bed lighti		h adjustable cleats (Short	on both bed sides; stowable be Box only; SRW only; Tradesm		0	0	0	0	0	0	•	- Ten-way po			-passenger seat (included w		JRF	-	-	_	P P	Р	Р
RU	JNNING BOARDS — Accent-co	olor			MRM	-	-	-	-	-	•	-	- Two-way po	wer lumbar support (included	with *M9, *MJ, *\$9, *P1, *	*AJ, *QL, *ZL, *VL, *GJ, *WL	, *XJ, *DJ, *UL seats)	JPW	-	Р	Р	P P	Р	Р
_	– Body-color (optional with S	Sport Appearance Group; inclu	ded with Limited Tungster	n Package)	MRL	-	-	0	-	0	-	O/P	- Heated from	nt seats (included with Luxu	ry Group, Harvest Edition P	ackage or Heated Seats and	Wheel Group)	CMA	-	-	Р	Р •	•	•
3118	DE STEPS — Black, cab-lengt	th (included with Harvest Editi	on Package; restricted by	vehicle color on select model	s) MRU	0	0	O/P	0	0	-	-	– Heated 2nd	-row seats (Crew Cab and I	Mega Cab models only; inc	cluded with *GJ, *WL, *XJ, *	*DJ, *UL seats)	JPZ	-	-	-	– P	P	P
-	– Chrome, cab-length (includ	led with Laramie Longhorn wit	th Monotone paint)		MRT	0	0	0	-	0	O/P	-	— Ventilated f	ront seats (included with *	ZL, *WL, *QL, *VL, *GJ, *	XJ, *DJ, *UL seats)		CAJ	-	-	-	P P	Р	P
_	– Chrome, wheel-to-wheel (n	ot available on Regular Cab o	or DRW models; included v	with Lone Star Silver Edition†)	MRA	0	0	O/P	-	0	0	٠				cup holder, floor-mounted st	orage tray on	*ТХ	.	_	-	-   -	_	_
_		ble with Ram 2500 CNG mode			CS7	0	0	0	0	0	0	0		Crew Cab models include fo		front armrest/cup holder, flo	or-mountad etarana							Н
-	,	ded with Off-Road Package or	,		MMZ	P	-	-	•	-	-	-		w Cab (Crew Cab models in			or inounted storage	*SX	0	-	-	-   -	-	-
_	on Laramie Longhorn mode	els)	ition Package, Sport Appea	arance Group or Monotone pai	mwi	-	Р	P	-	•	P	•		0/40 split-bench front seat, h rear bench seat; included		lder (Crew Cab and Mega Ca Equipment Group)	ab models include	*V9	P	•	-	-   -	-	-
_	- Lower body-color (included	. ,			MRD	-	-	Р	-	Р	•	-	- Cloth/vinyl	with embossed tire tread p	attern 40/20/40 split-benc	ch front seat, front armrest v	vith cup holder,	*H9	_	_	_		_	_
-	INDSHIELD WIPERS — Variable				JHA		-	-	•	• P	•	•		split-folding seat and fold-			- 40 4							$\vdash$
	- Rain-sensing (included with NTERIOR FEA	.,			JHU	-	_	_	-	P	Р	•	power lumb	ar adjuster, front center-se	at-cushion storage, 115-vo	mrest with cup holder, powe olt auxiliary power outlet (Cr or: included with SLT Popula	ew Cab and Mega Cab		-	0/P		-   -	-	-
AIF	R CONDITIONING — Manual				HAA		•		•	-	-	-				it armrest with cup holder, po	1-1							Н
_	– Dual-Zone Automatic Temp	erature Control (included with	1 8.4-inch radios or Leath	er and Luxury Group)	HAF	-	P	Р	Р	•		•	seat, power	lumbar adjuster, front cente	r-seat-cushion storage, 115	5-volt auxiliary power outlet ( at load floor: requires Sport A	Crew Cab and Mega	*P1	-	-	0	-   -	-	-
	IXILIARY INSTRUMENT PANE ow Chief Group)	EL SWITCHES — Not available	with heated seats or with	3.0 or 5.0 radios (included w	ith LHL	0/P	0/P	0/P	-	O/P	0/P	0/P	- Premium cl	oth/vinyl with embossed tire	e tread pattern 40/20/40 s	split-bench front seat, power	10-way driver's seat,	*\$9				0		H
CL	.USTER — 3.5-inch, Driver In	formation Display			JAT		•		-	-	-	-		iar adjuster, full-length flooi Id-flat load floor	CUNSUIR, 113-VOIT AUXIIIAI	ry power outlet, 60/40 split-	TOTAL DENCE	28	-		-	0 -	_	
-	– 3.5-inch, Driver Information	n Display (included with CNG	engine)		JAJ	Р	Р	-	-	-	-	-	- Premium cl	oth-trimmed low-back bucke	t seats, power 10-way drive	er's seat, power lumbar adju	ster, full-length floor			0				
-	– 7-inch, Driver Information I	Display (included with Luxury	Group or Harvest Edition	Package)	JA6	-	P	P	-	٠	-	-		5-volt auxiliary power outlet seat and fold-flat load floor		models include 60/40 split-	rolaing cloth-trimmed	*MJ	-	0	0	-   -	-	-
-	– 7-inch, Driver Information I	Display with Power Wagon gra	phic		JAY	-	-	-	Р	-	-	-			,									
-	– 7-inch Driver Information D	Display with Laramie Longhorn	ı detail		JAX	-	-	-	-	-	•	-												

Rear, in-floor strange baxes (Grew Gab models only)  Fold-flat load floor (Grew Gab models only; included with *Mg, *Hg, *Sg, *P1, *WL, *QL, *MJ, *ZL, *VL, *GJ, *VX, *DJ, *VIL seats)  Fold-flat load floor (Grew Gab models only; included with *Mg, *Hg, *Sg, *P1, *WL, *QL, *MJ, *ZL, *VL, *GJ, *VX, *DJ, *VIL seats)  Fold-flat load floor (Grew Gab models only; included with Mg, *Hg, *Sg, *P1, *WL, *QL, *MJ, *ZL, *VL, *GJ, *VX, *DJ, *VIL seats)  Fold-flat load floor (Grew Gab models only; included with Mg, *Hg, *Sg, *P1, *WL, *QL, *MJ, *ZL, *VL, *GJ, *VX, *DJ, *DJ, *DJ, *DJ, *DJ, *DJ, *DJ, *DJ	U UVERVIEW PUWERIKAINS 1300	2000	3000			5000	J lili		4	19UU G	GC 3300 GC	PRUMASTER	PRUMASTER GITT	CONFIGURATIONS	PAINI		FABI	HIUS		NEOL	IUKUES	
THE RICHES CONTINUED S.	-	1	SALES CODE	TRADESMAN® REG/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR† Crew/mega		LARAMIE® CREW/MEGA	LARAMIE LONGHORN® Crev/Mega	LIMITED GREW/MEGA						SALES CODE	TRADESMAN® REG/CREW	SLT REG/GREW/MEGA	BIG HORN®/LONE STAR† Cren//mega	POWER WAGON® CREW	LARAMIE® CREW/MEGA Laramie Longhorn®	CREW/MEGA LIMITED CREW/MEGA
The Principle of Part UNES (continued)   1				2TA	2TG		2TP	2TH	2TK	2TM		_					2TA	2TG		2TP 2	TH 21	K 2TN
Constraint   Park and the Park and Pa					-10	214													214			
Section of the content of the cont													IIMEDIA									
- The property of the property	full-length floor console, 115-volt auxiliary power outlet (Crew Cab an	d Mega Cab® models include 60/40	*AJ	_	_	0	_	-	_	_			MO +00 +04 +MI +AI	+71 +1/1 +01 +1/1 +01 +	VI *DI *III acata\		•	n	• n			P
Part		,	_			ш									AJ, UJ, UL SEAIS)		р	-	-	-		, r
## A PART OF THE CONTROL OF THE CONT												3 3 11 7 1 ( 1111		1.4 IIIGII Tautos)			-		-	•		Р
March   Marc	with cup holder, 115-volt auxiliary power outlet, 60/40 split-folding vii	yl-trimmed rear bench seat and fold-flat	^ZL	-	_	-	P	-	-	-							-		P	-		
For participant pa		nower 10-way/memory for driver and nowe	er .			Н		-						nctional USB port, auxiliary	jack for mobile devices	_	Р	Р	Р	Р	PF	
Register   1 Amount	6-way passenger, power lumbar adjuster, front center-seat-cushion sto	rage and folding center armrest with cup	*1/1	_	_	_	_		_	_	MEDIA HUB (in	cluded with 8.4-inch radios) -	- Two USB ports, auxiliary	jack for mobile devices		RSF	-	Р	Р	Р	P F	Р
Part		IS INCIDUE 60/40 SPIRT-TOLDING VINYI-TRIMMED									RADIOS - 3.0	AM/FM				RA1		-	-	-	-   -	-
Despite 11-best stating year method with stating year method with stating with with method with											- Uconnect 3	3.0 AM/FM/Bluetooth® Voice	Command <sup>14</sup>			UA1	0	-	-	-	-   -	-   -
			*QL	-	-	-	-	0	-	-	- Uconnect 3	3 with 5-inch display AM/FM	/SAT/Bluetooth			RA2	0	•	•	•		-
Proposition   Propagation						Ш					— Uconnect 4	1C with 8.4-inch display AM/F	M/SAT/Bluetooth/Voice Con	mmand <sup>14</sup> (included with Leath	er and Luxury Group)	UAS	-	0	0	0/P	• -	-
Restrict of first firs	passenger, power lumbar adjuster, full-length floor console, 115-volt a	uxiliary power outlet and heated 2nd-row	*GJ	_	_	_	_	0	_	-	Edition Pag	ckage)		`		_ `						
Company of the product of the American Anthrop of the Section and Advanced only 1999   1999													ed audio controls (include	d with leather-wrapped stee	ring wheel)				-	•		_
Principal train from (1 the contribution of the part beings (a)) principal contribution of the part being (a)) principal contribution of the part being (a) principal contribution of the part being (a													l with Tradesman Banular	Faviament Creus es E inch	and O.A. inch modic)		_	-	-			
- Professional collars with barra-critical depth, bigh-laces willfully and batted bardet about each in the lace will be seen that be seen the lace of	2nd-row seats on Crew Cab models (Crew Cab and Mega Cab models in		*WL	_	-	-	-	0	-	-				.,		RTB/	- -		-			•
Permiss bards of off-bit and force or search; includes (2004) gill-bit closing permiss leafter with bare-off-bit and force or permission labels (2004) gill-bit closing permiss before with barried planes (1904) and barried and hards bushet cants, includes (2004) gill-bit closing permission (1904) and barried (2004)	Premium leather with laser-etched design, high-back ventilated and he driver's and namer 6-way passagner namer lumber adjuster premium	ated bucket seats, includes power 10-way									SIRIUSXM GUA	ARDIAN®17 — Included with 8	J.4-inch radios			-	_	Р	Р	Р	PF	Р
- Personne neutral right Packs, established and Packel Section, footbook on Packel Sec	power outlet, heated 2nd-row seats; includes 60/40 split-folding prem	um leather with laser-etched design rear	*XJ	-	-	-	-	-	•	-	SPEAKER SYST	TEMS — Six speakers						•				_
Particular particular profiles from the regular to control of 15-will a uniform power and find-based debtors and			+			Н							models only)			RCK	-	0	- 1	-	_   -	-
Series presented present plants of personal part of per	passenger, power lumbar adjuster, premium full-length floor console, 1	15-volt auxiliary power outlet, heated	*0J	-	-	-	-	-	0	-			er (Surround Sound require	es ADA and *M9 or higher s	eat; included with	RC3	-	0	0	0/P		
Titles   Company   Compa											UCONNECT VO	DICE COMMAND <sup>14</sup> WITH BLUI	ETOOTH — Included with U	JA1, RA2, UAS, UAQ radios		XRB	P	P	P	Р	P F	P
Casher-wrapped with unince controls (included with Lucury Group or Heated Seats and Wheel Group)   SSV   P P    - Perforated Inabher-wrapped, heated, with reach extincting and sudio controls   SSV   SSV   P P P    - Leather-wrapped, heated with sudio controls (included with Heated Seats and Wheel Group)   SSV   SSV   SSV   P P P    - Leather-wrapped, heated, with read wood and unific controls (included with Heated Seats and Wheel Group)   SSV   SSV   SSV   P P P    - Leather-wrapped, heated, with read wood and unific controls (included with Heated Seats and Wheel Group)   SSV   SSV   P P P P P P P P P P P P P P P P P P			-UL	-	_	-	-	-	-	•	TIRES	AND WHEELS										
Februaria disable	STEERING WHEEL — Urethane		SCF		•	- 1	-	-	-	-	TIRES - 2500	LT245/70R17E BSW All-Se	ason tires			TWD			-	-		-
- Leather-wrapped, heated with audio controls (included with Headed Seats and Wheel Group)  SSV NNS	- Leather-wrapped with audio controls (included with Luxury Group or He	ated Seats and Wheel Group)	SCV	-	Р	Р	-	-	-	-	- LT285/70I	R17D OWL All-Terrain tires (	included with Power Wago	n Package)			·	-	-	•	-   -	-
Leather wrapped, heated with audio controls (included with Heated Seats and Wheel Group)   SCD   NRS	- Perforated leather-wrapped with accent stitching and audio controls		SCB	-	-	-	•	-	-	-				.,		TCN	P	•	•	-	• •	-
Leather wapped, heated, with real wood and audito controls  SCOV  TRANSE — SCOV  SCO	— Leather-wrapped, heated with audio controls (included with Heated Sea	ts and Wheel Group)	SCB/	-	-	P	P		-	-	Group; opt	tional with Chrome Appearant	ce Group)				O/P					
STRAKE — Behind the seat (Regular Cab and Mega Cab)  CUS	Lookhar washand booked with roal wood and audia controls					Н									ingoton i dokugo,	TEA	-	O/P	O/P	- (	)/P 0/	Р •
Front center-seaf-cushion storage (included with remote CD player and with *M9, *S9, *P1, *QL, *ZL, *VL seats)  CUE  Rear, in-floor storage baxes (Crew Cab models only)  Fight-lat lead floor (Crew Cab models only)  CUE  Rear, in-floor storage baxes (Crew Cab models only)  Foll-lat lead floor (Crew Cab models only)  CUE  ***** ***  ****  ***  ***  ***  ***				_	_		_	_	•	•	— Full-size s	pare tire				TBB	٠	•	•	•		
Rear, under-seal compartment (Crew Cab models only)  Rear, in-floor storage baxes (Crew Cab models only); included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only); included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only); included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only); included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only; included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only; included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only; included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only; included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only; included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only; included with Saw Chief Group and St.T Popular Equipment Group;  Rear, in-floor storage baxes (Crew Cab models only; included with Saw Chief Group and St.T Popular Equipment Group;  Rear windows, front one-louch down (Regular Cab models only; inclu				•							T		. ,				0	-	0	-	-   -	-
Rear, in-floor storage baxes (Crew Cab models only)  Fold-flat load floor (Crew Cab models only) included with *M9, *H9, *S9, *P1, *WL, *QL, *MJ, *ZL, *VL, *BJ, *CW - P P P P P P P P P P P P P P P P P P		with *M9, *S9, *P1, *QL, *ZL, *VL seats)	_	-	-	-	•	•			-					TCN	٠	•	•	-	• •	-
Fold-field load floor (Grew Cab models only; included with *M9, *H9, *S9, *P1, *WL, *QL, *MJ, *ZL, *VL, *GJ, *CN, *P, *P, *P, *P, *P, *P, *P, *P, *P, *P						_		-						f Group and SLT Popular Eq	uipment Group;	TCP	O/P	0/P	0/P	- (	)/P 0/	Р –
VISORS — Passenger-side, with vanity mirror  ORN — • • •	- Fold-flat load floor (Crew Cab models only; included with*M9, *H9, *S	89, *P1, *WL, *QL, *MJ, *ZL, *VL, *GJ,				ш					- LT285/60I	R20E OWL On-/Off-Road tires		O-inch wheels; included with	1 Sport Appearance	TEA	-	Р	O/P	- (	)/P F	
- Driver and passenger-side, with illuminated vanity mirror (included with Luxury Group, Harvest Edition Package or Leather and Luxury Group)  WINDOWS — Manual windows (Regular Cab models only)  - Power windows, front one-fluch down (Regular Cab models only; included with Power Accessory Group or Power and Remote Entry Group)  - Power windows, front one-fluch down (Regular Cab models only; included with Power Accessory Group or Power and Remote Entry Group)  - Power windows, front one-fluch down (Regular Cab models only; included with Power Accessory Group or Power and Remote Entry Group)  - Power windows, front one-fluch down (Grew Cab and Mega Cab)  - Rear fixed window  - Rear fixed window  - Rear sliding window, manual (Regular Cab)  - Rear sliding window, power (Grew Cab and Mega Cab)  - R			GNM	-				_	_	_	3500 DUAL RE	EAR WHEEL - LT235/80R17	E BSW All-Season tires (in	cluded with dual rear wheel	s) (2	TV2	Р	Р	Р	-	P F	Р
Leather and Luxury Group)  WHEELS ~ 2500 ~ 17 x 7.5-inch steel painted  WHEELS ~ 2500 ~ 17 x 8-inch painted  WHEELS ~ 2500 ~ 17 x 7.5-inch steel painted  WH		h Luxury Group, Harvest Edition Package or			n		n				- LT235/80I	R17E OWL On-/Off-Road tires	(included with Popular Eq	quipment Group)		TV3	0	0/P	0	-	0 (	0
Power windows, front one-touch down (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Power Accessory Group or Power and Person (Regular Cab models only; included with Box Delete option)  WBN 0/P					<u> </u>		•				WHEELS - 250	00 — 17 x 7.5-inch steel pai	nted			WDA	•	-	-	-	-   -	-
Remote Entry Group)  - Power windows, front one-touch up/down (Crew Cab and Mega Cab)  - Rear fixed window  - Rear sliding window, manual (Regular Cab)  - Rear sliding window, nower (Crew Cab and Mega Cab)  - Rear sliding window, power (Crew Cab and Mega Cab)  - Rear sliding window, power (Crew Cab and Mega Cab)  - Rear sliding window, power (Crew Cab and Mega Cab)  - Rear sliding window, power (Crew Cab and Mega Cab)  - Rear window defroster  - Rear window defroster			JF8	•	-	-	-	-	-	-	_ 17 x 8-inc	ch aluminum with Matte Black	r pockets (included with Pr	ower Wagon Package)			-	-	-			
Power windows, front one-touch up/down (Crew Cab and Mega Cab)  - Rear fixed window  - Rear sliding window, manual (Regular Cab)  - Rear sliding window, power (Crew Cab and Mega Cab)  - Rear sliding window, power (Crew Cab and Mega Cab)  - Rear window defroster  - Rear w		d with Power Accessory Group or Power and	JPY	P	•	-	-	-	-	-			, ,				-		-			
Rear fixed window GJD •			JP3				•			•			d with Chrome Appearance	e Group)			-					
Rear sliding window, manual (Regular Cab)  Rear sliding window, power (Crew Cab and Mega Cab)  Rear sliding window, power (Crew Cab and Mega Cab)  Rear window defroster  GFA - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	— Rear fixed window		GJD		-	- 1	-	-	-	_		•						-	•			
- Rear sliding window, power (Grew Cab and Mega Cab)  GFE - 0 • • • • •	- Rear sliding window, manual (Regular Cab)		GFD	0	•	- 1	-	-	-	-			and adaptacticate						-			
- Rear window defroster   GFA   -   0   0   0   0   0	- Rear sliding window, power (Crew Cab and Mega Cab)		GFE	-	0		•	•	•	•				h Manatana ng/-45		-			-			
	- Rear window defroster		GFA	-	0	0	0	0	0	0		•	• •	. ,					-			
												· · · · · · · · · · · · · · · · · · ·		., .,	()	WF3	-	-	0		-	
- 20 x 8-inch aluminum painted Satin Carbon with chrome inserts (included with Sport Appearance Group) WRJ - 0 0/P - 0/I  - Standard 0 = Optional P = Part of Package - = Not available  NOTE: some features and/or applications may be late availability.											— ZU X 0-IIIC	ın aranınının pantısu satili Gö	HOOM MITH PHINNING HISGLES	finoranea with ohalf whheat	anos urvupj	πιIJ		U	U/I'		n1	

OVERVIEW

POWERTRAINS

1500

3500

3500 CC

4500 CC

5500 CC

PROMASTER

PROMASTER CITY

CONFIGURATIONS

PAINT

FABRICS

RESOURCES

32	OVERVIEW	POWERTRAINS	1500	2500	350	0		3500	) CC		4	500 CC	5500 CC PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT		FABR	ics		RESO	URCES	
					SALES CODE	TRADESMAN® REG/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR† Cren/mega	POWER WAGON® CREW	LARAMIE® CREW/MEGA	CREW/MEGA CREW/MEGA	LIMITED GREW/MEGA					SALES CODE	TRADESMAN® REG/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE START CREW/MEGA	POWER WAGON® CREW	LARAMIE** GREW/MEDA LARAMIE LONGHORN**	CREW/MEGA LIMITED GREW/MEGA
cens	PACKAGE					2TA	2TG	2TZ/ 2TY	2TP	2TH	2TK	2TM	CPOS PACKAGE					2TA			2TP 2		
		EELS (contin	ued)											PMENT GROU	JPS (continue	ed)							
			,	tar Silver Edition†	WRY	-	-	Р		- 1	-1	-			•		AST	-	-1	- 1		- 1-	0
			.,		WRP	-	-	-	-	-	0	_				(y)	ADE	0	0	0	-	0 0	
_	· · · · · · · · · · · · · · · · · · ·	· · · · · ·		nt)	WRA	-	-	- 1	-	- 1	0	_	CONVENIENCE GROUP — Auto High-Beam	Headlamp Control and rain	-sensing wipers	*/	ADC	- 1	-	- 1	-	0 0	-
- 2	O x 8-inch 6-spoke alumin	um painted Satin Carbon wi	ith chrome inserts	·	WH3	-	-	-	-	- 1	-	•	DOT-COMPLIANT ROADSIDE SAFETY KIT	- Includes DOT fire extingui	isher, three reflecting triangl	les, two Red vinyl flags	ACI	n	n	0	n	0 0	n
- 2	O x 8-inch 6-spoke aluminu	m painted Satin Carbon with	Satin Silver inserts (inclu	uded with Limited Tungsten Pa	kage) WSV	-	-	-	-	-	-	Р	and spare fuses				HUL	-	-	-	0	, ,	- "
- 8	teel snare													s only (not available with	Crew Cab 6'4'' box; include	es clearance lamps for	WLA	0	0	0	-	0 0	0
		0 0 !										_		GROUP — Includes in-bed	7-pin harness connector ar	nd mounting provisions	AIIII		0				
		· · · · · · · · · · · · · · · · · · ·						$\vdash$				_	for 5th-wheel or gooseneck hitches		<u> </u>	• • • • • • • • • • • • • • • • • • • •	AHU	U	U	U		) U	U
_	Part																						
_	## STATE OF THE PROPERTY OF TH																						
_	•		ate			_	_	_	_	_		_					AY9	-	-	U	-   -	-   -	-
				int)		_		_		-	_		Black tubular cab-length side steps, chron	e grille with chrome mesh	insert and 18-inch polishe	d aluminum wheels							
_							_	n	_	n	•	_				.,							+
_				Sport Appearance Group)			0	-		-	_	_		uuts litattu tivtii stats ai	iu iicatcu icatiici wiappeu i	steering wheel (required	AGF	-	-	0	0 -	-   -	<b>1</b> -
_	•		`				_	-	_	-	0	_											
_	•			nt)	WRA	-	-	- 1	-	- 1	0	_					ACX	_	_	-	0		-
- 2	O x 8-inch 6-spoke alumin	um painted Satin Carbon wi	ith chrome inserts	,	WH3	-	_	- 1	_	- 1	-	•		ccent lighting, Premium II	audio system, Uconnect 8.4	radio, ParkSense®							
- 2	O x 8-inch 6-spoke aluminu	m painted Satin Carbon with	Satin Silver inserts (inclu	uded with Limited Tungsten Pa	kage) WSV	-	_	-	-	- 1	-	Р	-	hady-polar door handlag r	sower folding Tungeton mire	ore Limited teilgate					_	_	_
- 8	teel spare wheel		-	-	WKN		•		-		•	•	appliqué, Tungsten bodyside moldings, bod				AZ9	-	-	-		-   -	0
3500	DUAL REAR WHEEL - 17	x 6-inch steel painted			WFU		-	-	-	-	-	-						-			_	_	_
- 1	7 x 6-inch steel with chror	ne finish (included in Chron	me Appearance Group)		WD4	P	•		-	-	-	-				andles, luxury front and	ALM	-	-	-	-   -	- 0	-
- 1	7 x 6-inch polished alumin	um			WF7	-	0	0	-	•	-	•	LONE STAR SILVER EDITION† - Includes t	ow hooks, power heated m	irrors, LED interior lighting,	chrome belt moldings,							
-1	7 x 6-inch polished alumin	um with Laramie Longhorn	cap		WF9	-	-	-	-	-	•	-				y), 20-inch polished	AL7	-	-	0		-   -	-
-1	7-inch steel spare (include	ed with DRW)			WF1		•		-	•	•	•				nd steering wheel for							
SA	AFETY & SEC	URITY											Big Horn / Long Star <sup>†</sup> models, premium cli	ster with 7-inch Driver Inf	ormation Display, overhead	console with Universal	ΔΠΔ	_	n	n	n	_   _	-
AIR B	AGS <sup>19</sup> — Multistage front				CG3		•	•	٠	•	•	•				, power folding mirrors							
- 8	upplemental side-curtain				CGS		•	•	•	•	•	•	MAX TOW PACKAGE — Includes 5th-Wheel	/Gooseneck Towing Prep Gr	oup, Mopar® 30K direct-mo	unt 5th-wheel hitch,							
- \$	upplemental front-seat sid	e-mounted			CJ1		•	•	٠	•	•	•					AJL	0	0	0	-	0 0	0
BRAK	ES — Four-wheel antilock o	lisc brakes			BRT	•	•		٠	٠	•	•											
			- , .	,	0		0	O/P	0	0	0	0				res, OFF ROAD decal,	ARC	0	0	0	_	0 0	0
Suppo	rt, Ready Alert Braking, All	-Speed Traction Control an			BNB		•		•	•	•	•			oth bench seat, carpeted flo	oring, floor mats,	AJY	0	_	-	_	-   -	-
ELEO.	THORITO THURSELIN BRIDING OF	JIIIIOEEEII				_		$\vdash$		_		_			seat foo lamns OWI tires (I	Renular Cah models only	ΔIW		n	_	_		+-
_			with Leather and Lucres (	One		_		-	-	_		_				•							
PARK	VIEW® REAR BACK-UP CA	MERA <sup>20</sup> — Video image is d											power locks (Regular Cab models only)				AJW	0	_	_		-   -	<u> </u>
			or power door locks, tails	nate. RamBox® Svstem. illumi	noted	-							power windows and power locks (Regular	Cab models only)			AJH	0	-	_	-	-   -	1-
entry	system, panic alarm (inclu	ded with Tradesman Popula	r Equipment or Power an	nd Remote Entry Group)	UAIN	<u> </u>	•		•		•		4.10 axle ratio, tow hooks, fuel tank and t	ansfer case skid plates, fr	ont electric winch, Black w	heel flares, fog lamps,							
		•	and Luxury Group			_		$\vdash$	-	-		_					ACE	0	-	-	-   -	-   -	-
					-		-		-	-		_											
		` _	,		-	_		-		-		_	PROTECTION GROUP — Includes tow hook	s and transfer case skid pl	ate (4x4 models only)		ADB	0	0	0	-	0 0	0
_		• • • • • • • • • • • • • • • • • • • •			-			$\vdash$				_	SNOW CHIEF GROUP — Includes 180-amp	alternator for the 5.7L HE	MI® V8 (a 220-amp alterna	ator for the 6.4L HEMI	AD0		0	0		0 0	
-		, ,	,,							-	-	-				nies, ciearance ramps,	AUZ	, "	U	u		, ,	l u
TIRE			.,,		YRI		۰	•	-		•	•				ernator for the	VHU	n	n	n		0 0	n
ъ.	TOTAL STATE	CUIPMENT	ROUPS										6.4L HEMI V8 or 6.7L Cummins Turbo Dies	.,	, , , , , , , , , , , , , , , , , , , ,		AIID	٥	0	٥		, ,	-
= =					· › vno																		

## RAM 2500/3500 PICKUP TOWING AND PAYLOAD

34

MAXII	MUM LOADED TRAILER WEIGHTS (W	hen properly eq	uipped)														
	2500				REGULA					CREV	V CAB				ME	GA CAB®	
					8' B(			6	'4" BOX			8' BOX				'4" BOX	
	ENGINE	AXLE RATIO	GCWR	4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
	5.7L HEMI* V8 CNG / 66RFE 6-SPEED	3.73	15,000	7,680		7,300					7,180		6,820				
	5.7L HEMI V8 / 66RFE 6-SPEED	3.73 4.10	18,300 20,300	7,680 11,88 13,88 13,32	D	11,520 13,520 12,940		11,520 13,520		11,180 13,180	11,390 13,390	]	11,010 13,010		11,040 13,040		10,780 12,780
AT		3.73	19,800	13,00	n l	12 0/10		12,940		12,630	12.810	)	12,470		12.510		12,700
A1	6.4L HEMI V8 / 66RFE 6-SPEED	4.10	17 525	10,02				12,040		10.050	12,010		12,410		12,010		12,240
	0.42 HEIRI VO 7 CONI E O OI EED	4.10	17,525 22,800	16.32	0	15,940 17,500 16.430		15,940		10,050 15,630 17,160 16,110	15,810	)	15,470		15.510	·	15.240
	6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	3.42	25,300	17,98	0	17,500		17.450		17,160	17,320 16,270	)	16,750 15,920		15,510 17,170		15,240 15,430 14,750
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42	24.300	16.89				16.410					15.920		16.100		14.750
	3500					LAR CAB				CREW	CAB				MEGA		
				8' E	BOX	8' BO)	C DRW	6'4"	BOX		BOX		( DRW		BOX	6'4" B(	OX DRW
	ENGINE	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	5.7L HEMI V8 / 66RFE 6-SPEED	3.73	18,400	11,910	11,560			11,520	11,200	11,410	11,020			11,210	10,880		
	0.12 1.2 10 7 00.1 2 0 0.1.2.2	4.10 3.73	20,400 19,900	13,910 13,370	13,560 12,950	12.980	12.640	13,520 12,920	13,200 12,620	13,410 12,790	13,020 12,440	12.450	12.100	13,210 12,650	12,880 12,220	12.200	11.970
	6.4L HEMI V8 / 66RFE 6-SPEED	3.73 4.10	22,900	16,370	15,950	12,900	12,040	15,920	15,620	15,790	15,440	12,400	12,100	15,650	15,220	12,200	11,970
	0.4L REIVII VO / CONFE C-SPEED	4.10	22,800	10,370	10,800	16 //00	16 1/10	10,820	10,020	10,790	10,440	15.050	15 600	10,000	10,220	15 700	15.470
		3.42	23,400 25,300	17.910	17.540	16,480 17,550	16,140 17,180	17.480	17.060	17.350	16,990	15,950 17,000	15,600 16,660	17.140	16.750	15,700 16,750	15,470 16,440
AT	6.7L CUMMINS TURBO DIESEL I-6 / 68RFE 6-SPEED	3.73	27.300	11,010	11,010	19.550	19.180	11,100	11,000	11,000	10,000	19,000	18,660 21,660	11,110	10,100	18,750	18,440
		4.10	30,300 25,300			22,550	22,180					22,000	21,660			21,750	18,440 21,440
		3.42	25,300	17,770	17,390			17,330	16,910	17,200	16,850			16,990	16,600		
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 /	3.42	29,300			21,410	21,030 25,530					20,860	20,520			20,600	20,300
	AISIN® 6-SPEED	3.73	33,800			25,910	25,530					25,360	20,520 25,020 30,320			25,100	20,300 24,800 30,100
		4.10	39,100	10.070	10 500	31,210	30,830	10.400	10.010	10,000	15.050	30,660	30,320	10 100	15.710	30,400	30,100
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42 3.73	24,300 26,300	16,870	16,500	16,510 18,510	16,130 18,130	16,430	16,010	16,300	15,950	15,960 17,960	15,620 17,620	16,100	15,710	15,710 17,710	15,400 17,400
		3.13	20,300			10,310	10,130					17,500	17,020			17,710	17,400

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in lb. | Numbers in a Dack Dox reflect max ratings.

1. Payload and Max Trailer Weights are ESTIMATED values and rounded to the nearest 10 lb. 2. Payload = GWRR minus Base Weight. 3. Payload and Trailer Weight Ratings are mutually exclusive. 4. GAWRs, GWRs and GCWRs should never be exceeded. 5. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE J2807. Passenger Weight = 300 lb. Options Weight = 100 lb. Trailering Equipment Weight. 75 lb for conventional hitch, 17 lb for gooseneck and 250 lb for 5th-wheel. Tongue weight. 10 percent of the gross trailer weight for conventional hitch, 15 percent of the gross trailer weight for a Sth-wheel or gooseneck hitch. Payload and GAWR should never be exceeded and must account for all of the above weights, including the appropriate trailering equipment and tonger weight. Box-Off Body Completion Weights — 60 lb per foot from end of cab to end of frame. 6. The maximum tongue weight Box-Off Body Completion Weights—10 to end of frame. 6. The maximum tongue weight to calcast V (hitch receiver) is limited to 1,800 lb. 7. A 5th-wheel or gooseneck hitch is required for trailers over 18,000 lb. 8. 13,800-lb GVWR stated for Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, the GVWR is 13,700 lb.

	2500			REGULAR 8' BOX				6'4" BOX	CREV	V CAB	8' BOX				EGA CAB '4" Box	
	ENGINE	GVWR	4x2	8 DUA	4x4		4x2	D 4 DUA	4x4	4x2	8 DUA	4x4		4x2	4 DUA	4x4
	5.7L HEMI V8 CNG / 66RFE 6-speed 5.7L HEMI V8 / 66RFE 6-speed	9,200 9.000	2,350 3,050		1,970 2,690		2.690		0.050	1,850 2,560		1,490 2,180		2,210		1.960
AT	6.4L HEMI V8 / 66RFE 6-speed	9,000 8,510 10,000	3,990				, , , , , , , , , , , , , , , , , , , ,		2,350 1,560							
ИT	6.7L Cummins Turbo Diesel I-6 / 68RFE 6-speed 6.7L Cummins Turbo Diesel I-6 / G56 6-speed	10,000 10,000 10.000	3,160 3,060		3,610 2,720 2,630		3,610 2,670 2,610		1,560 3,300 2,380 2,310	3,480 2,540 2470		3,140 2,200 2,130		3,180 2,340 2.270		2,910 2,020 1,950
VII	3500	10,000		REGUI	AR CAB				CREV	V CAB				MEGA	A CAB	
	ENGINE	GVWR	8' E 4x2	4x4	8' BO	K DRW 4x4	6'4''	BOX 4x4	8' E	3 <b>0X</b> 4x4	8' BO 4x2	X DRW 4x4	6'4'' 4x2	BOX 4x4	6'4" B	OX DRW 4x4
	Endite	10 100	4,080		TAL	784	TAL	7.4	TAL	7.4	7/12	787	TAL	444	7/16	72.7
	5.7L HEMI V8 / 66RFE 6-SPEED	10,300 10,500		3,930			4.090									-
	5./L HEIVII V8 / BORFE 6-SPEED	10.700						3,970	4.480				4.280			
		11,000 11,300							4,460	4,390			4,200	4,250		
		10,200	4,140	3.920			+									
		10,400 10,500		0,020			3,990									
		10,800					+	3,990	4.460							
	6.4L HEMI V8 / 66RFE 6-SPEED	11,100 11,200							1,100	4.410			4,420	4.100		
		11,400 13,300			6,850 7,205	6.510	+			4,410	6.320	5.970		4,190	6.070	5.84
		13,300 13,700 13,800			7,205 7,350	6,510 6,910					-,	-1-1-			-,	-,-,-
AT		13,800 13,900 14,000			7,350		+								6.670	
A I		14,000 11,100	4,180								7,020	6,670				6,54
		11,500 11,600	4,100	4,210			4,150									
	6.7L CUMMINS TURBO DIESEL 1-6 /	11,600 11,700						3,930					3,910			
	68RFE 6-SPEED	12,000 12,300						0,500	4,520							
		12,300 12,400								4,460				4,220		
		14,000 11,100	4.040		6,720	6,350					6,170	5,830			5,920	5,61
		11.500	4,040	4,060			4,000									
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 /	11,600 11,700		.,				2 700					3,760			
	AISIN 6-SPEED	12.000						3,780	4,370							
		12,300 12,400								4,320				4.070		
		14.000			6,580	6,200					6,030	5,690		4,070	5,770	5,47
		11,100 11,500	4,140	4,170			4.100									
		11.600		7,170			4,100						3,870			
/IT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	11,700 12,000 12,300						3,880	4.470							
	GJU U-GI LED	12,300							4,410	4,420						
		12,400 14,000			6.680	6.300	+				6.130	5.790		4,180	5.880	5.57

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in lb. | Numbers in a Dlack box reflect max ratings.

1. Weights are ESTIMATED values rounded to the nearest 10 lb. 2. Payload = GVWR minus Base Weight. 3. Payload and Trailer Weight Ratings are mutually exclusive. 4. GAWRs, GVWRs and GCWRs should never be exceeded. 5. 3500 Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio, GVWR of 13,800 lb applies to Tradesman Package only. For all other price classes for this configuration (Regular Cab, 4x2, 6.4L V8 with 4.10 axle ratio), the GVWR is 13,700 lb.





# **RAM 3500**



17-inch DRW Painted Steel Wheel Standard on Tradesman® (WFU)



17-inch DRW Chrome-Clad Steel Wheel Standard on SLT Packaged with Chrome Appearance Group on Tradesman (WD4)



17-inch DRW Polished Aluminum Wheel Standard on Laramie® Optional on SLT (WF7)



RAM 4500/5500

19.5-inch DRW Painted Steel Wheel Standard on Tradesman® and SLT (WP3)



19.5-inch DRW Polished Aluminum Wheel Standard on Laramie® Optional on Tradesman and SLT (WP4)



18-inch SRW Painted Steel Wheel Standard on Tradesman (WBN)



18-inch SRW Chrome-Clad Steel Wheel Standard on SLT Optional on Tradesman (WBH)



18-inch SRW Polished Aluminum Wheel Standard on Laramie Optional on Tradesman and SLT (WBL)



	OVERVIEW	OVERVIEW POWERTRAINS 1500 2500 3500 3500						4500		
	18 RAM 3 Yer's Gui	500/4500/ IDE	5500 CHA	SSIS CAB		SALES CODES	TRADESMAN®	SLT REG/CREW	= LARAMIE® CREW	
		RANSMISSIO	NS							
6.4L I	HEMI® V8; 370 hp (410	hp* (SRW)), 429 lb-ft / 6	GRFE 6-speed automati	c (standard on 3500 mod	els only)	ESB. DFP				
6.4L I	HEMI V8; 366 hp (370 h	np (3500)), 429 lb-ft / AISI	IN® / 66RC 6-speed au	tomatic (optional for 350)	0; standard on 4500/5500)	ESB	/ 0/2	0/•	0/4	
		I-6; 320 hp, 650 lb-ft / G				ETK	/ n	0	0	
				<u> </u>	dale)	DEG ETK/ DF2	/ 0	0	0	
	.7L Cummins Turbo Diesel 1-6; 325 hp, 750 lb-ft / AISIN 69RC 6-speed automatic (available for all models)  NGINE SHUT-OFF TIMER — 5 minutes (dealer programmable from 1 – 60 minutes)							0	0	
	AX SPEED SETTINGS — 65-mph, 70-mph, 77-mph								0	
PNWF	R TAKF-NFF (PTN) — Alt	ternate left side renuires A	JSIN transmission (incli	udes solit-shaft canability	with the 6.7L Cummins Tur	bo Diesel) LBV		0	0	
	. ,		· · · · · · · · · · · · · · · · · · ·			LBN		0	0	
	- Available with AISIN automatic or the manual transmission (includes split-shaft capability with the 6.7L Cummins Turbo Diesel)  - PTO split-shaft capability (packaged with Power Take-Off Prep Group when equipped with the 6.7L Cummins Turbo Diesel)								Р	
М	ECHANICAL	. FEATURES								
ALTER	NATORS — 180-amp (inc	cluded with the 6.4L HEMI V8	and the 6.7L Cummins	Turbo Diesel)		BAD	•		•	
- 2	20-amp (included with I	Heavy-Duty Snowplow Prep	Group and Ambulance F	rep Group)		BAJ	0/P	O/P	0/	
- 3	80-amp (comprised of d	lual 160-amp and 220-amp	p alternators; optional v	vith the 6.4L HEMI V8)		XF5	0	0	0	
- 4	40-amp (optional with 6.7	7L Cummins Turbo Diesel; du	ual 220-amp alternators;	packaged with Emergency/F	Fire/Rescue Special Emission	s Package) XF7	0/P	O/P	0/	
B20 E	HODIESEL COMPATIBILIT	Υ				XX	0	0	0	
BATTI	:RY — 730-amp (one pe	r vehicle with the 6.4L HEN	MI V8; two per vehicle v	vith the 6.7L Cummins Tur	bo Diesel)	BCN	•		•	
DIESE	L ("SMART") EXHAUST E	BRAKE — Packaged with the	6.7L Cummins Turbo I	Diesel		NEN	Р	P	P	
ENGIN	E BLOCK HEATER — Opti	ional with the 6.4L HEMI V	B engine; included with	Cold Weather Group with	the Cummins Turbo Diesel	ADE/ NHK		O/P	0/	
ENGIN	E COOLING — Heavy-dut	y				NMC	•	•	•	
EXTR <i>i</i>	A BASE KEYS — Two (not	t available with Power and	Remote Entry Group or	Remote Keyless Entry)		GXJ	0	-	-	
FUEL	TANKS — Dual, 52- and 2	22-gallon, totalling 74 gallon:	s (not available on 3500	SRW and 60-inch CA with 6	i.4L HEMI)	NLL	. 0	0	0	
- 8	ingle 22-gallon, mid-shi	p-mounted (standard on Ra	am 3500 SRW 10K GVW	'R models)		NFA	•/0	•/0	•/	
- Si	ingle 52-gallon, rear-mou	nted (not available on Ram 3	3500 SRW 10K GVWR mo	idels)		NFH	•	•	•	
SHOC	K ABSORBERS — Front, h	eavy-duty				SFB	•	•	•	
— R	ear, heavy-duty					SGB	•		•	
SKID	PLATE — Transfer case	(4x4 models only; included	I with Heavy-Duty Snow	olow Prep Group)		XEF	0/P	O/P	0/	
STABI	LIZER BAR — Front					SHA	•		•	
STEER	ING — Power, recirculat	ting ball				SBE	•		•	
TOW I	HOOKS — Available with	6.4L HEMI V8 on 3500; in	cluded with 6.7L Cumm	ins Turbo Diesel on 3500;	standard on 4500/5500 m	nodels XEA	0/P/•	0/P/•	0/P	
TRANS	SFER CASES — Manual si	hift, part-time (4x4 models o	nly)			DK1	•		-	
- El	ectronic shift, part-time (	4x4 models only)				DK3	0	0	•	
UPFIT	TER ELECTRONIC INTERF	FACE MODULE (VSIM) — OV	er 50 inputs and output	ts (packaged with Ambular	nce Prep Group)	XXS	0/P	O/P	0/	
		IDLE-UP SYSTEM — Include	d with Rollback Carrier	Group and Ambulance Pre	p Group	XF6	0/P	O/P	0/	
	i, 3500 F — 6,000-lb GAWR (stan	dard on CDW models)				DJN	— I Р	— Р	P	
		nain oii sum illoneis)				NICU	•			
	- Antispin differential					DSA			•	
_	· ·	e Turho Nigeal madala calu	Λ			DMF		0	0	
_									U	
_	,	6.4L HEMI V8; optional wi	,	Diesel; included with Max	· Tow Package)	DMF DMF	/ •/P/N		•/P	
	M ratio (included with	6.4L HEMI V8 / AISIN trans	(nnizzimz		-	DMA		Р	P	
_		O'AL DEMI AD / VIOLA ILSUS	annoorun <i>i</i>			UMI		r		
- 4	1.5-inch (SRW models o		,			DRQ				

5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	F	RESOURCES		
						SALES CODES	TRADESMAN® REG/CREW	SLT REG/CREW	LARAMIE® CREW
							A	G	Н
MECH	ANICAL FEA	TURES (conti	nued)						
AXLES, 4500 A	ND 5500						-	-	-
FRONT - 10.8-	inch					DJP		•	•
REAR — Antispi	n differential					DSA	•	•	•
	(4500 models: packaged Cummins Turbo Diesel / G	with 6.7L Cummins® Turb 56 manual transmission)	o Diesel engine / AISIN®	automatic transmission;	5500 models: packaged	DMF	Р	Р	P
- 4.44 ratio	(standard on 4500/5500	models; optional with 6.7	L Cummins Turbo Diesel A	G56 manual transmissio	n)	DMK	•/0	•/0	•/0
- 4.88 ratio	(optional on 4500, requir	es 6.4L HEMI® V8 engine	; included with the Max T	ow and Payload Upgrade	Packages on 5500)	DMS	0/P	O/P	O/P
— Dana® \$1	11 (12,000-lb GAWR on 4	500; 13,500-lb GAWR on	5500)			DRT	•	•	•
EXTER	IOR FEATUR	RES							
BADGING - SLT	Г					MTD	-	•	-
– Laramie						MTE	-	-	•
BUMPER - Fro	nt, Black					MB1	•	-	-
– Front, chro	me (included with Chrome !	Appearance Group)				MCT	Р	•	•
CHROME BODY	SIDE MOLDINGS — An Auti	nentic Accessory from Mop	ar⊛			MJB	0	0	0
TUBULAR SIDE	STEPS — Chrome, an Autho	entic Accessory from Mopar				MRT	0	0	0
– Black (Reg	jular Cab models only)					MRU	0	0	-
FASCIA - Front	t, headlamp filler, Black (sta	ındard on 4500 and 5500 n	nodels; included with low-vo	lume paint colors)		MCJ	•	•	•
– Front, head	dlamp filler in body-color	(3500 only)				MCM	•	•	•
FOG LAMPS -	Available with Chrome Ap	pearance Group on Trades	man and as a single option	on for SLT models		LNJ	Р	0	•
GRILLES - Blad	ck insert and surround					MFF	•	-	-
– Chrome su	ırround, Black insert (incli	uded with Chrome Appeara	nce Group)			MFD	P	•	-
- Chrome su	irround, chrome insert					MF1	-	-	•
HEADLAMPS -	AUTOMATIC					LMG	•	•	•
– Halogen –	Quad-lens					LME	•	•	-
– Halogen –	Bifunctional projector					LMC	-	-	•
KEY-ALIKE FEAT	TURE — Allows a single ke	ey to start multiple trucks				GRA	0	0	-
LAMPS — Cab-	clearance					LNC	•	•	•
MIRRORS - Fo	lding trailer-tow, manual, Bl	ack (Regular Cab models or	ıly)			GPD	•	-	-
– Power mul turn signal		ted, manual folding, chrom	e; includes position mem	ory, exterior courtesy lam	ps and supplemental	GPC	-	-	•
models; in	cluded with Power Access	lding, Black; includes exte ory and Power and Remote		supplemental turn signals	(standard on Crew Cab	GPG	P/•	٠	-
MONOTONE PA						APA	•	•	•
PICKUP BOX DI						XBC	•	•	•
	LED (not available with sir	ngle-rear-wheel models)				LAY	0	0	0
TIRES, 3500						_	-	_	_
	R17E BSW All-Season (DR					TV2	•	•	•
	R17E OWL On-/Off-Road (4					TV3	0	0	0
		standard on 3500 DF 10K	GVWR models; packaged	with other SRW models)		TCM	•/P	•/P	•/P
– Spare, full						TBB	0	0	0
TIRES, 4500/5						<u> </u>	-	-	_
	9.5G BSW All-Position (4x					TUV	•	•	•
		nt, rear traction (standard	uii 4x4 models; available	IUI 4XZ MODEIS)		TUY	•/0	•/0	•/0
	9.56 BSW All-Traction (4)	4 IIIUUUUS ONIY)				TUZ	0	0	0
- Spare, full						TBB	0	0	0
WHEELS, 3500		lala anlu\				urv	_	-	_
	ch Argent steel (DRW mod		only, included with Chi-	ma Annoaranaa O	Tradaaman madala\	WFU	o n	-	_
		d center cap (DRW models	unly; included with Chro	nie appearance Group on	TTAUESHIAN MODELS)	WD4	Р	•	-
	ch aluminum (DRW model:	s uilly)				WF7	_	0	•
- 18-inch st	eel (SRW models only)					WBN	•	_	_

a samular u — opunount r = rat or reakage — = mu available
 NOTE: some features and/or applications may be late availability
 \*Only when the available 10K GWR model is ordered on 3500 SRW with 66RFE automatic transmission.

'	UVLIIVILW	TOWERTHAINS	1 300	2,000	3300	'	JUU UU			4300 0	O 3300 00 FINDMAOLER FINDMAOLER OFFE CONTIQUIATIONS FAIRT FADRIUS
							JES .	N.s	REW	CREW	
	Q DAM 26	ENN/UENN/	5500 CHAS				SALES CODES	TRADESMAN* Reg/CREW	SLT REG/CREW	LARAMIE®	
_		DE (CONTI		3313 GAD			SA	E A	G	_ ₹	
		ATURES (co	•					А	u	n	INTERIOR FEATURES (continued)
_			nal on Tradesman; includ	lad with Chromo Annoor	onoo Croun)		WBH	0/P	•	_	SEATS — Vinyl 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab models include vinyl-trimmed fold
	nch polished aluminun		ilai vii Trauesillali; Iliciuu	JEU WILII GIITUIIIE APPEAT	ance group)		WBL	0/1	0	-	SCA13 — VINJY 40/20140 Spin-denich from Seal with folding Center armiesbludsiness consone (Grew Gad moders include Vinjy-Unlinhed foli rear bench seat)
-	500/5500	ii (Silw iiidudis diliy)					WUL	_	_	_	- Ram Work Grade vinyl 40/20/40 split bench
	· x 6-inch steel						WP3	•		_	- Cloth-trimmed 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab models include cloth-trimmed
_	x 6-inch polished ali	luminum					WP4	0	0		folding rear bench seat)
	· · · · · · · · · · · · · · · · · · ·	(4500/5500 models only)	<u> </u>				MMZ	•	•	•	<ul> <li>Premium cloth-trimmed 40/20/40 split-bench front seat, power 10-way driver seat, power lumbar adjuster, folding center armrest/ business console with center-seat-cushion storage and 115-volt auxiliary power outlet (Grew Cab models include 60/40 cloth-trimme</li> </ul>
-	-color (3500 models	,	<u>'</u>				MML	0	0	0	split-folding rear bench seat)
ŕ	LD WIPERS — Variable	• •/					JHA	•	•	•	<ul> <li>Premium cloth-trimmed low-back bucket seats, power 10-way driver seat, power lumbar adjuster, fixed center console and 115-volt auxiliary power outlet (Crew Cab models include 60/40 cloth-trimmed split-folding rear bench seat)</li> </ul>
-		with Convenience Group)					JHC	_	-	Р	— Leather-trimmed ventilated and heated 40/20/40 split-bench front seats with power 10-way/memory for driver and power 6-way
	ERIOR FEA	.,					5110				passenger seat, power lumbar adjuster, front center-seat-cushion storage and folding center armrest/business console, and 115-volt auxiliary nower outlet (Crew Cab models include 60/40 vinvl-trimmed split-folding rear bench seat)
_	IITIONING	OKEO					HAA	•			- Leather-trimmed low-back, ventilated and heated bucket seats; includes power 10-way driver and power 6-way passenger seats, power
		nerature Control (includer	I with Heated Seats and W	Wheel Group: Crew Cah r	models only)		HAF	_	Р		lumbar adjuster, fixed center console, 115-volt auxiliary power outlet and heated 2nd-row seats on Crew Cab models (Crew Cab mod
-		passenger-side (A-pillar-m		andor droup, oron out i	inducto diny)		CSP	•		•	include 60/40 vinyl-trimmed split-folding rear bench seat)
_	/ SWITCHES — Five	passonger orac (A pinar n	ountouy				LHL	•		•	SPEED CONTROL
_	Center-stack Black						JBF	•	_	_	STEERING WHEEL — Four-spoke, urethane
_	er-stack, color-keyed						JBY	_		_	- Heated (included with heated seats; included with Heated Seats and Wheel Group)
-	er-stack, woodgrain in	nsert					JBB	_	_		— Leather-wrapped with remote audio control buttons (included with Luxury Group and Heated Seats and Wheel Group)
-			er (120-mph speedometei	er on 3500: 87-mah on 4	1500/5500 with Flectron	ic Vehicle	+				- Tilt column
	on Center)	.o mon diopidy, taonomot	or (120 mpn opoodomotor	ii on oooo, or inpiron	1000/0000 WILL E100H OII	0 10111010	JAT	•	•	_	STORAGE — Front, behind-the-seat (Regular Cab models only)
rı	ument, with 7-inch Dri	iver Information Display (	included with Luxury Grou	up)			JA6	-	P	•	- Front center-seat-cushion (included with *M9 and *VL seats)
.E	S — Full-size floor ce	enter (included with front	bucket seats)				CUP	-	P	P	TIP START — Included with automatic transmissions
	head with Universal G	arage Door Opener (inclu	ded with Luxury Group)				CV2	-	P	•	TURN SIGNALS — One-touch / three-blink lane-change feature
11	ead with map lights (	(included with RA2 radio)					CUN	P	•	-	WINDOWS — Manual (Regular Cab models only)
CK	(S — Manual (Regul	lar Cab models only)					JE8	•	-	-	— Power, front and rear with driver's one-touch up/down (Grew Cab models only)
r (	included with Powe	er Accessory and Power a	nd Remote Entry Groups;	standard on Tradesman	Crew Cab model)		JPB	P/•	•	•	- Power, front with driver's one-touch down (Regular Cab models only; included with Power Accessory Group and Power and Remote Entry Gr
)V	/ERING — Heavy-duty	y vinyl					CKJ	•	0	0	- Rear backlight, fixed
8	et						CKE	0	•	•	- Rear backlight, power sliding (Grew Cab models only; included with Luxury Group)
1	ATS — Front, carpeted	d (Regular Cab; included	with carpet on Tradesman	n models)			CLA	P	•	-	— Rear backlight, sliding
ront	and rear, carpeted (I	Crew Cab; included with	carpet on Tradesman mod	dels)			CLE	Р	•	•	— Rear defrost (available with fixed rear or power sliding rear window; requires Power Accessory Group on Tradesman models)
ront	, rubber (Regular Cab	b; requires carpet)					CLY	0	0	-	UCONNECT® / MULTIMEDIA
ront	and rear, rubber (Cr	ew Cab; requires carpet)					CLF	0	0	0	INTEGRATED VOICE COMMAND <sup>14</sup> WITH BLUETOOTH® — Hands-free calling <sup>14</sup> with Address Sync, Bluetooth (included with UA1, RA2, UAS or UAO radios)
SSI	enger-side visor with	mirror					GNM	•	٠	-	RADIO CONTROLS — Steering wheel-mounted audio controls (included with leather-wrapped steering wheel, Luxury Group and Heated Seat
S	— Day/night manual						GNA	•	•	-	and Wheel Group)
0-	dimming rearview day	y/night, with camera disp	lay (packaged with ParkVi	iew® Rear Back-Up Cam	nera <sup>20</sup> with UA1 radio)		GN4	P	P	P	SINGLE-DISC REMOTE CD PLAYER
)-	dimming rearview day	y/night, with Uconnect® I	Phone <sup>14</sup> (included with Cor	nvenience Group)			GNK	-	-	Р	SIRIUSXM GUARDIAN®77 — Included with 8.4-inch radios
SI	enger-side visor with	mirror					GMN	•	٠	-	SIRIUSXM® SATELLITE RADIO <sup>16</sup>
n	inated visors for drive	er and passenger (includ	ed with Luxury Group)				GNC	-	P	•	SIRIUSXM TRAVEL LINK <sup>16</sup> and Siriusxm traffic Plus <sup>16</sup> — Included with 8.4-inch radios
_	- '		quires automatic transmis				XAP	-	0	-	- 2.5-amo charoing USB port (included with Uconnect 5-inch or 8.4-inch radios. *M9. *V9 and *MJ seats)
	r-adjustable with men	mory (3500, 4500 and 5	500; requires automatic tr	ransmission)			XAM	-	-	0	- Media Hub (included with Uconnect 3- and 5-inch radios)
10							JKY	•	٠	•	- 1.5-amp fully functional USB port
-	CCESSORY DELAY						JKV	-	Р	•	- Auxiliary input jack for mobile devices
A		uxiliary (included with *1	N9, *MJ, *GJ, *VL seats)	)			111	•	•	•	- Media Hub (included with Uconnect 8.4-inch radios)
0	UTLETS — 115-volt au 12-volt auxiliary		, , , ,	·			JJJ				
R AI	UTLETS — 115-volt at 12-volt auxiliary — Heated, driver and	front-passenger; include:	s heated steering wheel (i	·	ats and Wheel Group)		CMA	-	Р	•	APPLE CARPLAY <sup>™13</sup> — Included with 8.4-inch radios
R AI R O WO NG	UTLETS — 115-volt au 12-volt auxiliary — Heated, driver and way power driver's se	front-passenger; include: at (included with *M9, *	s heated steering wheel (i	included with Heated Se	ats and Wheel Group)		CMA JRT	-	Р	-	
1 A 1 O 1 O 1 O 1 O	UTLETS — 115-volt ai 12-volt auxiliary — Heated, driver and way power driver's se way power driver's se	front-passenger; include: at (included with *M9, * at with memory and 6-wa	s heated steering wheel (i MJ seats) y power passenger (*GJ,	included with Heated Se	ats and Wheel Group)		CMA JRT JRF	-	P -		ANDROID AUTO <sup>TM13</sup> — Included with 8.4-inch radios
R AIR OI WO ING en-v	UTLETS — 115-volt and 12-volt auxiliary — Heated, driver and way power driver's sea way power driver's sea center-seat delete (g	front-passenger; include: at (included with *M9, * at with memory and 6-wa packaged with Rear Interi	s heated steering wheel (i MJ seats) y power passenger (*GJ,	included with Heated Se	ats and Wheel Group)		JRT JRF CJT	- - 0	P – 0	•	
ER AI Fwo ING Fen-v	UTLETS — 115-volt au 112-volt auxiliary — Heated, driver and way power driver's se way power driver's se center-seat delete (f te Rear Seat (Crew Ca	front-passenger; include: at (included with *M9, * at with memory and 6-wa packaged with Rear Interi ab models only)	s heated steering wheel (i MJ seats) y power passenger (*GJ,	included with Heated Se	ats and Wheel Group)		JRT JRF CJT CF8	- 0 0/P	P — 0 O/P	- • -	ANDROID AUTO <sup>1913</sup> — Included with 8.4-inch radios  SPEAKER SYSTEMS — Premium I (available with Uconnect 8.4-inch radios; not available with Upfitter Electronic Interface Module)  — Six speakers; standard on Crew Cab Tradesman model
VER AI VER OI TWO TING Ten-I Ten-I Front Delet	UTLETS — 115-volt au 112-volt auxiliary — Heated, driver and way power driver's se way power driver's se center-seat delete (f te Rear Seat (Crew Ca	front-passenger; include: at (included with *M9, * at with memory and 6-wa packaged with Rear Interi	s heated steering wheel (i MJ seats) y power passenger (*GJ,	included with Heated Se	ats and Wheel Group)		JRT JRF CJT	- - 0	P – 0	•	ANDROID AUTO <sup>m13</sup> — Included with 8.4-inch radios  SPEAKER SYSTEMS — Premium I (available with Uconnect 8.4-inch radios; not available with Upfitter Electronic Interface Module)

3500

3500 CC

4500 CC

5500 CC

PROMASTER

PROMASTER CITY

CONFIGURATIONS

PAINT

**FABRICS** 

RESOURCES

SALES CODES

\*TX \*\$X

\*V9 0

\*M9

\*MJ

\*VL

\*GJ

NHM SCF

SCV

SUA

CU3

SLT REG/CREW

G

0 0

0

0

0

41

**POWERTRAINS** 

OVERVIEW

<sup>\*</sup>VL seats) P P feature JF8 own (Crew Cab models only) JP3 Cab models only; included with Power Accessory Group and Power and Remote Entry Group) JPY GJD GFE nly; included with Luxury Group) Р GFD 0 0 iding rear window; requires Power Accessory Group on Tradesman models) GFA 0 0 Hands-free calling<sup>14</sup> with Address Sync, Bluetooth (included with UA1, RA2, UAS or XRB Р P ntrols (included with leather-wrapped steering wheel, Luxury Group and Heated Seats RDZ P RH1 0 0 RSK RSD 0 RSM/ 16 — Included with 8.4-inch radios RTR ct 5-inch or 8.4-inch radios, \*M9, \*V9 and \*MJ seats) RS3 P radios) RS6 RSX RSU RSF RFP RF5 P RCK ect 8.4-inch radios; not available with Upfitter Electronic Interface Module) 0 RCG odel RCB ack) RA1 • . mand<sup>14</sup> with Bluetooth and Media Hub (USB, auxiliary jack) UA1 0 0 NOTE: some features and/or applications may be late availability.

2018 RAM 3500/4500/5500 CHASSIS CAB	SALES CODES	TRADESMAN® REG/CREW	SLT REG/GREW	LARAMIE® CREW
BUYER'S GUIDE (CONTINUED)		A	G	Н
UCONNECT® / MULTIMEDIA (continued)				
UCONNECT 3 WITH 5-INCH DISPLAY RADIO — AM/FM, Media Hub (USB, auxiliary jack), global positioning system, Integrated Voice Command <sup>14</sup> with Bluetooth® and SiriusXM® Satellite Radio <sup>16</sup>	RA2	0	0	-
UCONNECT 4C WITH 8.4-INCH DISPLAY RADIO — AM/FM, Media Hub (USB, auxiliary jack), global positioning system, Integrated Voice Command <sup>14</sup> with Bluetooth, SiriusXM Satellite Radio <sup>15</sup> and Reall/Eeall (required for Heated Seats and Wheel Group)	UAS	-	0	•
UCONNECT 4C NAV WITH 8.4-INCH DISPLAY RADIO — AM/FM, Media Hub (USB, auxiliary jack), GPS Navigation, Integrated Voice Command <sup>14</sup> with Bluetooth, SiriuxXM Satellite Radio; <sup>8</sup> Reall/Ecall and HD radio (required for Heated Seats and Wheel Group)	UAQ	-	0	0
SAFETY & SECURITY				
AIR BAGS¹s — Multistage front	CG3	•	•	•
- Driver's only	CGT	0	0	-
BRAKES — Power-assisted 4-wheel antilock disc	BRT	•	•	•
DOT-COMPLIANT ROADSIDE SAFETY KIT — Includes DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses	ACL	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) <sup>s</sup> system	BNB	•	•	•
PARKSENSE™ FRONT AND REAR PARK ASSIST SYSTEM™ — Requires Chrome Appearance Group and fog lamps on Tradesman models, or fog lamps on SLT models)	XAG	0	0	0
PARKSENSE REAR PARK ASSIST SYSTEM™	XAA	0	0	0
PARKVIEW® REAR BACK-UP CAMERA® — Shipped loose in cab, installed by the upfitter in the ideal location as determined by upfitter and owner (image is displayed in the rearriew mirror with UA1; all other radios will include the camera display on-screen; standard on Ram 3500 SRW; optional on Ram 3500 DRW and 4500/5500 Chassis Cab models)	XAC	•/0	•/0	•/0
RED SEAT BELTS — Regular Cab models only (not available on Ram 3500 SRW 10K GVWR models)	CGQ	0	0	-
REMOTE KEYLESS ENTRY — Controls for power door locks, illuminated entry system and panic alarm; includes two transmitters (included with Power and Remote Entry Group)	GXM	P/0	•	•
REMOTE START SYSTEM — Requires automatic transmission; included with available automatic transmission on Laramie	XBM	-	0	Р
SEAT BELTS — Front, shoulder height-adjustable	CGD	•	•	•
SECURITY ALARM — Detects break-in	LSA	-	0	•
SENTRY KEY® THEFT DETERRENT SYSTEM — Engine immobilizer	GXX	•	•	•
TIRE PRESSURE MONITORING — Packaged with Ram 3500 SRW 10K GVWR models	XGM	P	Р	Р
- Selective Tire Pressure Display (available only on RAM 3500 models over 10K GVWR)	XBT	0	0	0

RAM 3500 C	HASSIS CAB MAX J	OB RATING INFORMAT	ION*		
	POW	ERTRAIN		Regular Cab 60'' CA (4x2 / 4x4) SRW	Crew Cab 60" CA (4x2 / 4x4) SRW
			MAX GVWR	10.000	10.000
		66RFE 6-SPEED	MAX PAYLOAD	4,200 / 3,960	3,760 / 3,440
	6.4L HEMI® V8	AUTOMATIC	MAX GAWR FRONT	5,500	5,500
	0.4L NEWII VO		MAX GAWR REAR	6,800	6,800
		TRANSMISSION	MAX TOWING	15,050 / 14,810	14,610 / 14,290
			MAX GCWR	21,000	21,000
			MAX GVWR	10,000	10,000
		AISIN® HEAVY-DUTY	MAX PAYLOAD	4,070 / 3,830	3,630 / 3,310
	6.4L HEMI V8	6-SPEED AUTOMATIC Transmission	MAX GAWR FRONT	5,500	5,500
0500 85	0.4L NEWII VO		MAX GAWR REAR	6,800	6,800
3500 DF			MAX TOWING	17,920 / 17,680	17,480 / 17,160
10K GVWR SRW			MAX GCWR	24,000	24,000
			MAX GVWR	10,000	10,000
		G56 G-SPEED	MAX PAYLOAD	3,600 / 3,350	3,160 / 2,840
	6.7L CUMMINS®	MANUAL	MAX GAWR FRONT	6,000	6,000
	TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		INANOMIOOUN	MAX TOWING	17,450 / 17,200	17,010 / 16,690
			MAX GCWR	24,000	24,000
			MAX GVWR	10,000	10,000
		AISIN HEAVY-DUTY	MAX PAYLOAD	3,430 / 3,180	2,990 / 2,670
	6.7L CUMMINS	6-SPEED AUTOMATIC	MAX GAWR FRONT	6,000	6,000
	TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	6,800
		THANONIOOUN	MAX TOWING	17,280 / 17,030	16,840 / 16,520
			MAX GCWR	24,000	24,000

Weights given in Ib. \*Maximum tow job rating numbers are for a properly equipped which of the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axte length. SRW = Single Rear Wheel.

TRAILER BRAKE CONTROLLER - Fully integrated electronic

42

OVERVIEW

POWERTRAINS

1500

2500

3500

3500 CC

4500 CC

5500 CC

PROMASTER

PROMASTER CITY

CONFIGURATIONS

PAINT

FABRICS

RESOURCES

	SALES CODES	TRADESMAN® Reg/CRev	SLT REG/CREW	LARAMIE® CREW
		A	G	Н
PACKAGES / EQUIPMENT GROUPS				
AMBULANCE PREP GROUP — Includes 220-amp alternator, voltage monitoring auto idle-up system and Upfitter Electronic Interface Module (VSIM)	AH2	0	0	0
CHROME APPEARANCE GROUP — Includes chrome front bumper and grille surround and chrome wheel covers on 3500 models; chrome grille and chrome front bumper on 4500/5500 models	AMP	0	-	-
COLD WEATHER GROUP — Includes engine block heater and winter front grille cover (requires 6.7L Cummins® Turbo Diesel)	ADE	0	0	0
CONVENIENCE GROUP — Includes auto-dimming rearview mirror, rain-sensing wipers, Auto High-Beam Headlamp Control, remote proximity keyless entry and Keyless Enter 'n Go™ (not available with manual transmission)	ADC	-	-	0
HEATED SEATS AND WHEEL GROUP — Includes heated cloth front seats and heated leather-wrapped steering wheel (optional with *M9 and *MJ seats; requires Uconnect* 4C or 4C NAV radios)	AGF	-	0	-
HEAVY-DUTY FRONT SUSPENSION GROUP — Included with Heavy-Duty Snowplow Prep Group; 4500/5500 models only	AZB	O/P	O/P	O/P
HEAVY-DUTY SNOWPLOW PREP GROUP — Includes 220-amp alternator, transfer case skid plate (3500 models require 4x4), and heavy-duty front suspension (4500, 5500 models only)	AHD	0	0	0
LUXURY GROUP — Includes 7.4-inch Electronic Vehicle Information Center, leather-wrapped steering wheel with audio controls, sun visors with illuminated vanity mirrors, glove box lamp, underhood lamp, rear dome lamp with on/off switch, overhead console, rear power sliding window (Grew Cab models) and Universal Garage Door Opener (requires Uconnect 3, 4C or 4C NAV)	ADA	-	0	-
MAX TOW PACKAGE — On 4500/5500 models: includes underbody thermal protection, 4.88 axle ratio and transmission software calibration; on 3500 models: includes dual transmission oil cooler, underbody thermal protection, 4.10 axle ratio, transmission software calibration and aluminum rear differential cover (requires diesel engine with automatic transmission and trailer brake controller; not available on 3500 SRW)	AHQ	0	0	0
PAYLOAD UPGRADE PACKAGE — Includes 19K GVWR with 60-inch CA, 19.5K GVWR with 84-, 108- and 120-inch CA, 4.88 rear axle ratio (5500 with 6.4L only)	AH5	0	0	0
POWER ACCESSORY GROUP — Includes power windows, premium vinyl door trim, power door locks and power adjustable exterior trailer-tow mirrors with turn signals indicators (Regular Cab models only)	AJW	0	-	-
POWER AND REMOTE ENTRY GROUP — Includes power windows, premium vinyl door trim, power door locks, power-adjustable exterior trailer-tow mirrors with turn signals indicators and remote keyless entry (Regular Cab models only)	AJH	0	-	-
POWER TAKE-OFF PREP GROUP — Includes hard-wire remote start if equipped with AISIN® transmission; includes split-shaft PTO capability if equipped with the 6.7L Cummins Turbo Diesel engine	LBN	0	0	0
POWER TAKE-OFF PREP GROUP (LEFT SIDE) — Includes hard-wire remote start if equipped with AISIN transmission; includes split-shaft PTO capability if equipped with the 6.7L Cummins Turbo Diesel engine	LBV	0	0	0
REAR INTERIOR TRIM DELETE GROUP — Includes front center-seat delete, rear floor storage tray delete and cab-back trim panel delete (Regular Cab models only)	AS8	0	0	-
ROLLBACK CARRIER GROUP — Includes voltage monitoring auto idle-up system (5500 120-CA Regular Cab models only; requires 22-gallon mid-ship fuel tank, Power Take-Off Prep Group and 220-amp alternator)	AH1	0	0	-
SINGLE-REAR-WHEEL GROUP — Standard on Ram 3500 SRW 10K GVWR models; available on 3500 over 10K GVWR models; not available on 4500/5500 models)	AR9	•/0	•/0	•/0

 $<sup>\</sup>bullet = \text{Standard} \quad 0 = \text{Optional} \quad P = \text{Part of Package} \quad - = \text{Not available} \\ \text{NOTE: some features and/or applications may be late availability}.$ 

# RAM 3500/4500/5500 CHASSIS CAB JOB RATING INFORMATION

RAM 3500 CHASSIS	CAB MAX JOB RATI	NG INFORMATION*					
POWER	TRAIN		Regular Cab 60" CA (4x2 / 4x4) SRW	Regular Cab 60" CA (4x2 / 4x4) DRW	Regular Cab 84" CA (4x2 / 4x4) DRW	Crew Cab 60" CA (4x2 / 4x4) SRW	Crew Cab 60" CA (4x2 / 4x4) DRW
		MAX GVWR	10,700 / 11,000	13,500	13,500	10,700 / 11,000	13,500
	66RFE 6-SPEED	MAX PAYLOAD	4,900 / 4,960	7,350 / 7,120	7,270 / 6,990	4,460 / 4,440	6,880 / 6,600
6.4L HEMI® V8	AUTOMATIC	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
0.4L REIVII VO	TRANSMISSION	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
		MAX TOWING	15,050 / 14,810	14,700 / 14,470	14,620 / 14,340	14,610 / 14,290	14,230 / 13,950
		MAX GCWR	21,000	21,000	21,000	21,000	21,000
	AISIN® HEAVY-DUTY 6-speed automatic transmission	MAX GVWR	10,700 / 11,000	14,000	14,000	10,700 / 11,000	14,000
		MAX PAYLOAD	4,770 / 4,830	7,720 / 7,490	7,640 / 7,360	4,330 / 4,310	7,240 / 6,970
6.4L HEMI V8		MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
0.4L REIVII VO		MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
		MAX TOWING	17,920 / 17,680	17,570 / 17,340	17,490 / 17,210	17,480 / 17,160	17,090 / 16,820
		MAX GCWR	24,000	24,000	24,000	24,000	24,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
	G56 6-SPEED	MAX PAYLOAD	5,030 / 5,180	7,080 / 6,840	6,990 / 6,710	4,590 / 4,670	6,600 / 6,320
6.7L CUMMINS®	MANUAL	MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
	INANSIMISSIUN	MAX TOWING	19,280 / 19,030	18,930 / 18,690	18,840 / 18,560	18,840 / 18,520	18,450 / 18,170
		MAX GCWR	26,000	26,000	26,000	26,000	26,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
6.7L CUMMINS	AISIN HEAVY-DUTY	MAX PAYLOAD	4,870 / 5,020	6,920 / 6,680	6,830 / 6,550	4,430 / 4,510	6,440 / 6,160
HIGH OUTPUT	6-SPEED AUTOMATIC	MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
TURBO DIESEL	TRANSMISSION	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
I OUDO DIESEL	INANSWIISSIUN	MAX TOWING	19,120 / 18,870	23,770 / 23,530	23,680 / 23,400	18,680 / 18,360	23,290 / 23,010
		MAX GCWR	26,000	31,000	31,000	26,000	31,000


RAM 4500 CHASSIS	CAB MAX JOB RA	TING INFORMATION*					
POWERTRAIN		Regular Cab 60" CA (4x2 / 4x4)	Regular Cab 84" CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.4L HEMI V8 WITH	MAX PAYLOAD	9,660 / 9,270	9,500 / 9,120	9,350 / 9,000	9,210 / 8,940	9,080 / 8,730	8,940 / 8,640
AISIN HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	19,010 / 18,620	18,850 / 18,470	18,700 / 18,350	18,560 / 18,290	18,430 / 18,080	18,290 / 17,990
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS TURBO	MAX PAYLOAD	8,920 / 8,560	8,730 / 8,350	8,640 / 8,230	8,560 / 8,170	8,310 / 7,960	8,170 / 7,870
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	20,270 / 19,910	20,080 / 19,700	19,990 / 19,580	19,910 / 19,520	19,660 / 19,310	19,520 / 19,220
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
0.71.000444000.0000	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS HIGH OUTPUT TURBO DIESEL	MAX PAYLOAD	8,800 / 8,400	8,570 / 8,190	8,480 / 8,070	8,400 / 8,010	8,150 / 7,800	8,010 / 7,710
WITH AISIN HEAVY-DUTY	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED AUTOMATIC	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	MAX TOWING	25,650 / 25,250	25,420 / 25,040	25,330 / 24,920	25,250 / 24,860	25,000 / 24,650	24,860 / 24,560
THATOMISSION	MAX GCWR	33.500	33.500	33.500	33.500	33.500	33.500


RAM 5500 CHASSIS	CAB MAX JOB RA	TING INFORMATION*					
POWERTRAIN		Regular Cab 60" CA (4x2 / 4x4)	Regular Cab 84" CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.4L HEMI V8 WITH	MAX PAYLOAD	12,110 / 11,740	12,480 / 12,100	12,310 / 11,960	12,260 / 11,880	11,600 / 11,220	11,910 / 11,550
AISIN HEAVY-DUTY	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	18,960 / 18,590	18,830 / 18,450	18,660 / 18,310	18,610 / 18,230	18,450 / 18,070	18,260 / 17,900
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS TURBO	MAX PAYLOAD	11,390 / 10,990	11,790 / 11,360	11,700 / 11,220	11,610 / 11,140	10,830 / 10,480	11,140 / 10,810
DIESEL WITH G56	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	20,240 / 19,840	20,140 / 19,710	20,050 / 19,570	19,960 / 19,490	19,680 / 19,330	19,490 / 19,160
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
0.71.011.011.011	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS HIGH	MAX PAYLOAD	11,250 / 10,830	11,630 / 11,200	11,540 / 11,060	11,450 / 10,980	10,670 / 10,320	10,980 / 10,910
OUTPUT TURBO DIESEL	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
VITH AISIN HEAVY-DUTY 6-SPEED AUTOMATIC	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	MAX TOWING	30,600 / 30,180	30,480 / 30,050	30,390 / 29,910	30,300 / 29,830	30,020 / 29,670	29,830 / 29,760
HUNCOMISSION	MAX GCWR	38,500	38,500	38,500	38,500	38,500	38,500



## PROMASTER VAN ROOF OPTIONS

46





303.7 CUBIC MAX CARGO AREA

Meets SAE J1100 requirements.

462.8 CUBIC MAX CARGO AREA

Meets SAE J1100 requirements.



16-inch Painted Steel Wheel with Center Cap Standard for Ram ProMaster I500/2500/3500 (WCS and WMN)



16-inch Steel Wheel with Optional Cover Optional for Ram ProMaster I500/2500/3500 (W6A)



16-inch Aluminum Wheel Optional for Ram ProMaster I500/2500/3500 (WDN)

2018 RAM PROMASTER 1500/2500/3500 CARGO VAN AND 3500 CUTAWAY/CHASSIS CAB BUYER'S GUIDE	SALES CODE	CARGO VAN	CHASSIS CAB	GUTAWAY
		2TA	2TA	2TA
ENGINE / TRANSMISSION				
3.6L Pentastar® V6 / 6-speed automatic	ERB	•	•	•
MECHANICAL FEATURES				
ADDITIONAL KEY FOBS — Two	GXK	0	0	0
ALTERNATOR - 180-amp	BAD	•	-	-
- 220-amp	BAJ	0	•	•
AUXILIARY FUEL TAP	XFZ	•	•	•
BATTERY — 800-amp, maintenance-free	BCY	•	•	•
- Auxiliary Power Connector	BC1	•	•	•
BULB-OUT — Detection Defeat for LED	LB6	-	0	0
CRUISE CONTROL	NHM	0	0	0
ELECTRONIC STABILITY CONTROL <sup>6</sup>	BNB	•	•	•
ELECTRONIC VEHICLE TRACKING SYSTEM — By Mopar®	AES	0	0	0
ENGINE BLOCK HEATER	NHK	0	0	0
FUEL TANK - 24-gallon	NFE	•	•	•
FULL-SIZE SPARE TIRE	TBB	•	•	•
POWER STEERING	SBA	•	•	•
SPEED LIMITER — Dealer-activated, 60-mph, 65-mph, 70-mph and 77-mph	NHR	•	•	•
SUSPENSIONS - Heavy-duty (2500/3500)	SDB	•	-	-
- Light-duty (118-inch WB 1500 models only)	SDA	•	-	-
- Medium-duty (136-inch WB 1500 models only)	SDJ	•	-	-
- Premium heavy-duty (3500 models only)	SDD	0	•	•
TEMPORARY SPARE TIRE MOUNT	TBA	-	0	0
EXTERIOR FEATURES				
CAB-BACK WALL — With window	GEV	_	•	-
CHROME GRILLE - Included with Premium Appearance Group	MFE	Р	Р	Р
DAYTIME BUNNING LAMPS	LMK	0	0	0
DOORS, REAR — 260-degree-opening with fixed glass	GLB	n	_	_
DOORS, SIDE — Left-side with fixed window and grate (not available on 118-inch WB)	GKD	n	_	_
- Left-side with no glass (not available on 118-inch WB)	GKE	n	_	_
- Right-side with fixed window and grate	GKB	n	_	_
- Right-side with no glass	GKA	•	_	_
EXTENDED WIRING — Taillamo	XGF	_	•	•

AND 3500 CUTAWAY/CHASSIS CAB BUYER'S GUIDE (CONTINUED)	SALES CODE	CARGO VAN	CHASSIS CAB	CUTAWAY
EVIEDIOD FEATURES (		2TA	2TA	2TA
EXTERIOR FEATURES (continued) FRONT FOG LAMPS — Included with Premium Appearance Group	LNJ	P	Р	Р
FRONT LICENSE PLATE BRACKET	MDA	0	0	0
HALOGEN HEADLAMPS	LMA	•	•	•
MIRRORS — Wide exterior mirrors; 96-inch (includes power heated mirrors on Cargo Van models)	XZP	Р	•	
— Manual-adjustable/manual folding	GTP	•	•	•
— Power-adjustable/power folding, heated	GTR	0	-	-
— Wide power-heated exterior mirrors; 96-inch	GTB	0	0	0
ROOF CLEARANCE LAMPS — Deletes the front clearance lamps	LT8	-	0	0
- Front - Rear	LNC	•	•	•
— neal SPLASH GUARDS — Set of four; by Mopar⊛	MKN	0		_
STEP — Rear bumper extension; by Mopar (not available with Trailer Tow Group; see your dealer for availability)	MDM	0	_	_
- Sliding door, step left-side; by Mopar (late availability)	MR3	0	-	-
- Sliding door, step right-side; by Mopar (late availability)	MRZ	0	-	-
WHEELS — 16-inch aluminum	WDN	0	0	0
- 16-inch Silver painted steel with center cap	WCS	•	•	•
- 16-inch Silver painted steel with full wheel cover	W6A	0	0	0
MINDOW DEFROSTER — Rear (requires rear doors with glass on Cargo Vans)	GFA	0	-	-
INTERIOR FEATURES				
12-VOLT AUXILIARY POWER OUTLET - Front	JJJ	•	•	•
- Rear	JKP	0	-	_
AIR CONDITIONING — Delete air conditioning; heater only	HCD	0	0	0
- Manually controlled, with heat - Rear Heater Air Conditioning Prep Package (not available with air conditioning delete)	HAA HDG	0	•	•
— near nearer an communing riep rackage (not avanable with an communing delete) ASSIST HANDLE — Rear doors; by Mopar	CSR	0	U	U _
AUXILIARY UPFITTER SWITCHES — Two	LHL	0	0	0
CARGO AREA LIGHTING - LED; by Mopar	LCP	0	_	-
CARGO COMPARTMENT FLOOR MAT - By Modar	CKL	0	-	_
CARGO LAMPS - Rear incandescent	LPE	•	-	-
CARGO PARTITION – None (standard)	CTP	•	-	-
— With sliding window	XJ1	0	-	-
- Without window	CWC	0	-	-
CARGO TIE-DOWNS - Floor		•	-	-
— Side wall	CKT	•	-	-
FRONT WALK-THRU MAT — Carpet; by Mopar (not available with passenger double seat)	CCL	0	-	-
— Slush; by Mopar (not available with passenger double seat) HIGH HEADLINER — By Mopar (not available on Low Roof models; restrictions apply: see your dealer for details)	CCK CHD	0	_	-
NSTRUMENT PANEL WITH BRIGHT BEZELS	JBD	0	0	0
POWER DOOR LOCKS — Speed-sensitive	JPH	•		
SEATING SURFACES — Cloth	*A7	•	•	
- Vinyl (not available with swivel seats)	*B7	0	0	0
SEATS — Four-way manually adjustable driver's and front-passenger bucket	CDN/CDT	•	•	•
- Driver's six-way adjustable with lumbar adjuster (not available with driver's suspension seat or passenger swivel seat)	CDL	0	0	0
<ul> <li>Driver's and passenger six-way adjustable with lumbar adjuster (not available with passenger double seat, driver's swivel seat of driver's suspension seat)</li> </ul>	CDU CDU	0	0	0
— Driver's suspension (not available with driver's swivel seat, heated driver's seat or six-way adjustable seat)	CXX	0	0	0
- Driver's swivel (requires cloth seating surfaces, not available with six-way adjustable seats or cargo partition)	CEA	0	0	0
- Heated driver's (requires six-way adjustable driver's seat; not available with driver's swivel seat)	CMB	0	0	0
- Heated passenger (requires six-way adjustable driver/passenger seats) - Passenger double (requires four-way or six-way adjustable driver's seat)	CMC	0	0	0
- rassenger unumle (requires rout-way of six-way adjustance univers seat) - Passenger-seat delete (includes deactivate passenger air bag and passenger seat belt mount delete)	CAA CD9	0	0	0
- Passenger swivel (requires cloth seating surfaces and driver's swivel seat; not available with cargo partition or heated seat)	CHR	0	0	0
SPRAY-ON FLOOR LINER — By Mopar	XMF	0	_	-
STEERING COLUMN - Telescoping	SUC	•	•	
STEERING WHEEL — Leather-wrapped	SCC	0	0	0
TORAGE — Locking glove box (included with Interior Convenience Group)	JKA	Р	Р	P
- Shelf above roof trim (included with Interior Convenience Group)	CTA	P	P	P
— Rear-door storage net (included with Interior Convenience Group)	CKR	Р	-	-
TIRE PRESSURE MONITORING LIGHT	XGM	•	•	•
JPFIT INTERFACE CONNECTORS — Included with Rear-Speaker Wiring Prep	BC3	•	•	•
WALL PANELS — Upper-side (includes lower side)	CTE	0	-	_
— Lower side only WINDOWS — Power with one-touch down feature	CMG JPY		-	-
- Window quards, rear (not available on Standard Roof Cargo Vans)	XGC	0	-	<u> </u>
WINDSHIELD DOCUMENT HOLDER — Included with Interior Convenience Group	CU6	P	P	P
WOOD FLOOR — Rear	CME	0		<u> </u>

	SALES CODE	CARGO VAN	CHASSIS CAB	GUTAWAY
		2TA	2TA	2TA
UCONNECT® / MULTIMEDIA				
MOPAR® WEB WIFI HOTSPOT²¹	XJU	0	0	0
REAR-SPEAKER WIRING PREP — Includes upfit interface connectors	RED	•	•	•
SIRIUSXM® SATELLITE RADIO <sup>16</sup>	RSD	0	0	0
UCONNECT 3 WITH 5-INCH DISPLAY — Includes Media Hub with USB and auxiliary input steering wheel-mounted audio controls	UAA	•	•	•
UCONNECT 3 NAV WITH 5-INCH DISPLAY — Includes Navigation	UAB	0	0	0
SAFETY & SECURITY				
AIR BAGS <sup>18</sup> — Advanced driver and front-passenger	CG3	•	•	•
- Supplemental side-curtain front	CJ4	•	•	•
- Supplemental front-seat side	CJ1	•	•	
DOT-COMPLIANT ROADSIDE SAFETY KIT — By Mopar; includes DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses	ACL	0	0	0
PARKSENSE® REAR PARK ASSIST <sup>20</sup>	XAA	0	-	-
PARKVIEW® REAR BACK-UP CAMERA <sup>20</sup>	XAC	•	-	-
REAR BACK-UP CAMERA KIT <sup>20</sup>	XA3	-	•	•
REMOTE KEYLESS ENTRY	GXM	•	•	•
REMOTE START — By Mopar	JJL	0	0	0
SECURITY ALARM — Detects break-in	LSA	0	0	0
PACKAGES / EQUIPMENT GROUPS				
INTERIOR CARGO SHELF PACKAGE — By Mopar (requires cargo partition or cargo partition with sliding window)	CWN	0	-	-
INTERIOR CONVENIENCE GROUP — Includes locking glove box, shelf above roof trim, underseat storage tray, rear-door storage net (Cargo Van only) and windshield document holder	AJV	0	0	0
PREMIUM APPEARANCE GROUP — Includes chrome grille and fog lamps	ALU	0	0	0
TRAILER TOW GROUP — Includes Class IV hitch receiver with 4- and 7-pin wiring harness	AHT	0	-	-

# 2018 RAM PROMASTER: TOWING AND PAYLOAD 1500/2500/3500 CARGO VAN; 3500 CUTAWAY/CHASSIS CAB

				CARGO VAN				
		1500		25	00	3500		
	118" WB	136" WB		136" WB 159" WB		159" WB	159" WB, Extended	
CAPABILITY	STANDARD ROOF	STANDARD ROOF	HIGH ROOF	HIGH	ROOF	HIGH	ROOF	
GVWR (lb)	8,550	8,550	8,550	8,900	8,900	9,350	9,350	
GCWR (lb)	11,500	11,500	11,500	11,500	11,500	11,500	11,500	
BASE CURB WEIGHT (lb)	4,551	4,650	4,776	4,756	4,883	4,912	5,009	
MAXIMUM PAYLOAD* (Ib)	4,000	3,900	3,770	4,140	4,020	4,440	4,340	
FRONT GAWR (Ib)	4,629	4,629	4,629	4,629	4,629	4,629	4,629	
REAR GAWR (Ib)	5,004	5,291	5,291	5,291	5,291	5,291	5,291	
CURB-TO-CURB TURNING (ft)	36.3	40.7	40.7	40.7	46.8	46.8	46.8	
MAXIMUM TOWING† (lb)	5,100	5,100	5,100	5,100	5,100	5,100	5,100	

		CHASSIS CAB			CUTAWAY	
		3500			3500	
CAPABILITY	136" WB	159" WB	159" WB, EXTENDED	136" WB	159" WB	159" WB, EXTENDED
GVWR (lb)	9,350	9,350	9,350	9,350	9,350	9,350
GCWR (lb)	11,500	11,500	11,500	11,500	11,500	11,500
BASE CURB WEIGHT (lb)	4,175	4,214	4,243	4,114	4,145	4,194
MAXIMUM PAYLOAD* (Ib)	5,180	5,140	5,110	5,240	5,210	5,160
FRONT GAWR (lb)	4,629	4,629	4,629	4,629	4,629	4,629
REAR GAWR (lb)	5,291	5,291	5,291	5,291	5,291	5,291
CURB-TO-CURB TURNING (ft)	40.7	46.8	46.8	40.7	46.8	46.8
MAXIMUM TOWING† (Ib)	5.100	5.100	5.100	5.100	5.100	5.100



# \_\_AMERICA'S\_\_ MOST EFFICIENT WORK VAN 22



50

16-inch Steel Wheel with Center Cap Standard on Tradesman® Cargo Van/Wagon (WDL/WME)



16-inch Steel Wheel with Full-Painted Silver Wheel Cover Standard on Tradesman SLT Cargo Van/Wagon SLT Packaged with Taxi Cab Package Optional on Tradesman Cargo Van/Wagon (WCS/W6A)



16-inch Aluminum Wheel Available on Tradesman SLT Cargo Van/Wagon SLT (WDN)

2018 RAM PROMASTER CITY®	SALES CODE	TRADESMAN® Cargo van	TRADESMAN SLT GARGO VAN	WAGON	TIO HOOM
BUYER'S GUIDE		2TC	2TD	2TA	2
ENGINE / TRANSMISSION					
2.4L Tigershark® MultiAir®2 1-4 / 9-speed automatic	ED6/DFH	٠	۰	۰	
MECHANICAL FEATURES					
ALTERNATOR — 160-amp	BAB	•	•	•	
BATTERY — 700-amp, maintenance-free	BC8		•	•	
BRAKES — 4-wheel antilock Electronic Vehicle tracking system (EVTS) — by Modar⊗	BGK XDJ	0	0	0	
FUEL TANK — 16-gallon	NFZ			•	
TIRE SERVICE KIT — Includes tire sealant and portable air compressor	XAH		•		
UPFIT INTERFACE CONNECTOR — Included with Taxi Cab Package on Wagon (late availability)	BC3	0	0	Р	
EXTERIOR FEATURES					
BODYSIDE MOLDING - Black	MJA	•	•	۰	
BUMPERS — Front and rear in Black	MLM			•	
- Front and rear in body-color	MLA	-	•	-	
CROSSBARS — Three Bar Utility; by Mopar (not available with Roof Rack Side Rails)	MWM	0	0	0	
DAYTIME RUNNING LAMPS	LMK	0	0	0	
DOORS — Rear hinged doors with fixed glass and sliding side doors with vented glass (Wagon models only)	GC4	-	-	•	
<ul> <li>Rear hinged doors with fixed glass, sliding side doors with vented glass (Cargo Van models only; includes side window grates with no partition)</li> </ul>	GC3	0	0	-	
- Rear hinged doors with fixed glass	GC2	0	0	•	
<ul> <li>Side sliding right door with vented glass (passenger-side only); packaged with rear hinged doors with fixed glass and sliding side doors with vented glass (includes window grate with no partition)</li> </ul>	GKP	O/P	0/P	-	
Side sliding left door with vented glass (driver side only); packaged with rear hinged doors with fixed glass and sliding side doors with vented glass (includes window grate with no partition)     Rear doors with 180-decree opening	GKR GLE	0/P	0/P	-	
- Near address with roo-degree opening - Side and rear doors with solid panels	GC1			Ė	
FOG LAMPS — Front (requires Lights and Wheels Group)	LNJ	-	Р	_	H
GLASS — Deep-tint (not available on Cargo Van models with side sliding rear doors with solid panels)	GEG	0	P	0	
Headlamps — Halogen	LMA	•	•	•	
MIRRORS — Remote, manual-adjustable	GTZ		-	•	
- Power-adjustable, folding, heated with body-color caps	GTS	-	•	-	
ROOF RACK — Side Rails; by Mopar	MWE	0	0	0	
ROOF RACK CROSSBARS — By Mopar (requires Roof Rack Side Rails)	MWF	0	0	0	
SPLASH GUARDS — Set of four; by Mopar	MKN	0	0	0	
TIRES — 215/55R16XL BSW All-Season	TMC	•	•	•	
WHEELS — 16-inch steel painted Silver with center cap	WDL	•	-	•	
- 16-inch steel painted Black with full-painted Silver wheel covers (included with Taxi Cab Package)	W6A/WCS	0	•	O/P	
— 16-inch aluminum (requires Lights and Wheels Group)	WDN	-	P	-	
Full-size spare tire     Full-size spare tire and inflator kit	TBB ACF	0	0	0	
INTERIOR FEATURES	AUT	U	U		H
AIR CONDITIONING	HAA		•		
DOOR LOCKS — Power, sneed-sensitive	JPH		•		
FLOOR MATS — Front and Rear Carpet; by Mopar	CLE	-	_	0	
- Front and Rear Slush: by Mooar	CLF	-	_	0	t
- Front Carpet; by Mopar	CLC	0	0	-	t
- Front Slush; by Mopar	CLY	0	0	-	
LIGHTING — Map/courtesy/cargo lamps incandescent	LBC	•	•	•	ľ
- Cargo area, LED; by Mopar	LCP	0	0	-	
SEATS — 60/40 Fold-and-Tumble three-person rear bench	CFF	-	-	•	Ĺ
— Cloth low-back bucket with manual adjuster	*B7	•	-	•	
- Heated front (included with Popular Equipment Group)	JPM	-	Р	-	
- Premium cloth bucket with driver-side manual lumbar and height adjusters	*C7	-	•	-	
Premium vinyl bucket with driver-side manual lumbar and height adjusters and passenger-side manual lumbar adjuster     (included with Taxi Cab Package on Wagon; late availability)	*N7	0	0	0/P	
SPEED CONTROL	NHM	0	•	0	
STEERING COLUMN — Tilt/telescoping	SUD	•	•	•	
STEERING WHEEL — Base — Leather-wrapped with audio controls (included with Uconnect® 3 NAV with 5-inch display)	SCK	P	-	• P	H
- LEAGUET-WIADDEG WILL AUGUO CONGIOLS (INCLUDED WILL OCCURRECL" 3 NAV WILL 3-INCH DISULAY)	SCG			r	F
WINDOWS — Front, power with one-touch up/down	JP3				

 $<sup>\</sup>bullet = \text{Standard} \ \ 0 = \text{Optional} \ \ P = \text{Part of Package} \ \ - = \text{Not available}$  NOTE: some features and/or applications may be late availability.

OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	53
----------	-------------	------	------	------	---------	---------	---------	-----------	----------------	----------------	-------	---------	-----------	----

2018 RAM PROMASTER CITY®	SALES CODE	TRADESMAN® Cargo Van	TRADESMAN SLT CARGO VAN	WAGON	WAGON SLT
BUYER'S GUIDE (CONTINUED)		2TC	2TD	2TA	2TE
UCONNECT® / MULTIMEDIA					
MOPAR® WEB WIFI HOTSPOT <sup>21</sup>	XJU	0	0	0	0
SIRIUSXM® SATELLITE RADIO <sup>16</sup>	RSD	0	0	0	0
SPEAKERS - Four	RCD	•	•	٠	•
— Six (packaged with Popular Equipment Group)	RCG	-	-	-	P
UCONNECT 3 WITH 5-INCH DISPLAY — Includes AM/FM and Integrated Voice Command <sup>14</sup> with Bluetooth®	UAA	•	•	•	•
- Uconnect 3 NAV with 5-inch display and Navigation; includes AM/FM/NAV	UAB	0	0	0	0
SAFETY & SECURITY					
AIR BAGS¹® — Front driver and passenger	CGT/CGE	•	•	•	•
- Driver inflatable knee bolster	CGY	•	•	•	•
- Supplemental front-seat side	CJ1		•	•	•
- Supplemental side-curtain for first and second row	CJ2	-	-	•	۰
- Supplemental side-curtain for first row	CJ4		•	-	-
DOT-COMPLIANT ROADSIDE SAFETY KIT — By Mopar; includes DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses	ACL	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) <sup>e</sup> — Includes All-Speed Traction Control, Brake Assist, Brake-Lock Differential, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Damping <sup>e</sup>	BNB		•	•	
PARKSENSE® REAR PARK ASSIST20	XAA	0	0	0	0
PARKVIEW® REAR BACK-UP CAMERA <sup>20</sup>	XAC		•	•	۰
REMOTE KEYLESS ENTRY	GXM		•	•	۰
REMOTE START SYSTEM - By Mopar	JJL	0	0	0	0
TIRE PRESSURE MONITORING (TPM) SYSTEM - Warning lamp	LAB		•	•	۰
PACKAGES / EQUIPMENT GROUPS					
CARGO PARTITION PACKAGE — No window (includes rear wall trim)	AS1	0	0	_	I-
- With window (includes rear wall trim)	AHA	0	0	_	-
LIGHTS AND WHEELS GROUP — Includes front fog lamps and 16-inch aluminum wheels	AZK	-	0	-	0
POPULAR EQUIPMENT GROUP — Includes heated front seats, 2nd-row power window and six speakers (Wagon models); not available with sliding side and rear doors with solid panels on Carno Van models	AJY	-	0	-	0
REAR WIPER/WASHER/DEFROSTER GROUP — Includes rear window defroster and rear window wiper/washer (packaged with Taxi Cab Package; requires deep-tint sunscreen glass; not available with sliding side and rear doors with solid panels)	AMF	0	0	0/P	0
TAXI CAB PACKAGE — Includes Rear Wiper/Washer/Defroster Group, premium vinyl bucket seats, upfit interface connector, two additional key fobs, Black power heated power-adjustable mirrors, 2nd-row power windows and 16-inch steel painted Black wheels with full-painted Silver wheel covers (late availability)	AZ3	-	-	0	-
TRAILER TOW GROUP — Includes Class III hitch receiver with 4- and 7-pin wiring harness	AHT	0	0	0	0

# MAXIMUM PAYLOAD AND TOWING CAPACITIES

	TRADESMAN® Cargo van	TRADESMAN SLT Cargo van	WAGON	WAGON SLT
GVWR (lb)	5,395	5,395	5,395	5,395
GCWR (lb)	5,900	5,900	5,900	5,900
CURB WEIGHT (lb)	3,512	3,512	3,682	3,682
MAXIMUM PAYLOAD (Ib)	1,883	1,883	1,713	1,713
MAXIMUM TOWING* (lb)	2,000	2,000	1,867	1,867

<sup>\*</sup>When properly equipped. Trailer Weight Rating and tow vehicle trailer weight are calculated as specified in SAE J2807. Driver and passenger weight = 300 lb. Trailer equipment weight: 50.7 lb for conventional hitch.



RAM PICKUP AND CHASSIS CAB CONFIGURATIONS							
	1500 PICKUP	2500/ PICK			3500/4500/5500 CHASSIS CAB		
	SRW	SRW	DRW	SRW	DRW		
REGULAR CAB	RB 6'4"	8' 2500/3500	8' 3500	3500	3500 3500 4500 4500 4500 4500 5500 5500 5500 5		
QUAD CAB®	RB 6'4"						
	RB 5'7"	RB 6'4" 2500/3500		60"	60" 84" E		
CREW CAB	RB 6'4"	8 8 2500/3500	8' 3500	3500	3500 4500 4500 5500 5500		
MEGA CAB®		RB 6'4'	<b>64</b>		CARGO BEO LENGTH CAB-TO-AXLE LENGTH (CA) RB RAMBOX* SYSTEM AVAILABLE SRW = SINGLE REAR WHEEL DRW = DUAL REAR WHEEL		
		2500/3500	3500				


# RAM PROMASTER® CONFIGURATIONS

# RAM PROMASTER CITY®











# RAM PROMASTER VAN AND CHASSIS CAB/CUTAWAY

	1500	2500	3500
CARGO VAN STANDARD RODF	118 105.1 195.4 213.1		UDD WHEELBASE LENGTH IN INCHES  EXT BODY/CHASSIS EXTENDED 14 INCHES  UDD LOAD FLOOR LENGTH IN INCHES  UDD CAB-TO-AXLE LENGTH IN INCHES  OVERALL BODY LENGTH IN INCHES
CARED VAN AVAILABLE HIGH ROOF	136 122.8 213.1	136 122.8 145.8 213.1 236.1	159 159 145.9 EXT 160.2
CHASSIS CAB/ CUTAWAY STANDARD ROOF ONLY			1315 159 159 81.1 207.0 230.0 244.4

TERIOR PAINT COLORS		SPECIAL EXTERIOR PAINT COLORS'	
BLACK – 2, 3	BRILLIANT BLACK CRYSTAL PEARL – 1, 2	MIDNIGHT BLUE - 1, 2	DARK BROWN - 1, 2, 3, 4
BLACK METALLIC – 4	TRUE BLUE PEARL – 1, 2, 3	TIMBERLINE GREEN PEARL – 1, 2	TREE GREEN – 1, 2
BLACK FOREST GREEN PEARL – 2	GRANITE CRYSTAL METALLIC - 1, 2, 3	LIGHT GREEN - 1, 2	BRIGHT GREEN – 1, 2
MAXIMUM STEEL METALLIC - 1, 2	QUARTZ GRAY METALLIC – 4	NEW HOLLAND BLUE – 1, 2	HILLS GREEN/GREEN ANGEL – 1, 2, 3
BLUE NIGHT METALLIC – 4	SILVER METALLIC – 4	POWER TAN – 1, 2	ROBIN EGG BLUE - 1, 2
BLUE STREAK PEARL – 1, 2	BRIGHT SILVER METALLIC – 1, 2, 3	BROOM YELLOW - 3, 4	LIGHT CREAM – 1, 2
BRIGHT WHITE - 1, 2, 3, 4	SANDSTONE - 3	YELLOW - 1, 2	NATIONAL SAFETY YELLOW - 1, 2
DELMONICO RED PEARL - 1, 2	PEARL WHITE – 1, 2	DETONATOR YELLOW - 1, 2	CONSTRUCTION YELLOW - 1, 2
FLAME RED - 1, 2, 3	BRIGHT RED - 4	OMAHA ORANGE – 1, 2	SCHOOL BUS YELLOW - 1, 2
DEEP CHERRY RED CRYSTAL PEARL – 3	DEEP RED METALLIC – 4	BRIGHT RED - 1, 2	CASE IH RED – 1, 2
	RV MATCH WALNUT BROWN METALLIC - 1, 2		
			ABILITY LEGEND BS 3: RAM PROMASTER® 4: RAM PROMASTER CITY®

56

OVERVIEW

POWERTRAINS

1500

2500

3500

3500 CC

4500 CC

5500 CC

PROMASTER

\*See your dealer for special paint color ordering requirements.

PROMASTER CITY CONFIGURATIONS

PAINT

FABRICS

RESOURCES

**POWERTRAINS** 3500 CC 4500 CC 5500 CC **PROMASTER** PROMASTER CITY CONFIGURATIONS **PAINT** FARRICS RESOURCES 59 **OVERVIEW** 

# INTERIOR SEAT FABRICS

Cloth Black Ram ProMaster® Vinvl Black Ram ProMaster

Cloth Black Ram ProMaster City® Tradesman® **Premium Cloth Black** Ram ProMaster City SLT Premium Vinyl Black

Ram ProMaster City Tradesman / SLT

Vinyl **Diesel Gray** Tradesman, Express and HFE

**Work Grade Vinyl Diesel Gray** Tradesman (Heavy Duty and Chassis Cab models only)

Sedoso/Alloy Cloth **Diesel Gray** Tradesman, Express and SLT

Sedoso/Alloy Cloth Canyon Brown

Sedoso/Carbide Cloth **Diesel Gray** SLT and Big Horn®/Lone Star\*

Sedoso/Carbide Cloth **Canyon Brown** 

SLT and Big Horn/Lone Star\*

Bristol/Sport Mesl Light Frost Beige Lone Star Silver Ed

**Bristol/Sport Mesh Cloth** Black Sport and Lone Star Silver Edition\* Gode-Tex Vinyl/Cloth with Embossed Tire-Tread Pattern Radar Red/Black Rebel®

Gode-Tex Vinyl/Cloth with Embossed Tire-Tread Pattern Black

Rebel

Gode-Tex Vinyl/Cloth with Embossed Tire-Tread Pattern Black/Diesel Grav Power Wagon®

Bristol Leather/Perforated Leather Trim Black

Sport, Rebel, Laramie® and Power Wagon

Natura Plus Leather with Laser Etching/Perforated Leather with Dark Saddle Piping and Tan Accent Stitching **Canyon Brown** 

Laramie Longhorn

Black

Natura Plus Leather/Perforated Leather with **Black Piping and Black Accent Stitching** Cattle Tan

Natura Plus Leather/Perforated Leather with Dark Saddle **Piping and Tan Accent Stitching Canyon Brown** 

Laramie Longhorn

Bristol Leather/Perforated

Light Frost Beige

Natura Plus Leather/Perforated Leather Canyon Brown Piping and Ruby R **Light Frost Beige** Laramie Longhorn Southfork Pa

Laramie Longhorn Natura Plus Leather/Perforated Leather with Medium

Natura Plus Leather/Perforated Leather with Medium

\*Lone Star model available only in Texas.

**Graystone Accent Stitching and Piping** 

Indigo Accent Stitching and Piping

# THE RIGHT UPFIT FOR YOUR RAM TRUCK.

Because it's the most important and expensive tool in your business toolbox, you can increase your truck's efficiency and customize its capability with an upfit-an aftermarket body modification. Ram Commercial is ready to help.

Select upfitters who meet our criteria for excellence, and who agree to our quidelines, ensure that your truck performs to spec. Streamline the process by identifying the type of work, operating conditions (worksite, on-/off-road, etc.), type and amount of weight or payload, and type and weight of trailer and contents (if applicable).

You'll find the most recent list of these upfitters and the comprehensive Body Builder's Guides-critical details, technical specs and measurements-at RAMTRUCKS.COM/COMMERCIAL. Log on to RAMBODYBUILDER.COM or use our toll-free hotline for Body Builder questions or assistance: the number is 866-205-4102.

# THE FINAL WORD: FROM ACCESSORIES TO WARRANTIES.

5-YEAR/100.000-MILE DIESEL POWERTRAIN LIMITED WARRANTY. Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty.

5-YEAR/60,000-MILE GAS POWERTRAIN LIMITED WARRANTY. Transferable. See your dealer for complete details and a copy of the 5-Year/60.000-Mile Gas Powertrain Limited Warranty.

3-YEAR/36.000-MILE BASIC LIMITED WARRANTY. Ram vehicles are covered by an FCA US LLC 3-Year/36.000-Mile Basic Limited Warranty. See your dealer for a copy of this limited warranty. Excludes normal maintenance and wear items.

BUSINESSLINK. If your business relies on vehicles, BUSINESSLINK can save you time, money and hassles. For more, log on to fcausfleet.com or call us toll-free at 877-2THELINK (877-284-3546).

MOPAR® VEHICLE PROTECTION. Mopar Vehicle Protection® is the only extended protection backed by the manufacturer. FCA US LLC stands behind Mopar Vehicle Protection with certified, factory-trained technicians, genuine Mopar parts and service at any dealership within the United States, Canada, Puerto Rico or Mexico. Be sure to ask for a Mooar Vehicle Protection plan at your dealership. For more information. call us toll-free at 800-442-2666 or visit moparvehicleprotection.com

AUTHENTIC ACCESSORIES BY MOPAR are designed for exceptional fit, finish and performance. Visit your dealership or mopar.com

**UCONNECT.** With Uconnect, you're always connected—to people, places, music, movies and the Internet.

SIRIUSXM® SATELLITE RADIO.16 Over 130 channels, including commercial-free music, sports, news, talk, comedy and entertainment. Factory-installed SiriusXM Satellite Radio<sup>16</sup> includes a one-year subscription. For more, go to siriusxm.com

RAM OUTFITTER is a collection of handpicked items bearing the Ram identity-from apparel to tools for work and play. It's all found at ramtrucks.com/outfitter

1 Based on the average of VIO vs New Registrations for each model year within the FCA defined HD pickup segment using IHS Markit data as of July 1, 2017 for Model Years 1988 to 2017. 2 Transferable. See dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty. 3 Transferable. See dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty. 4 Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty. See your dealer for a copy of this limited warranty. Excludes normal maintenance and wear items. 5 Based on latest available competitive information. Class based on light-duty pickups. 6 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. 7 Based on latest available competitive information. Class based on 250/2500 and 350/3500 pickups. 8 Based on latest available competitive information. Class based on 250/2500 pickups. 9 Based on Class 3 - 5 pickup-based conventional cab chassis. 10 Based on Class 4 – 5 pickup-based conventional cab chassis. 11 Based on latest available competitive information. Class is Small Commercial Van segment. 12 Based on latest available competitive information and competitive information. Class is Small Commercial Van segment (Class 2). 13 Apple CarPlay and Android Auto require a compatible mobile device connected Via USB cable to the Uconnect system. Data plan rates may apply. Visit UconnectPhone.com for system and device compatibility. 14 Requires a mobile phone equipped with the Bluetooth Hands-Free Profile. Visit UconnectPhone.com for system and device compatibility. 15 Uconnect Access Via Mobile uses your smartphone's existing data plan to access information online. To use Via Mobile, you must have a compatible smartphone (with the Uconnect Access app installed and launched, visit UconnectPhone.com for compatibility) and you must fulfill all Uconnect Access registration and subscription requirements. Some applications must be configured on Mopar Owner Connect and may require an account Via Mobile is included for five years and begins the day you take delivery of your vehicle. Register as soon as possible. Must be within the 48 contiguous United States, plus Alaska, and within active and usable cellular range. 16 Sirius XM audio and data services each require a subscription sold separately or as a package by Sirius XM Radio Inc. Your Sirius XM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel, you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Not all vehicles or devices are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations or on all receivers. 17 All SiriusXM Guardian-equipped vehicles come with a 12-month complimentary trial effective on the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive service. Upon expiration of the trial period, purchase of a subscription is required to continue SiriusXM Guardian. SiriusXM Guardian is available only on equipped vehicles purchased within the United States, Puerto Rico and Canada. Services can only be used where cellular coverage is available. See Uconnect and SiriusXM Guardian Terms of Service for complete service limitations. 18 Voice Text Reply and Voice Texting features require a compatible mobile device enabled with Bluetooth Message Access Profile (MAP). iPhone and some other smartphones do not currently support Bluetooth MAP. Visit www.UconnectPhone.com for system and device compatibility. Ensure MAP is ON and incoming message notification is enabled. Vehicle must be registered for Uconnect Access and you must fulfill minimum subscription requirements. Also requires the use of a compatible smartphone that supports text messaging and Bluetooth. Check UconnectPhone.com for device compatibility. 19 The Advanced Front Air Bags in this vehicle are certified to the new U.S. Federal regulations for Advanced Air Bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. 20 Always look before proceeding, electronic drive aid is not a substitute for conscientious drivino: always be aware of your surroundinos. 21 WiFi subscription required. Vehicle must be properly equipped and in active and usable cellular range for WiFi usage. WiFi Hotspot does not enable direct communication between multiple in-vehicle devices. Factors affecting the performance of WiFi Hotspot include: cellular network, signal strength and quality, time of day, number of channels used by the service provider, type of connection, number of clients using WiFi Hotspot and client device. This feature is not intended for use by the driver while the vehicle is in motion. Always drive safely. 22 Based on best-in-class cargo capacity. best-in-class payload and best-in-class fuel efficiency. 23 ON THE JOB is a retail incentive program; see your dealer for official rules. Inquire about eligibility by calling 877-ONTHEJOB or by logging on to feausfleet.com. The purchaser or lessee must be a qualified commercial customer for more than 30 days prior to the date of the vehicle purchase. An official ON THE JOB Customer Acknowledgment Form must be signed by the customer (provided by the dealer).

©2017 FCA US LLC. All Rights Reserved. Chrysler, Ram, Mopar, the Ram's Head logo, AllSecure, Big Horn, BusinessLink & design, HEMI, Laramie, Laramie Longhorn, Mega Cab, Mopar Owner Connect, Mopar Vehicle Protection, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Ram 1500 Express, RamBox, Ram Articulink, Ram ProMaster, Ram ProMaster City, Ram Work Grade, Rebel, Sentry Key, Snow Chief, Tigershark, TorqueFille, Tradesman and Uconnect are registered trademarks, and Active-Level, HFE High Fuel Efficiency & Design, Keyless Enter 'n Go and On The Job & design are trademarks of FCA US LLC. Chrysler Capital is a registered trademark of FCA US LLC and licensed to Santander Consumer USA Inc. MultiAir is a registered trademark of C.R.F. Società Consortile per Azioni, used under license by FCA US LLC.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. Apple CarPlay and iPhone are registered trademarks of Apple Inc. Android, Android Auto and other marks are registered trademarks of Google Inc. Sirius XM Connected Vehicles Services Inc. Sirius, XM, SiriusXM, and SiriusXM Guardian and all related marks and logos are trademarks of Strius XM Radio Inc. Dana is a registered trademark of Dana Holding Corporation. Bosch is a registered trademark of Robert Bosch GmbH. Cummins is a registered trademark of Cummins, Inc. AISIN is a registered trademark of Warn Industries, Inc. CNH, Case IH and New Holland are registered trademarks of CNH America LLC. DensGlass," the color GOLD and the Georgia-Pacific logo are trademarks owned by or licensed to Georgia-Pacific Gypsum LLC. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Paramount Farms and logo are registered trademarks of Paramount Farms International LLC. Katerack is a registered trademark of Dejana Truck & Utility Equipment Co. All rights reserved. Firestone is a registered trademark of Bridgestone Brands, LLC.

About this brochure: since the time of printing, some of the information you'll find in this brochure may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this brochure may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.